Index to Volume 103

July–December, 2005

Author Index

ABE O. *See* Furuya K, 715

ACHIRIOLAIE A. *See* Villablanca JP, 1018

AGNER C, DESHAIES EM, BERNARDINI GL, POPP AJ, BOULOS AS. Coronary AngioJet catheterization for the management of dural venous sinus thrombosis. Technical note, 368

AGUENNOUZ M. *See* Conti A, 873

AIYAGARI V. *See* Gondim FAA, 444

———. *See* Jost SC, 25

AKETA S. *See* Boulos AS, 739

ALPERIN N, SIVARAMAKRISHNAN A, LICHTOR T. Magnetic resonance imaging–based measurements of cerebrospinal fluid and blood flow as indicators of intracranial compliance in patients with Chiari malformation, 46

ALVES OL. *See* Clausen T, 233, 597

AMDUR RJ. *See* Friedman WA, 206

AMIN-HANJANI S, BUTLER WE, OGILVY CS, CARTER BS, BARKER FG II. Extracranial–intracranial bypass in the treatment of occlusive cerebrovascular disease and intracranial aneurysms in the United States between 1992 and 2001: a population-based study, 794

AMMERMAN JM, LONSER RR, OLDFIELD EH. Posterior subtemporal transtentorial approach to intraparenchymal lesions of the anteromedial region of the superior cerebellum, 783

———, ———, ———. Transtentorial approach. Editorial, 776

ANDERSSON N. *See* Lenfeldt N, 768

ANDO T. *See* Nimura T, 968

ANDRADE-SOUZA YM, ZADEH G, RAMANI M, SCORA D, TSAO MN, SCHWARTZ ML. Testing the radiosurgery-based arteriovenous malformation score and the modified Spetzler–Martin grading system to predict radiosurgical outcome, 642

ANDREWS P. *See* Howells T, 196, 197

ANGILERI FF. *See* Conti A, 873

ANILE C. *See* Maira G, 831

ANTONIADIS G. *See* Kandenwein JA, 614

AOKI A. *See* Miyatake S, 1000

AOYAGI M. *See* Nariai T, 498

AQUILINA K. *See* Kamel MH, 848

ARAKAWA Y. *See* Kawabata Y, 31

ARATA J. *See* Morita A, 320

ARIKAN F. *See* Poca MA, 455

ASAI D. *See* Morita A, 320

ASHLEY WW JR, CHICOINE MR. Subarachnoid hemorrhage caused by posterior inferior cerebellar artery aneurysm with an anomalous course of the atlantoaxial segment of the vertebral artery. Case report and review of literature, 356

AZIZ TZ. *See* Sillery E, 1030

BABA S. *See* Morita A, 320

BABA T, MINAMIDA Y, MIKAMI T, KOYANAGI I, HOUKIN K. Entrapment neuropathy of the optic nerve due to hyperostosis associated with congenital anemia. Case report, 917

BAKAY RAE. Neural transplantation. Editorial, 6

BALDAUF J, JUNGHANS D, SCHROEDER HWS. Endoscope-assisted microsurgical resection of an intraneural ganglion cyst of the hypoglossal nerve. Case report, 920

BALDWIN ME. *See* Rosen D, 18

BANKIEWICZ K. *See* Krauze MT, 923

BARAZI SA. *See* Gnanalingham KK, 439

BARDINET E. *See* Menuel C, 256

BARKER FG II. *See* Amin-Hanjani S, 794

BARKHOUDARIAN G, HOFF JT, THOMPSON BG. Propionibacterium infection associated with bovine pericardium dural allograft. Case report, 182

BARNETT GH. *See* Nathoo N, 378, 392

BARROW DL. *See* Dhall SS, 559

———. *See* Tumialán LM, 1088

BASSIOUNI H. Cerebellopontine angle meningiomas. Letters, 937

BEALS SP. *See* Feiz-Erfan I, 485

BECK J. *See* Raabe A, 974, 982

BECK RJM. *See* Streefkerk HJN, 328

BECKER D. *See* Vadivelu S, 124

BEHRENS TEJ. *See* Sillery E, 1030

BELL-STEPHENS T. *See* Kondziolka D, 38

BENJAMIN JC. *See* Marshman LAG, 752

BENVENISTE RJ, KELLER G, GERMANO I. Embryonic stem cell–derived astrocytes expressing drug-inducible transgenes: differentiation and transplantation into the mouse brain, 115

BERGENHEIM AT. *See* Lenfeldt N, 768

BERGER MS. Book review, 576

———. *See* Krauze MT, 923

———. *See* Smith JS, 428

BERNARDINI GL. *See* Agner C, 368

BERNSEN H, VAN DER LAAK J, KÜSTERS B, VAN DER VEN A, WESSELING P. Gliomatosis cerebri: quantitative proof of vessel recruitment by cooptation instead of angiogenesis, 702

BERNSTEIN M. *See* Laxton AW, 1084

BINNING MJ, GOTTFRIED ON, OSBORN AG, COULDWELL WT. Rathke cleft cyst intracystic nodule: a characteristic magnetic resonance imaging finding, 837

BITTAR RG. *See* Sillery E, 1030

BLOOM S. *See* Stiefel MF, 805

BLOT S. *See* Moissonnier P, 70

BOOP FA. Long-term outcome in patients harboring intracranial ependymoma. Editorial, 4

Boscardin WJ. *See* Oertel M, 812
Bošnjak R, Derham C, Popović M, Ravnik J. Spontaneous intracranial meningioma bleeding: clinicopathological features and outcome, 473
Bota DP, Lefranc F, Vilallobos HR, Brimioulle S, Vincent J. Ventriculostomy-related infections in critically ill patients: a 6-year experience, 468
Boulos AS, Deshaies EM, Fessler RD, Aketa S, Standard S, Miskolczi L, Guterman LR, Hopkins LN. A triple bifurcation aneurysm model for evaluating complex endovascular therapies in dogs, 739
———. *See* Agner C, 368
Bova FJ. *See* Friedman WA, 206
Bowden SC. *See* Carne RP, 768
Braca J, Hornyak M, Murali R. Hemifacial spasm in a patient with Marfan syndrome and Chiari I malformation. Case report, 552
Bradshaw P. *See* Friedman WA, 206
Brat DJ. *See* Dhall SS, 559
Brennan CW. *See* Petrovich N, 267
Breu V. *See* Vajkoczy P, 9
Brew S. *See* Henkes H, 990
Brimioulle S. *See* Bota DP, 468
Bringas J. *See* Krauze MT, 923
Brosh T. *See* Gil Z, 87
Broussard J. *See* Burger IM, 179
Bruce J. *See* Landy H, 760
Buemi C. *See* Conti A, 873
Bulder MMM. *See* Streefkerk HJN, 328
Bullock MR. *See* Clausen T, 233, 597
———. *See* Kwon TH, 724
Burchiel KJ, Eller JL. Book review, 387
———. *See* Eller JL, 576
Burger IM, Tamargo RJ, Broussard J, Gailloud P. Combined surgical and endovascular treatment of a spontaneous diploic arteriovenous fistula. Case report, 179
Butler WE. *See* Amin-Hanjani S, 794
Butman JA. *See* Heiss JD, 1035
Byrne RW. *See* Sani S, 567

Caird J. *See* Kamel MH, 848
Cantón G, Levy DI, Lasheras JC. Hemodynamic changes due to stent placement in bifurcating intracranial aneurysms, 146
———, ———, ———, Nelson PK. Flow changes caused by the sequential placement of stents across the neck of sidewall cerebral aneurysms, 891
Caputy AJ. *See* Khalid MH, 79
Cardali S. *See* Conti A, 873
Carne RP, O'Brien TJ, Kilpatrick CJ, MacGregor LR, Hicks RJ, Murphy MA, Bowden SC, Kaye AH, Cook MJ. Temporal lobe epilepsy. Letters, 768
Carozzo C. *See* Moissonnier P, 70
Carter BS. *See* Amin-Hanjani S, 794
Cawley CM. *See* Tumialán LM, 1088
Cersósimo MG. *See* Micheli F, 1081
Cha S. *See* Smith JS, 428
Chandler JP. *See* Pollack AG, 546
Chang EL. *See* Mahajan A, 210
Chang SM. *See* Smith JS, 428
Chawda SJ. *See* Marshman LAG, 752
Chen AF. Book review, 575
Chen MY, Hoffer A, Morrison PF, Hamilton JF, Hughes J, Schlageter KS, Lee J, Kelly BR, Oldfield EH. Surface properties, more than size, limiting convective distribution of virus-sized particles and viruses in the central nervous system, 311
Chen TC. *See* Pyrko P, 526
———. *See* Wang W, 1058
Cheng W. Book review, 933
Chicoine MR. *See* Ashley WW Jr, 356
Choi L. *See* Vadivelu S, 124
Chopp M. *See* Qu C, 695
Chua J. *See* Wang W, 1058
Chua VG. *See* Ho YL, 910
Cif L. *See* Hemm S, 949
Clatterbuck RE, Gailloud P, Tierney T, Clatterbuck VM, Murphy KJ, Tamargo RJ. Controlled release of a nitric oxide donor for the prevention of delayed cerebral vasospasm following experimental subarachnoid hemorrhage in nonhuman primates, 745
Clatterbuck VM. *See* Clatterbuck RE, 745
Clausen T, Alves CL, Reinert M, Doppenberg E, Zauner A, Bullock R. Association between elevated brain tissue glycerol levels and poor outcome following severe traumatic brain injury, 233
———, Khaldi A, Zauner A, Reinert M, Doppenberg E, Menzel M, Soukup J, Alves OL, Bullock MR. Cerebral acid–base homeostasis after severe traumatic brain injury, 597
Cohen BA. *See* Inglese M, 298
Cohen-Gadol AA. Cushing, The Mayos, and George Crile. Letters, 393
———, Laws ER, Spencer DD, De Salles AAF. The evolution of Harvey Cushing's surgical approach to pituitary tumors from transsphenoidal to transfrontal. Historical vignette, 372
———, Liu JK, Laws ER Jr. Cushing's first case of transsphenoidal surgery: the launch of the pituitary surgery era. Historical vignette, 570
———. *See* Liu JK, 1096
———. *See* Spencer DD, 769
Coimbra C. *See* Schmidt K, 342
Cold GE, Rasmussen M. Indomethacin. Letters, 578
Cole CD. *See* Liu JK, 1096
Conti A, Aguennouz M, La Torre D, Cardali S, Angileri FF, Buemi C, Tomasello C, Iacopino DG, D'Avella, Vita G, Tomasello F. Expression of the tumor necrosis factor receptor–associated factors 1 and 2 and regulation of the nuclear factor–κB antiapoptotic activity in human gliomas, 873
Contratti F. *See* Fraioli MF, 389
Cook MJ. *See* Carne RP, 768
Correa DD. *See* Petrovich N, 267
Cosgrove GR. *See* Curry WT Jr, 630
Costa FK. *See* Wang W, 1058
Costantino PD. *See* Shrivastava RK, 491
Coubes P. *See* Hemm S, 949
Couldwell WT. *See* Binning MJ, 837
———. *See* House PA, 578
———. *See* Liu JK, 1096
———. *See* Ragel BT, 508
Crawley A. *See* Mikulis DJ, 347
Crocco T. *See* Rosen CL, 687
Curry WT Jr, Cosgrove GR, Hochberg FH, Loeffler J, Zervas NT. Stereotactic interstitial radiosurgery for cerebral metastases, 630
Cuvilliez V. *See* Moissonnier P, 70
Czosnyka M. *See* Czosnyka Z, 767

Czosnyka Z, Czosnyka M, Pickard JD. CSF pulse pressure and B waves. Letters, 767

Dacey RG Jr. *See* Rivet DJ, 186
Danks RA. *See* Langford P, 176
Date I. *See* Kusaka N, 882
———. *See* Yano A, 104
Daugherty WP. *See* Kwon TH, 724
D'Avella D. *See* Conti A, 873
David KM. *See* Marshman LAG, 752
De Salles AAF. *See* Cohen-Gadol AA, 372
De Tommasi C, Vance ML, Okonkwo DO, Diallo A, Laws ER Jr. Surgical management of adrenocroticotropic hormone–secreting macroadenomas: outcome and challenges in patients with Cushing's disease or Nelson's syndrome, 825
De Vries J. *See* Menovsky T, 578
DeCesare S. *See* Kondziolka D, 38
Dedrick RL. *See* Heiss JD, 1035
Deguchi J, Yamada M, Ogawa R, Kuroiwa T. Transvenous embolization for a purely intraorbital arteriovenous fistula. Case report, 756
Delashaw J. Book review, 387
Della Rocca R. *See* Shrivastava RK, 491
Denaro L, Di Rocco F, Gessi M, Lauriola L, Lauretti L, Pallini R, Fernandez E, Maira G. Pyrogenic cytokine interleukin-6 expression by a chordoid meningioma in an adult with a systemic inflammatory syndrome. Case report and review of the literature, 555
Derham C. *See* Bošnjak R, 473
Desal H. *See* Mikulis DJ, 347
Deshaies EM. *See* Agner C, 368
———. *See* Boulos AS, 739
deVeber G. *See* Mikulis DJ, 347
Dhall SS, Tumialán LM, Brat DJ, Barrow DL. Spinal intradural clear cell meningioma following resection of a suprasellar clear cell meningioma. Case report and recommendations for management, 559
Di Rocco F. *See* Denaro L, 555
Diallo A. *See* De Tommasi C, 825
Dietz K. *See* Sinis N, 1067
Dillon WP. *See* Smith JS, 428
DiNapoli VA, 687, Rosen CL
Diringer MN. *See* Gondim FAA, 444
———. *See* Jost SC, 25
Dirks P. *See* Mikulis DJ, 347
Doppenberg E. *See* Clausen T, 233
———. *See* Clausen T, 597
Dormont D. *See* Menuel C, 256
Doser M. *See* Sinis N, 1067
Duckwiler G. *See* Villablanca JP, 1018
Dumont AS, Kassell NF. Vasospasm. Editorial, 1

Eklund A. *See* Lenfeldt N, 768
el Fertit H. *See* Hemm S, 949
Elder E. *See* Kondziolka D, 38
Elf K. *See* Howells T, 196, 197
Eller JL, Burchiel KJ. Book review, 576
———. *See* Burchiel KJ, 387
Elliott R. *See* Russell SM, 1010
Enblad P. *See* Howells T, 196, 197
Engelhardt M. *See* Kandenwein JA, 614
Escriou C. *See* Moissonnier P, 70
Espey MG. *See* Pluta RM, 731
Ezura M. *See* Hassan T, 662

Farb RI. *See* Laxton AW, 1084
Feiz-Erfan I, Han PP, Spetzler RF, Horn EM, Klopfenstein JD, Porter RW, Ferreira MAT, Beals SP, Lettieri SC, Joganic EF. The radical transbasal approach for resection of anterior and midline skull base lesions, 485
Fernandez E. *See* Denaro L, 555
Ferreira MAT. *See* Feiz-Erfan I, 485
Fessler RD. *See* Boulos AS, 739
Feun L. *See* Landy H, 760
Fischer S. *See* Henkes H, 990
Fisher JA. *See* Mikulis DJ, 347
Flickinger JC. *See* Kondziolka D, 38
Fliss DM. *See* Gil Z, 87
Follett K. *See* Weaver F, 956
Foote KD. *See* Friedman WA, 206
Forer B. *See* Gil Z, 87
Forshaw D. *See* Russell SM, 1010
Forteza AM, Heros RC. Coronary artery disease and carotid endarterectomy. Editorial, 591
Fraioli C. *See* Fraioli MF, 389
Fraioli MF, Contratti F, Fraioli C. Rathke cleft cysts. Letter, 389
Frank JI. *See* Rosen D, 18
Frazee J. *See* Villablanca JP, 1018
Freiman TM. *See* Schulze-Bonhage A, 195
Friedman WA, Murad GJ. Radiosurgery and neurosurgeons. Editorial, 203
———, ———, Bradshaw P, Amdur RJ, Mendenhall WM, Foote KD, Bova FJ. Linear accelerator surgery for meningiomas, 206
Fujimaki T. *See* Son J, 1092
Furuta M. *See* Vogel TWA, 284
Furuya K, Zhu L, Kawahara N, Abe O, Kirino T. Differences in infarct evolution between lipopolysaccharide-induced tolerant and nontolerant conditions to focal cerebral ischemia, 715

Gaede SE. *See* Holloway KL, 404
Gailloud P. *See* Burger IM, 179
———. *See* Clatterbuck RE, 745
Gallia GL, Sciubba D, Hann CL, Raman SP, Westra WH, Tufaro AP, Olivi A. Synovial sarcoma of the frontal sinus. Case report, 1077
Garnero L. *See* Menuel C, 256
Garuffe AM. *See* Stiefel MF, 805
Gawish I. Endoscopic fourth ventricular aqueductoplasty. Editorial, 773
———, Reisch R, Perneczky A. Endoscopic aqueductoplasty through a tailored craniocervical approach, 778
Gebel J. *See* Kondziolka D, 38
Germano I. *See* Benveniste RJ, 115
Gessi M. *See* Denaro L, 555
Gidday JM. *See* Vadivelu S, 124
Gil Z, Shaham A, Vasilyev T, Brosh T, Forer B, Katzir A, Fliss DM. Novel laser tissue-soldering technique for dural reconstruction, 87
Gillespie DL. *See* Ragel BT, 508
Glenn TC. *See* Oertel M, 812

GNANALINGHAM KK, TYSOME J, MARTINEZ-CANCA J, BARAZI SA. Quality of clinical studies in neurosurgical journals: signs of improvement over three decades, 439
GNIRS K. *See* Moissonnier P, 70
GOBIN P. *See* Villablanca JP, 1018
GOH KY. *See* Ho YL, 910
GOLAY X. *See* Ho YL, 910
GOLDENBERG FD. *See* Rosen D, 18
GOLFINOS JG. *See* Russell SM, 1010
GONDIM FAA, AIYAGARI V, SHACKLEFORD A, DIRINGER MN. Osmolality not predictive of mannitol-induced acute renal insufficiency, 444
GONEN O. *See* Inglese M, 298
GOTTFRIED ON. *See* Binning MJ, 837
GOTTLIEB DI. *See* Vadivelu S, 124
GOUSSEV A. *See* Qu C, 695
GOYAL S, PRASAD D, HARRELL F JR, MATSUMOTO J, RICH T, STEINER L. Gamma knife surgery for the treatment of intracranial metastases from breast cancer, 218
GRACIAS VH. *See* Stiefel MF, 805
GRADY MS. *See* Stiefel MF, 805
GRAVORI T. *See* Oertel M, 812
GROSSMAN RI. *See* Inglese M, 298
GRUBB RL. *See* Jost SC, 25
GU Y. *See* Xu W
GUILLAMONDEGUI O. *See* Stiefel MF, 805
GUTERMAN LR. *See* Boulos AS, 739
GUTIN PH. *See* Petrovich N, 267

HADEISHI H. *See* Matsubara S, 391
HAERLE M. *See* Sinis N, 1067
HAKKO H. *See* Mainio A, 841
HAMADA H. *See* Kusaka N, 882
———. *See* Yano A, 104
HAMILTON JF. *See* Chen MY, 311
HAMOUDA KB, JEMEL H, ISMAIL MB, ZEMMEL I, KHALDI M. Rathke cleft cyst of the sphenoid bone and nasopharynx. Case illustration, 1095
HAMPTON RR. *See* Heiss JD, 1035
HAN PP. *See* Feiz-Erfan I, 485
HANN CL. *See* Gallia GL, 1077
HAO L. *See* Uno M, 518
HARGENS AR. *See* Ueno T, 361
HARRELL F JR. *See* Goyal S, 218
HARRER JU, KLÖTZSCH C, OERTEL MF, MÖLLER-HARTMANN W. Sonographic detection and follow up of an atypical pineal cyst: a comparison with magnetic resonance imaging. Case report, 564
HARVEY-WHITE J. *See* Pluta RM, 731
HASHI K. *See* Minamida Y, 224
HASHIMOTO N. *See* Kawabata Y, 31
———. *See* Takagi Y, 304
HASHIMOTO T. *See* Vates GE, 136
HASSAN T, TIMOFEEV EV, SAITO T, SHIMIZU H, EZURA M, MATSUMOTO Y, TAKAYAMA K, TOMINAGA T, TAKAHASHI A. A proposed parent vessel geometry–based categorization of saccular intracranial aneurysms: computational flow dynamics analysis of the risk factors for lesion rupture, 662
HASSENBUSCH SJ. *See* Mahajan A, 210
HAYASHI J. *See* Takagi Y, 304
HAYASHI N. *See* Okunaga T, 53
HAYASHI Y. *See* Okunaga T, 53
HEISS JD, WALBRIDGE S, MORRISON P, HAMPTON RR, SATO S, VORTMEYER A, BUTMAN JA, O'MALLEY J, VIDWAN P, DEDRICK RL, OLDFIELD EH. Local distribution and toxicity of prolonged hippocampal infusion of muscimol, 1035
HEJDUKOVA I. *See* Vladyka V, 192
HEMM S, MENNESSIER G, VAYSSIERE N, CIF L, EL FERTIT H, COUBES P. Deep brain stimulation in movement disorders: stereotactic coregistration of two-dimensional electrical field modeling and magnetic resonance imaging, 949
HENDERSON JM. *See* Holloway KL, 404
HENKES H, FISCHER S, MARIUSHI W, WEBER W, LIEBIG T, MILOSLAVSKI E, BREW S, KÜHNE D. Angiographic and clinical results in 316 coil-treated basilar artery bifurcation aneurysms, 990
HEROS RC. Radiosurgery and neurosurgeons. Editorial, 203
———. Transtentorial approach. Editorial, 776
———. *See* Forteza AM, 591
HICKS RJ. *See* Carne RP, 768
HIDALGO A. *See* Moissonnier P, 70
HIRAKAWA K. *See* Nariai T, 414
———. *See* Nariai T, 498
HIRSCH J. *See* Petrovich N, 267
HITTI FL. *See* Lee KH, 538
HIYAMUTA K. *See* Shimada T, 593
HO YL, GOH KY, GOLAY X, HONG W, LIM S, PAN AB, CHUA VG, HUI F, SITOH Y. Functional magnetic resonance imaging in adult craniophagus for presurgical evaluation. Case report, 910
HOCHBERG FH. *See* Curry WT Jr, 630
HOFF JT. *See* Barkhoudarian G, 182
———. *See* Nakamura T, 97
HOFFER A. *See* Chen MY, 311
HOLEKAMP TF. *See* Vadivelu S, 124
HOLLOWAY KL, GAEDE SE, STARR PA, ROSENOW JM, RAMAKRISHNAN V, HENDERSON JM. Frameless stereotaxy using bone fiducial markers for deep brain stimulation, 404
HOLODNY AI. *See* Petrovich N, 267
HOLT ME. *See* Langford P, 176
HONG W. *See* Ho YL, 910
HOOSHI P. *See* Villablanca JP, 1018
HOPKINS LN. *See* Boulos AS, 739
HORI Y. *See* Sagara Y, 656
HORIUCHI K, SUZUKI K, SASAKI T, MATSUMOTO M, SAKUMA J, KONNO Y, OINUMA M, ITAKURA T, KODAMA N. Intraoperative monitoring of blood flow insufficiency during surgery of middle cerebral artery aneurysms, 275
HORN EM. *See* Feiz-Erfan I, 485
HORN P. *See* Perren F, 869
HORNYAK M. *See* Braca J, 552
HOROWITZ MB. *See* King JT Jr, 636
HOUKIN K. *See* Baba T, 917
———. *See* Minamida Y, 224
HOUSE PA, COULDWELL WT. Fenestrated optic nerve. Letters, 578
HOWELLS T, ELF K, RONNE-ENGSTRÖM E, NILSSON P, ENBLAD P, JONES PA, PIPER I, ANDREWS P. Cerebral perfusion pressure and intracranial pressure. Letters, 196
HSU FPK. *See* Raabe A, 982
HUA Y. *See* Nakamura T, 97
HUGHES J. *See* Chen MY, 311
HUI F. *See* Ho YL, 910

Huo D. *See* Rosen D, 18
Hur K. *See* Weaver F, 956

Iacopino DG. *See* Conti A, 873
Ikejiri B. *See* Vogel TWA, 284
Imahori Y. *See* Miyatake S, 1000
Imaizumi T. *See* Shimada T, 593
Imanaka-Yoshida K. *See* Toma N, 681
Imberti R, Langer M. Indomethacin. Letters, 580
Inglese M, Makani S, Johnson G, Cohen BA, Silver JA, Gonen O, Grossman RI. Diffuse axonal injury in mild traumatic brain injury: a diffusion tensory imaging study, 298
Inoue T. *See* Shimada T, 593
———. *See* Toyoda K, 591
Ippolito D. *See* Weaver F, 956
Ishii K. *See* Nariai T, 414
———. *See* Nariai T, 498
Ishii T. *See* Son J, 1092
Ishikawa S. *See* Moriyama E, 934
Ishiwata K. *See* Nariai T, 414
———. *See* Nariai T, 498
Ismail MB. *See* Hamouda KB, 1095
Itabe H. *See* Uno M, 518
Itakura T. *See* Horiuchi K, 275
Itoh M. *See* Nimura T, 968
Iwata H. *See* Toma N, 681

Jahan R. *See* Villablanca JP, 1018
Jamieson C. *See* Kondziolka D, 38
Jamous MA, Nagahiro S, Kitazato KT, Satomi J, Satoh K. Role of estrogen deficiency in the formation and progression of cerebral aneurysms. Part I: experimental study of the effect of oophorectomy in rats, 1046
———, ———, ———, Tamura T, Kuwayama K, Satoh K. Role of estrogen deficiency in the formation and progression of cerebral aneurysms. Part II: experimental study of the effects of hormone replacement therapy in rats, 1052
Jane JA Jr, Sulton LD, Laws ER Jr. Surgery for primary brain tumors at United States academic training centers: results from the Residency Review Committee for Neurological Surgery, 789
———. *See* Nemergut EC, 448
Jemel H. *See* Hamouda KB, 1095
Jensen RJ. *See* Ragel BT, 508
Jobe KW. *See* Sani S, 567
Joganic EF. *See* Feiz-Erfan I, 485
Johansen-Berg H. *See* Sillery E, 1030
Johnson G. *See* Inglese M, 298
Johnson MD. *See* Stevenson CB, 931
Jones PA. *See* Howells T, 196, 197
Jost SC, Diringer MN, Zazulia AR, Videen TO, Aiyagari V, Grubb RL, Powers WJ. Effect of normal saline bolus on cerebral blood flow in regions with low baseline flow in patients with vasospasm following subarachnoid hemorrhage, 25
Jovin T. *See* Kondziolka D, 38
Jung CS. *See* Pluta RM, 731
Junghans D. *See* Baldauf J, 920
Junqué C. *See* Poca MA, 455

Kaar G. *See* Kamel MH, 848
Kajimoto Y. *See* Miyatake S, 1000
Kalapurakal JA. *See* Pollack AG, 546
Kamel MH, Kelleher M, Aquilina K, Lim C, Caird J, Kaar G. Use of a simple intraoperative hydrostatic pressure test to assess the relationship between mobility of the ventricular stoma and success of third ventriculostomy, 848
Kamerman JD. *See* Raabe A, 982
Kamino K. *See* Nariai T, 414
Kaminogo M. *See* Okunaga T, 53
Kamouchi M. *See* Shimada T, 593
Kan PK. *See* Liu JK, 1096
Kandenwein JA, Kretschmer T, Engelhardt M, Richter H, Antoniadis G. Surgical interventions for traumatic lesions of the brachial plexus: a retrospective study of 134 cases, 614
Kasahara N. *See* Wang W, 1058
Kassam AB. *See* King JT Jr, 636
Kassell NF. *See* Dumont AS, 1
Kassner A. *See* Mikulis DJ, 347
Katsumata A. *See* Kusaka N, 882
Katzir A. *See* Gil Z, 87
Kaufmann AM. *See* Wilkinson MF, 64
Kawabata S. *See* Miyatake S, 1000
Kawabata Y, Takahashi JA. Long-term outcome in patients harboring intracranial ependymoma. Editorial, 4
———, ———, Arakawa Y, Hashimoto N. Long-term outcome in patients harboring intracranial ependymoma, 31
Kawahara N. *See* Furuya K, 715
Kaye AH. *See* Carne RP, 768
Keep RF. *See* Nakamura T, 97
Kelleher M. *See* Kamel MH, 848
Keller G. *See* Benveniste RJ, 115
Keller M. *See* Raabe A, 974
Kelly BR. *See* Chen MY, 311
Kelly PJ. *See* Russell SM, 1010
Kepka A. *See* Pollack AG, 546
Khaldi A. *See* Clausen T, 597
Khaldi M. *See* Hamouda KB, 1095
Khalid MH, Tokunaga Y, Caputy AJ, Walters E. Inhibition of tumor growth and prolonged survival of rats with intracranial gliomas following administration of clotrimazole, 79
Kilpatrick CJ. *See* Carne RP, 768
Kim DH. *See* Pannu H, 92
Kim HJ. *See* Vogel TWA, 284
Kim LJ. *See* Raabe A, 982
Kim U. *See* Lee KH, 538
King JT Jr, Kassam AB, Yonas H, Horowitz MB, Roberts MS. Mental health, anxiety, and depression in patients with cerebral aneurysms, 636
Kirihata M. *See* Miyatake S, 1000
Kirino T. *See* Furuya K, 715
———. *See* Morita A, 320
Kitazato KT. *See* Jamous MA, 1046, 1052
———. *See* Uno M, 518
Kiyosue H. *See* Sagara Y, 656
Kjaergaard J, Wang L, Kuriyama H, Shu S, Plautz GE. Active immunotherapy for advanced intracranial murine tumors by using dendritic cell-tumor cell fusion vaccines, 156
Klein A. *See* Moissonnier P, 70
Kleinveld S. *See* Streefkerk HJN, 328

KLOPFENSTEIN JD. *See* Feiz-Erfan I, 485
KLÖTZSCH C. *See* Harrer JU, 564
KOBAYASHI K. *See* Yano A, 104
KODAMA N. *See* Horiuchi K, 275
———. *See* Matsumoto M, 390
KOEDAM ELGE. *See* Streefkerk HJN, 328
KOIVUKANGAS J. *See* Mainio A, 841
KONDZIOLKA D, LEE JYK. Deep brain stimulation. Editorial, 399
———, STEINBERG GK, WECHSLER L, MELTZER CC, ELDER E, GEBEL J, DECESARE S, JOVIN T, ZAFONTE R, LEBOWITZ J, FLICKINGER JC, TONG D, MARKS MP, JAMIESON C, LUU D, BELL-STEPHENS T, TERAOKA J. Neurotransplantation for patients with subcortical motor stroke: a Phase 2 randomized trial, 38
———, WECHSLER L, STEINBERG GK. Neural transplantation. Editorial, 6
———. Book review, 764
———. *See* Lee JYK, 400
KONNO Y. *See* Horiuchi K, 275
KOSKINEN LD. *See* Lenfeldt N, 768
KOYANAGI I. *See* Baba T, 917
KRAUZE MT, SAITO R, NOBLE C, TAMAS M, BRINGAS J, PARK JW, BERGER MS, BANKIEWICZ K. Reflux-free cannula for convection-enhanced high-speed delivery of therapeutic agents. Technical note, 923
KRETSCHMER T. *See* Kandenwein JA, 614
KROLCZYK G. *See* Mikulis DJ, 347
KÜHNE D. *See* Henkes H, 990
KUROIWA T. *See* Miyatake S, 1000
KURIYAMA H. *See* Kjaergaard J, 156
KUROIWA T. *See* Deguchi J, 756
KUSAKA N, SUGIU K, TOKUNAGA K, KATSUMATA A, NISHIDA A, NAMBA K, HAMADA H, NAKASHIMA H, DATE I. Enhanced brain angiogenesis in chronic cerebral hypoperfusion after administration of plasmid human vascular endothelial growth factor in combination with indirect vasoreconstructive surgery, 882
KÜSTERS B. *See* Bernsen H, 702
KUWAYAMA K. *See* Jamous MA, 1052
KWON TH, SUN D, DAUGHERTY WP, SPIESS BD, BULLOCK MR. Effect of perfluorocarbons on brain oxygenation and ischemic damage in an acute subdural hematoma model in rats, 724

LA TORRE D. *See* Conti A, 873
LACY ML. *See* Vadivelu S, 124
LAM DSC. *See* Leung DYL, 192
LANDY H, FEUN L, MARKOE A, PATCHEN S, BRUCE J, MARCUS J, LEVI A. Extended remission of a recurrent median nerve malignant peripheral nerve sheath tumor after multimodal treatment. Case report, 760
LANG AE. *See* Voon V, 246
LANGER M. *See* Imberti R., 580
LANGFORD P, HOLT ME, DANKS RA. Cavernous sinus fistula following percutaneous balloon compression of the trigeminal ganglion. Case report, 176
LASHERAS JC. *See* Cantón G, 146, 891
LAURETTI L. *See* Denaro L, 555
LAURIOLA L. *See* Denaro L, 555
LAUTZENHEISER FK. *See* Nathoo N, 378, 392
LAWS ER. *See* Cohen-Gadol AA, 372
LAWS ER JR. *See* Cohen-Gadol AA, 570
———. *See* De Tommasi C, 825
———. *See* Jane JA Jr, 789
———. *See* Liu JK, 1096
———. *See* Nemergut EC, 448
LAWTON, MT. *See* Vates GE, 136
LAXTON AW, SHANNON P, NAG S, FARB RI, BERNSTEIN M. Rapid expansion of a previously asymptomatic subependymoma. Case report, 1084
LEBOWITZ J. *See* Kondziolka D, 38
LEE J. *See* Chen MY, 311
LEE JE, YOON YJ, MOSELEY ME, YENARI MA. Reduction in levels of matrix metalloproteinases and increased expression of tissue inhibitor of metalloproteinase–2 in response to mild hypothermia therapy in experimental stroke, 289
LEE JH. *See* Oertel M, 812
LEE JYK, KONDZIOLKA D. Thalamic deep brain stimulation for management of essential tremor, 400
———. *See* Kondziolka D, 399
LEE KH, HITTI FL, SHALINSKY MH, KIM U, LEITER JC, ROBERTS DW. Abolition of spindle oscillations and 3-Hz absence seizurelike activity in the thalamus by using high-frequency stimulation: potential mechanism of action, 538
LEE Y. *See* Vogel TWA, 284
LEFRANC F. *See* Bota DP, 468
LEITER JC. *See* Lee KH, 538
LENFELDT N, ANDERSSON N, BERGENHEIM AT, KOSKINEN L, EKLUND A, MALM J. CSF pulse pressure and B waves. Letters, 768
LEROUX PD. *See* Stiefel MF, 805
LETTIERI SC. *See* Feiz-Erfan I, 485
LEUNG DYL, LUK FOJ, LAM DSC. Glaucoma treated by gamma knife irradiation. Letters, 192
LEVI A. *See* Landy H, 760
LEVY DI. *See* Cantón G, 146, 891
LICHTOR T. *See* Alperin N, 46
LIEBIG T. *See* Henkes H, 990
LIFSHUTZ J. Book review, 188
LIM C. *See* Kamel MH, 848
LIM S. *See* Ho YL, 910
LISCÁK R. *See* Vladyka V, 192
LIU J. *See* Xu W, 464
LIU JK, COHEN-GADOL AA, LAWS ER JR, COLE CD, KAN P, COULDWELL WT. Harvey Cushing and Oskar Hirsch: early forefathers of modern transsphenoidal surgery. Historical vignette, 1096
———. *See* Cohen-Gadol AA, 570
LOEFFLER J. *See* Curry WT Jr, 630
LOGAN W. *See* Mikulis DJ, 347
LONSER RR. *See* Ammerman JM, 776, 783
———. *See* Vogel TWA, 284
LOZANO AM. *See* Voon V, 246
LU D. *See* Qu C, 695
LÜ J, ZHU X. Microsurgical anatomy of the interpeduncular cistern and related arachnoid membranes, 337
LUBENSKY IA. *See* Vogel TWA, 284
LUK FOJ. *See* Leung DYL, 192
LUU D. *See* Kondziolka D, 38
LYONS KE, PAHWA R. Long-term benefits in quality of life provided by bilateral subthalamic stimulation in patients with Parkinson disease, 252

MACDONALD RL. *See* Rosen D, 18
MACGREGOR LR. *See* Carne RP, 768
MACIAS BR. *See* Ueno T, 361
MAHAJAN A, MCCUTCHEON IE, SUKI D, CHANG EL, HASSENBUSCH SJ, WEINBERG JS, SHIU A, MAOR MH, WOO SY. Case–control study of stereotactic radiosurgery for recurrent glioblastoma multiforme, 210
MAHMOOD A. *See* Qu C, 695
MAINIO A, HAKKO H, NIEMELÄ A, KOIVUKANGAS J, RÄSÄNEN P. Depression and functional outcome in patients with brain tumors: a population-based 1-year follow-up study, 841
MAIRA G, ANILE C, MANGIOLA A. Primary empty sella syndrome in a series of 142 patients, 831
———. *See* Denaro L, 555
MAKANI S. *See* Inglese M, 298
MALM J. *See* Lenfeldt N, 768
MALONEY-WILENSKY E. *See* Stiefel MF, 805
MANGIOLA A. *See* Maira G, 831
MAOR MH. *See* Mahajan A, 210
MARCUS J. *See* Landy H, 760
MARIUSHI W. *See* Henkes H, 990
MARKLAND FS. *See* Pyrko P, 526
MARKOE A. *See* Landy H, 760
MARKS MP. *See* Kondziolka D, 38
MARMAROU A. *See* Stiefel MF, 707
MARSHMAN LAG, BENJAMIN JC, CHAWDA SJ, DAVID KM. Acute obstructive hydrocephalus associated with infratentorial subdural hygromas complicating Chiari malformation Type I decompression. Report of two cases and literature review, 752
MARTIN N. *See* Villablanca JP, 1018
MARTIN NA. *See* Oertel M, 812
MARTINEZ-CANCA J. *See* Gnanalingham KK, 439
MARUHASHI A. *See* Miyatake S, 1000
MARYMONT MH. *See* Pollack AG, 546
MASUNAGA S. *See* Miyatake S, 1000
MATARÍN M. *See* Poca MA, 455
MATARÓ M. *See* Poca MA, 455
MATSUBARA S, OKANE K, HADEISHI H, SUZUKI A, YASUI N, NISHIMURA H. Unruptured aneurysms. Letters, 391
MATSUI T. *See* Yano A, 104
MATSUMOTO J. *See* Goyal S, 218
MATSUMOTO M, SAKUMA J, SUZUKI K, SASAKI T, KODAMA N. Unruptured aneurysms. Letter, 390
———. *See* Horiuchi K, 275
MATSUMOTO T. *See* Shimada T, 593
MATSUMOTO Y. *See* Hassan T, 662
MATSUO T. *See* Okunaga T, 53
MATSUSHIMA S. *See* Toma N, 681
MAYA MM. *See* Schievink WI, 608
MAYO MC. *See* Smith JS, 428
MCARTHUR DL. *See* Oertel M, 812
MCCUTCHEON IE. *See* Mahajan A, 210
MCDERMOTT MW. *See* Smith JS, 428
MCDONALD JW. *See* Vadivelu S, 124
MEAIRS S. *See* Perren F, 869
MEELDIJK HD. *See* Streefkerk HJN, 328
MELGAR MA, SAHNI D, WEINAND M. Thyrocervical trunk–external carotid artery bypass for positional cerebral ischemia due to common carotid artery occlusion. Technical note, 170
MELTZER CC. *See* Kondziolka D, 38
MENDENHALL WM. *See* Friedman WA, 206
MENNESSIER G. *See* Hemm S, 949
MENOVSKY T, DE VRIES J. Fenestrated optic nerve. Letters, 578
MENUEL C, GARNERO L, BARDINET E, POUPON F, PHALIPPOU D, DORMONT D. Characterization and correction of distortions in stereotactic magnetic resonance imaging for bilateral subthalamic stimulation in Parkinson disease, 256
MENZEL M. *See* Clausen T, 597
MERRILL MJ, OLDFIELD EH. A reassessment of vascular endothelial growth factor in central nervous system pathology, 853
MEYER B. *See* Vajkoczy P, 9
MICHELI F, CERSÓSIMO MC, PIEDIMONTE F. Camptocormia in a patient with Parkinson disease: beneficial effects of pallidal deep brain stimulation. Case report, 1081
MIHALIK JP. Posttraumatic migraina. Letters, 935
MIKAMI T. *See* Baba T, 917
———. *See* Minamida Y, 224
MIKULIS DJ, KROLCZYK G, DESAL H, LOGAN W, DEVEBER G, DIRKS P, TYMIANSKI M, CRAWLEY A, VESELY A, KASSNER A, PREISS D, SOMOGYI R, FISHER JA. Preoperative and postoperative mapping of cerebrovascular reactivity in moyamoya disease by using blood oxygen level–dependent magnetic resonance imaging, 347
MILEWICZ DM. *See* Pannu H, 92
MILLER KJ, SCHWAB KA, WARDEN DL. Predictive value of an early Glasgow Outcome Scale score: 15-month score changes, 239
MILOSLAVSKI E. *See* Henkes H, 990
MINAMIDA Y, MIKAMI T, HASHI K, HOUKIN K. Surgical management of the recurrence and regrowth of craniopharyngiomas, 224
———. *See* Baba T, 917
MISKOLCZI L. *See* Boulos AS, 739
MITSUISHI M. *See* Morita A, 320
MIYATAKE S, KAWABATA S, KAJIMOTO Y, AOKI A, YOKOYAMA K, YAMADA M, KUROIWA T, TSUJI M, IMAHORI Y, KIRIHATA M, SAKURAI Y, MASUNAGA S, NAGATA K, MARUHASHI A, ONO K. Modified boron neutron capture therapy for malignant gliomas performed using epithermal neutron and two boron compounds with different accumulation mechanisms: an efficacy study based on findings on neuroimages, 1000
MIYOSHI Y. *See* Yano A, 104
MOCHIZUKI R. *See* Morita A, 320
MOISSONNIER P, CUVILLIEZ V, KLEIN A, CAROZZO C, ESCRIOU C, GNIRS K, BLOT S, HIDALGO A. Restoration of elbow flexion by performing contralateral lateral thoracic and thoracodorsal nerve transfers after experimental musculocutaneous nerve transection, 70
MÖLLER-HARTMANN W. *See* Harrer JU, 564
MORGAN MK. *See* Tu J, 903
MORI H. *See* Sagara Y, 656
MORITA A, SORA S, MITSUISHI M, WARISAWA S, SURUMAN K, ASAI D, ARATA J, BABA S, TAKAHASHI H, MOCHIZUKI R, KIRINO T. Microsurgical robotic system for the deep surgical field: development of a prototype and feasibility studies in animal and cadaveric models, 320
MORIYAMA E, NISHIDA A, ISHIKAWA S. Posttraumatic migraine. Letters, 934
MORIZANE A. *See* Takagi Y, 304
MORO E. *See* Voon V, 246
MORRISON P. *See* Heiss JD, 1035
MORRISON PF. *See* Chen MY, 311

Moseley ME. *See* Lee JE, 289
Moser FG. *See* Schievink WI, 608
Müller H. *See* Sinis N, 1067
Murad GJ. *See* Friedman WA, 203, 206
Murali R. *See* Braca J, 552
Muraoka K. *See* Yano A, 104
Murayama Y. *See* Yuki I, 649
Murphy KJ. *See* Clatterbuck RE, 745
Murphy MA. *See* Carne RP, 768

Nag S. *See* Laxton AW, 1084
Nagahiro S. *See* Jamous MA, 1046, 1052
———. *See* Uno M, 518
Nagamine T. *See* Rosen CL, 687
Nagata I. *See* Okunaga T, 53
Nagata K. *See* Miyatake S, 1000
Nagatomi H. *See* Sagara Y, 656
Nair D. *See* Nathoo N, 930
Nakagawa A. *See* Nimura T, 968
Nakagomi T. *See* Son J, 1092
Nakaji P. *See* Raabe A, 982
Nakamura T, Hua Y, Keep RF, Park J, Xi G, Hoff JT. Estrogen therapy for experimental intracerebral hemorrhage in rats, 97
Nakashima H. *See* Kusaka N, 882
Namba K. *See* Kusaka N, 882
Nariai T, Sato K, Hirakawa H, Ohta Y, Tanaka Y, Ishiwata K, Ishii K, Kamino K, Ohno K. Imaging of somatotropic representation of sensory cortex with intrinsic optical signals as guides for brain tumor surgery, 414
———, Tanaka Y, Wakimoto H, Aoyagi M, Tamaki M, Ishiwata K, Senda M, Ishii K, Hirakawa K, Ohno K. Usefulness of L-[methyl-^{11}C] methionine–positron emission tomography as a biological monitoring tool in the treatment of glioma, 498
Nathoo N, Lautzenheiser FK, Barnett G. Cushing, The Mayos, and George Crile. Letters, 392
———, ———, ———. George W. Crile, Ohio's first neurosurgeon, and his relationship with Harvey Cushing. Historical vignette, 378
———, Nair D, Phillips M, Vogelbaum MA. Mapping prosody: correlation of functional magnetic resonance imaging with intraoperative electrocorticography recordings in a patient with a right-sided temporooccipital glioma. Case illustration, 930
Nelson PK. *See* Cantón G, 891
Nemergut EC, Zuo Z, Jane JA Jr, Laws ER Jr. Predictors of diabetes insipidus after transsphenoidal surgery: a review of 881 patients, 448
Niemelä A. *See* Mainio A, 841
Nilsson P. *See* Howells T, 196, 197
Nimura T, Yamaguchi K, Ando T, Shibuya S, Oikawa T, Nakagawa A, Shirane R, Itoh M, Tominaga T. Attenuation of fluctuating striatal synaptic dopamine levels in patients with Parkinson disease in response to subthalamic nucleus stimulation: a positron emission tomography study, 968
Nishida A. *See* Kusaka N, 882
———. *See* Moriyama E, 934
Nishimura H. *See* Matsubara S, 391
Nishimura M. *See* Takagi Y, 304
Noble C. *See* Krauze MT, 923
Noor R. *See* Wang CX, 165
Nordström C-H. Pressure reactivity as a guide for cerebral perfusion pressure. Letters, 196
Novacek L. *See* Vladyka V, 192
Novakovic R. *See* Rosen D, 18
Nozaki K. *See* Takagi Y, 304

O'Brien TJ. *See* Carne RP, 768
Obrist WD. *See* Oertel M, 812
Ochi M. *See* Okunaga T, 53
Oertel M, Boscardin WJ, Obrist WD, Glenn TC, McArthur DL, Gravori T, Lee JH, Martin NA. Posttraumatic vasospasm: the epidemiology, severity, and time course of an underestimated phenomenon: a prospective study performed in 299 patients, 812
———. *See* Harrer JU, 564
Ogawa R. *See* Deguchi J, 756
Ogilvy CS. *See* Amin-Hanjani S, 794
Ohno K. *See* Nariai T, 414, 498
Ohta Y. *See* Nariai T, 414
Oikawa T. *See* Nimura T, 968
Oinuma M. *See* Horiuchi K, 275
Okada Y. *See* Shimada T, 593
———. *See* Toyoda K, 591
Okane K. *See* Matsubara S, 391
Okonkwo DO. *See* De Tommasi C, 825
Okunaga T, Matsuo T, Hayashi N, Hayashi Y, Shabani HK, Kaminogo M, Ochi M, Nagata I. Linear accelerator radiosurgery for vestibular schwannoma: measuring tumor volume changes on serial three-dimensional spoiled gradient-echo magnetic resonance images, 53
Oldfield EH. *See* Ammerman JM, 783
———. *See* Chen MY, 311
———. *See* Heiss JD, 1035
———. *See* Merrill MJ, 853
———. *See* Pluta RM, 731
———. *See* Vogel TWA, 284
Oldfield RR. *See* Ammerman JM, 776
Olivi A. *See* Gallia GL, 1077
O'Malley J. *See* Heiss JD, 1035
Ono K. *See* Miyatake S, 1000
Osborn AG. *See* Binning MJ, 837
Oyesiku NM. Book review, 189

Pahwa R. *See* Lyons KE, 252
Pallini R. *See* Denaro L, 555
Pan AB. *See* Ho YL, 910
Pannu H, Kim DH, Seaman CR, Van Ginhoven G, Shete S, Milewicz DM. Lack of an association between the angiotensin-converting enzyme insertion/deletion polymorphism and intracranial aneurysms in a Caucasian population in the United States, 92
Park J. *See* Nakamura T, 97
Park JW. *See* Krauze MT, 923
Parsa AT. *See* Smith JS, 428
Patchen S. *See* Landy H, 760
Pavlićević G. *See* Roganović Z, 622
Perneczky A. *See* Gawish I, 778
Perren F, Horn P, Vajkoczy P, Schmiedek P, Meairs S. Power Doppler imaging in detection of surgically induced indirect neoangiogenesis in adult moyamoya disease, 869
Persing J. Book review, 189

Petković S. *See* Roganović Z, 622
Petrovich N, Holodny AI, Tabar V, Correa DD, Hirsch J, Gutin PH, Brennan CW. Discordance between functional magnetic resonance imaging during silent speech tasks and intraoperative speech arrest, 267
Phalippou D. *See* Menuel C, 256
Phillips M. *See* Nathoo N, 930
Piedimonte F. *See* Micheli F, 1081
Pilbauer J. *See* Vladyka V, 192
Piper I. *See* Howells T, 196, 197
Pirouzmand F. *See* Spivak CJ, 424
Platik MM. *See* Vadivelu S, 124
Plautz GE. *See* Kjaergaard J, 156
Pluta RM, Jung CS, Harvey-White J, Whitehead A, Shilad S, Espey MG, Oldfield EH. In vitro and in vivo effects of probucol on hydrolysis of asymmetric dimethyl L-arginine and vasospasm in primates, 731
Pobereskin L. Book review, 932
Poca MA, Mataró M, Matarín M, Arikan F, Junqué C, Sahuquillo J. Good outcomes in patients with normal-pressure hydrocephalus and factors indicating poor prognosis, 455
Pollack AG, Marymont MH, Kalapurakal JA, Kepka A, Sathiaseelan V, Chandler JP. Acute neurological complications following gamma knife surgery for vestibular schwannoma. Case report, 546
Poon YY. *See* Voon V, 246
Popović M. *See* Bošnjak R, 473
Popp AJ. *See* Agner C, 368
Porter RW. *See* Feiz-Erfan I, 485
Poupon F. *See* Menuel C, 256
Powers WJ. *See* Jost SC, 25
Prasad D. *See* Goyal S, 218
Preiss D. *See* Mikulis DJ, 347
Prescott SM. *See* Ragel BT, 508
Pyrko P, Wang W, Markland FS, Swenson SD, Schmitmeier S, Schönthal AH, Chen TC. The role of contortrostatin, a snake venom disintegrin, in the inhibition of tumor progression and prolongation of survival in a rodent glioma model, 526

Qu C, Lu D, Goussev A, Schallert T, Mahmood A, Chopp M. Effect of atorvastatin on spatial memory, neuronal survival, and vascular density in female rats after traumatic brain injury, 695
Qu Y. *See* Vadivelu S, 124

Raabe A, Beck J, Keller M, Vatter H, Zimmermann M, Seifert V. Relative importance of hypertension compared with hypervolemia for increasing cerebral oxygenation in patients with cerebral vasospasm after subarachnoid hemorrhage, 974
———, Nakaji P, Beck J, Kim LJ, Hsu FP, Kamerman J, Seifert V, Spetzler RF. Prospective evaluation of surgical microscope–integrated intraoperative near-infrared indocyanine green video angiography during aneurysm surgery, 982
———. *See* Vajkoczy P, 9
Ragel BT, Jensen RL, Gillespie DL, Prescott SM, Couldwell WT. Ubiquitous expression of cyclooxygenase-2 in meningiomas and decrease in cell growth following in vitro treatment with the inhibitor celecoxib: potential therapeutic application, 508
Ramakrishnan V. *See* Holloway KL, 404
Raman SP. *See* Gallia GL, 1077
Ramani M. *See* Andrade-Souza YM, 642
Räsänen P. *See* Mainio A, 841
Rasmussen M. *See* Cold GE, 578
Ratcheson RA. Fast forwarding: the evolution of neurosurgery. The 2005 presidential address, 585
Ravnik J. *See* Bošnjak R, 473
Régis J. *See* Roche P, 935
Reinert M. *See* Clausen T, 233, 597
Reisch R. *See* Gawish I, 778
Rekate HL. Endoscopic fourth ventricular aqueductoplasty. Editorial, 773
Rich T. *See* Goyal S, 218
Richter H. *See* Kandenwein JA, 614
Ringel F. *See* Vajkoczy P, 9
Rivet DJ, Wanebo JE, Roberts GA, Dacey RG Jr. Use of a side branch in a saphenous vein interposition graft for high-flow extracranial–intracranial bypass procedures. Technical note, 186
Roberts DW. Deep brain stimulation. Editorial, 399
———. *See* Lee KH, 538
Roberts GA. *See* Rivet DJ, 186
Roberts MS. *See* King JT Jr, 636
Robson MD. *See* Sillery E, 1030
Roche P, Régis J. Cerebellopontine angle meningiomas. Letters, 935
Roganović Z, Pavlićević G, Petković S. Missile-induced complete lesions of the tibial nerve and tibial division of the sciatic nerve: results of 119 repairs, 622
Ronne-Engström E. *See* Howells T, 196, 197
Rosen CL, DiNapoli VA, Nagamine T, Crocco R. Influence of age on stroke outcome following transient focal ischemia, 687
Rosen D, Novakovic R, Goldenberg FD, Huo D, Baldwin ME, Frank JI, Rosengart AJ, Macdonald RL. Racial differences in demographics, acute complications, and outcomes in patients with subarachnoid hemorrhage: a large patient series, 18
Rosengart AJ. *See* Rosen D, 18
Rosenow JM. *See* Holloway KL, 404
Rösner H. *See* Sinis N, 1067
Russell SM, Elliott R, Forshaw D, Kelly PJ, Golfinos JG. Resection of parietal lobe gliomas: incidence and evolution of neurological deficits in 28 consecutive patients correlated to the location and morphological characteristics of the tumor, 1010

Sabel BA. *See* Tan CSH, 193
Sagara Y, Kiyosue H, Hori Y, Sainoo M, Nagatomi H, Mori H. Limitations of three-dimensional reconstructed computerized tomography angiography after clip placement of intracranial aneurysms, 656
Sahni D. *See* Melgar MA, 170
Sahuquillo J. *See* Poca MA, 455
Sainoo M. *See* Sagara Y, 656
Saint-Cyr J. *See* Voon V, 246
Saito R. *See* Krauze MT, 923
Saito T. *See* Hassan T, 662
Sakuma J. *See* Horiuchi K, 275
———. *See* Matsumoto M, 390
Sakurai Y. *See* Miyatake S, 1000
Sani S, Jobe KW, Byrne RW. Successful repair of an intracranial nail-gun injury involving the parietal region and the superior sagittal sinus. Case report, 567

SASAKI T. *See* Horiuchi K, 275
———. *See* Matsumoto M, 390
SATHIASEELAN V. *See* Pollack AG, 546
SATO K. *See* Nariai T, 414
SATO S. *See* Heiss JD, 1035
SATOH K. *See* Jamous MA, 1046, 1052
SATOMI J. *See* Jamous MA, 1046
SAYRE J. *See* Villablanca JP, 1018
SCHALLER H. *See* Sinis N, 1067
SCHALLERT T. *See* Qu C, 695
SCHIEVINK WI, MAYA MM, MOSER FG, TOURJE J. Spectrum of subdural fluid collections in spontaneous intracranial hypotension, 608
SCHLAGETER KS. *See* Chen MY, 311
SCHLOSSHAUER B. *See* Sinis N, 1067
SCHMIDT K, COIMBRA C. Endoscopic treatment of thalamic neuroepithelial cysts. Report of three cases, 342
SCHMIEDEK P. *See* Perren F, 869
———. *See* Vajkoczy P, 9
SCHMITMEIER S. *See* Pyrko P, 526
———. *See* Wang W, 1058
SCHÖNTHAL AH. *See* Pyrko P, 526
SCHROEDER HWS. *See* Baldauf J, 920
SCHULTE-EVERSUM C. *See* Sinis N, 1067
SCHULZE-BONHAGE A, FREIMAN TM. Charles Bonnet syndrome in patients with visual field defects–are hallucinations good or bad. Letters, 195
SCHWAB KA. *See* Miller KJ, 239
SCHWARTZ ML. *See* Andrade-Souza YM, 642
SCIUBBA DM. *See* Gallia GL, 1077
SCORA D. *See* Andrade-Souza YM, 642
SEAMAN CR. *See* Pannu H, 92
SEIFERT V. *See* Raabe A, 974, 982
SEN C. *See* Shrivastava RK, 491
SENDA M. *See* Nariai T, 498
SHABANI HK. *See* Okunaga T, 53
SHACKLEFORD A. *See* Gondim FAA, 444
SHAH AR. *See* Vadivelu S, 124
SHAHAM A. *See* Gil Z, 87
SHALINSKY MH. *See* Lee KH, 538
SHANNON P. *See* Laxton AW, 1084
SHETE S. *See* Pannu H, 92
SHIBUYA S. *See* Nimura T, 968
SHICHINOHE T. *See* Wang W, 1058
SHILAD S. *See* Pluta RM, 731
SHIMADA T, TOYODA K, INOUE T, KAMOUCHI M, MATSUMOTO T, HIYAMUTA K, IMAIZUMI T, OKADA Y. Prediction of coronary artery disease in patients undergoing carotid endarterectomy, 593
———. *See* Toyoda K, 591
SHIMIZU H. *See* Hassan T, 662
SHINGO T. *See* Yano A, 104
SHIRANE R. *See* Nimura T, 968
SHIU A. *See* Mahajan A, 210
SHRIVASTAVA RK, SEN C, COSTANTINO PD, DELLA ROCCA R. Sphenoorbital meningiomas: surgical limitations and lessons learned in their long-term management, 491
SHU S. *See* Kjaergaard J, 156
SHUAIB A. *See* Wang CX, 165
SHUER LM. Book review, 765
SHUTTER L. Book review, 932
SILLERY E, BITTAR RG, ROBSON MD, BEHRENS TEJ, STEIN J, AZIZ TZ, JOHANSEN-BERG H. Connectivity of the human periventricular–periaqueductal gray region, 1030
SILVER JA. *See* Inglese M, 298
SIMONOVA G. *See* Vladyka V, 192
SINIS N, SCHALLER H, SCHULTE-EVERSUM C, SCHLOSSHAUER B, DOSER M, DIETZ K, RÖSNER H, MÜLLER H, HAERLE M. Nerve regeneration across a 2-cm gap in the rat median nerve using a resorbable nerve conduit filled with Schwann cells, 1067
SITOH Y. *See* Ho YL, 910
SIVARAMAKRISHNAN A. *See* Alperin N, 46
SMITH JS, CHA S, MAYO MC, MCDERMOTT MW, PARSA AT, CHANG SM, DILLON WP, BERGER MS. Serial diffusion-weighted magnetic resonance imaging in cases of glioma: distinguishing tumor recurrence from postresection injury, 428
SOMOGYI R. *See* Mikulis DJ, 347
SON J, FUJIMAKI T, TSUCHIYA Y, ISHII T, TAKAGHI K, NAKAGOMI T. Pituitary cyst presenting with hyponatremia and increased secretion of brain natriuretic peptide. Case report, 1092
SORA S. *See* Morita A, 320
SOSNOWSKI BA. *See* Wang W, 1058
SOUKUP J. *See* Clausen T, 597
SPENCER DD, COHEN-GADOL AA. Temporal lobe epilepsy. Letters, 769
———. *See* Cohen-Gadol AA, 372
SPETZLER RF. *See* Feiz-Erfan I, 485
———. *See* Raabe A, 982
SPIESS BD. *See* Kwon TH, 724
SPIOTTA A. *See* Stiefel MF, 805
SPIVAK CJ, PIROUZMAND F. Comparison of the reliability of brain lesion localization when using traditional and stereotactic image-guided techniques: a prospective study, 424
STANDARD S. *See* Boulos AS, 739
STARR PA. *See* Holloway KL, 404
STEIN J. *See* Sillery E, 1030
STEINBERG GK. *See* Kondziolka D, 8, 38
STEINER L. *See* Goyal S, 218
STERN M. *See* Weaver F, 956
STEVENSON CB, JOHNSON MD, THOMPSON RC. Cystic cavernous malformation of the cerebellopontine angle. Case illustration, 931
STIEFEL MF, SPIOTTA A, GRACIAS VH, GARUFFE AM, GUILLAMONDEGUI O, MALONEY-WILENSKY E, BLOOM S, GRADY MS, LEROUX PD. Reduced mortality rate in patients with severe traumatic brain injury treated with brain tissue oxygen monitoring, 805
———, TOMITA Y, MARMAROU A. Secondary ischemia impairing the restoration of ion homeostasis following traumatic brain injury, 707
STOODLEY MA. *See* Tu J, 903
STORER KP. *See* Tu J, 903
STREEFKERK HJN, KLEINVELD S, KOEDAM ELGE, BULDER MMM, MEELDIJK HD, VERDAASDONK RM, BECK RJM, VAN DER ZWAN B, TULLEKEN CAF. Long-term reendothelialization of excimer laser–assisted nonocclusive anastomoses compared with conventionally sutured anastomoses in pigs, 328
SUGIU K. *See* Kusaka N, 882
SUKI D. *See* Mahajan A, 210
SULTON LD. *See* Jane JA Jr, 789
SUN D. *See* Kwon TH, 724
SURUMAN K. *See* Morita A, 320
SUZUE A. *See* Uno M, 518
SUZUKI A. *See* Matsubara S, 391

SUZUKI K. *See* Horiuchi K, 275
———. *See* Matsumoto M, 390
SWENSON SD. *See* Pyrko P, 526
———. *See* Wang W, 1058

TABAR V. *See* Petrovich N, 267
TAKAGI K. *See* Son J, 1092
TAKAGI Y, NISHIMURA M, MORIZANE A, TAKAHASHI J, NOZAKI K, HAYASHI J, HASHIMOTO N. Survival and differentiation of neural progenitor cells derived from embryonic stem cells and transplanted into ischemic brain, 304
TAKAHASHI A. *See* Hassan T, 662
TAKAHASHI H. *See* Morita A, 320
TAKAHASHI J. *See* Takagi Y, 304
TAKAHASHI JA. *See* Kawabata Y, 4, 31
TAKAHASHI K. *See* Yano A, 104
TAKAYAMA K. *See* Hassan T, 662
TAKEUCHI A. *See* Yano A, 104
TAKEUCHI T. *See* Toma N, 681
TAKI W. *See* Toma N, 681
TAMAKI M. *See* Nariai T, 498
TAMARGO RJ. *See* Burger IM, 179
———. *See* Clatterbuck RE, 745
TAMAS M. *See* Krauze MT, 923
TAMURA T. *See* Jamous MA, 1052
TAN CSH, SABEL BA. Charles Bonnet syndrome in patients with visual field defects–are hallucinations good or bad? Letter, 193
TANAKA Y. *See* Nariai T, 414, 498
TERAOKA J. *See* Kondziolka D, 38
THOME C. *See* Vajkoczy P, 9
THOMPSON BG. *See* Barkhoudarian G, 182
THOMPSON RC. *See* Stevenson CB, 931
TIERNEY T. *See* Clatterbuck RE, 745
TIMOFEEV EV. *See* Hassan T, 662
TOKUNAGA K. *See* Kusaka N, 882
TOKUNAKA Y. *See* Khalid MH, 79
TOMA N, IMANAKA-YOSHIDA K, TAKEUCHI T, MATSUSHIMA S, IWATA H, YOSHIDA T, TAKI W. Tenascin-C–coated platinum coils for acceleration of organization of cavities and reduction of lumen size in a rat aneurysm model, 681
TOMASELLO C. *See* Conti A, 873
TOMASELLO F. *See* Conti A, 873
TOMINAGA T. *See* Hassan T, 662
———. *See* Nimura T, 968
TOMITA Y. *See* Stiefel MF, 707
TONG D. *See* Kondziolka D, 38
TOURJE J. *See* Schievink WI, 608
TOYODA K, SHIMADA T, INOUE T, OKADA Y. Coronary artery disease and carotid endarterectomy. Editorial, 591
———. *See* Shimada T, 593
TSAO MN. *See* Andrade-Souza YM, 642
TSUCHIYA Y. *See* Son J, 1092
TSUJI M. *See* Miyatake S, 1000
TU J, STOODLEY MA, MORGAN MK, STORER KP. Ultrastructural characteristics of hemorrhagic, nonhemorrhagic, and recurrent cavernous malformations, 903
TUFARO AP. *See* Gallia GL, 1077
TULLEKEN CAF. *See* Streefkerk HJN, 328
TUMIALÁN LM, CAWLEY CM, BARROW DL. Arachnoid cyst with associated arachnoiditis developing after subarachnoid hemorrhage. Case report, 1088
———. *See* Dhall SS, 559
TYMIANSKI M. *See* Mikulis DJ, 347
TYSOME J. *See* Gnanalingham KK, 439

UENO T, MACIAS BR, YOST WT, HARGENS AR. Noninvasive assessment of intracranial pressure waveforms by using pulsed phase lock loop technology. Technical note, 361
UNO M, KITAZATO KT, SUZUE A, ITABE H, HAO L, NAGAHIRO S. Contribution of an imbalance between oxidant–antioxidant systems to plaque vulnerability in patients with carotid artery stenosis, 518

VADIVELU S, PLATIK MM, CHOI L, LACY ML, SHAH AR, QU Y, HOLEKAMP TF, BECKER D, GOTTLIEB DI, GIDDAY JM, MCDONALD JW. Multi-germ layer lineage central nervous system repair: nerve and vascular cell generation by embryonic stem cell transplanted in the injured brain, 124
VAJKOCZY P, MEYER B, WEIDAUER S, RAABE A, THOME C, RINGEL F, BREU V, SCHMIEDEK P. Clazosentan (AXV-034343), a selective endothelin A receptor antagonist, in the prevention of cerebral vasospasm following severe aneurysmal subarachnoid hemorrhage: results of a randomized, double-blind, placebo-controlled multicenter Phase IIa study, 9
———, SCHMIEDEK P, MEYER B. Vasospasm. Editorial, 1
———. *See* Perren F, 869
VAN DER LAAK J. *See* Bernsen H, 702
VAN DER VEN A. *See* Bernsen H, 702
VAN DER ZWAN B. *See* Streefkerk HJN, 328
VAN GINHOVEN G. *See* Pannu H, 92
VANCE ML. *See* De Tommasi C, 825
VASILYEV T. *See* Gil Z, 87
VATES GE, HASHIMOTO T, YOUNG WL, LAWTON MT. Angiogenesis in the brain during development: the effects of vascular endothelial growth factor and angiopoietin-2 in an animal model, 136
VATTER H. *See* Raabe A, 974
VAYSSIERE N. *See* Hemm S, 949
VERDAASDONK RM. *See* Streefkerk HJN, 328
VESELY A. *See* Mikulis DJ, 347
VIDEEN TO. *See* Jost SC, 25
VIDWAN P. *See* Heiss JD, 1035
VILALLOBOS HR. *See* Bota DP, 468
VILLABLANCA JP, ACHIRIOLAIE A, HOOSHI P, MARTIN N, DUCKWILER G, JAHAN R, FRAZEE J, GOBIN P, SAYRE J, VINUELA F. Aneurysms of the posterior circulation: detection and treatment planning using volume-rendered three-dimensional helical computerized tomography angiography, 1018
VINCENT J. *See* Bota DP, 468
VIÑUELA F. *See* Villablanca JP, 1018
———. *See* Yuki I, 649
VITA G. *See* Conti A, 873
VLADYKA V, LISCÁK R, SIMONOVA G, PILBAUER J, HEJDUKOVA I, NOVACEK L. Glaucoma treated by gamma knife irradiation. Letters, 192
VOGEL TWA, VORTMEYER AO, LUBENSKY IA, LEE Y, FURUTA M, IKEJIRI B, KIM HJ, LONSER RR, OLDFIELD EH, ZHUANG Z. Coexpression of erythropoietin and its receptor in endolymphatic sac tumors, 284
VOGELBAUM MA. *See* Nathoo N, 930

Voon V, Saint-Cyr J, Lozano AM, Moro E, Poon YY, Lang AE. Psychiatric symptoms in patients with Parkinson disease presenting for deep brain stimulation surgery, 246
Vortmeyer A. *See* Heiss JD, 1035
———. *See* Vogel TWA, 284

Wakimoto H. *See* Nariai T, 498
Walbridge S. *See* Heiss JD, 1035
Walters E. *See* Khalid MH, 79
Wanebo JE. *See* Rivet DJ, 186
Wang CX, Yang T, Noor R, Shuaib A. Role of MC-1 alone and in combination with tissue plasminogen activator in focal ischemic brain injury in rats, 165
Wang J. Book review, 388
Wang L. *See* Kjaergaard J, 156
Wang W, Zhu N, Chua J, Swenson S, Costa FK, Schmitmeier S, Sosnowski BA, Shichinohe T, Kasahara N, Chen TC. Retargeting of adenoviral vector using FGF2 ligand for malignant glioma gene therapy, 1058
———. *See* Pyrko P, 526
Warden DL. *See* Miller KJ, 239
Warisawa S. *See* Morita A, 320
Weaver F, Follett K, Hur K, Ippolito D, Stern M. Deep brain stimulation in Parkinson disease: a metaanalysis of patient outcomes, 956
Weber W. *See* Henkes H, 990
Wechsler L. *See* Kondziolka D, 8, 38
Weidauer S. *See* Vajkoczy P, 9
Weinand M. *See* Melgar MA, 170
Weinberg JS. *See* Mahajan A, 210
Weiss MH. Rathke cleft cysts. Letters, 390
Wesseling P. *See* Bernsen H, 702
Westra WH. *See* Gallia GL, 1077
White RJ. Large-animal research. Letters, 581
Whitehead A. *See* Pluta RM, 731
Wilkinson HA. Cerebral perfusion pressure and intracranial pressure. Letters, 195
Wilkinson MF, Kaufmann AM. Monitoring of facial muscle motor evoked potentials during microvascular decompression for hemifacial spasm: evidence of changes in motor neuron excitability, 64
Woo SY. *See* Mahajan A, 210

Xi G. *See* Nakamura T, 97
Xu J. *See* Xu W, 464
Xu W, Gu Y, Liu J, Yu C, Zhang C, Xu J. Pulmonary function after complete unilateral phrenic nerve transection, 464

Yamada M. *See* Deguchi J, 756
———. *See* Miyatake S, 1000
Yamaguchi K. *See* Nimura T, 968
Yang LJ. Book review, 765
Yang T. *See* Wang CX, 165
Yano A, Shingo T, Takeuchi A, Yasuhara T, Kobayashi K, Takahashi K, Muraoka K, Matsui T, Miyoshi Y, Hamada H, Date I. Encapsulated vascular endothelial growth factor–secreting cell grafts have neuroprotective and angiogenic effects on focal cerebral ischemia, 104
Yasuhara T. *See* Yano A, 104
Yasui N. *See* Matsubara S, 391
Yenari MA. *See* Lee JE, 289
Yokoyama K. *See* Miyatake S, 1000
Yonas H. *See* King JT Jr, 636
Yoon JY. *See* Lee JE, 289
Yoshida T. *See* Toma N, 681
Yoshimoto Y. Systematic review of the natural history of vestibular schwannoma, 59
Yost WT. *See* Ueno T, 361
Young WL. *See* Vates GE, 136
Yu C. *See* Xu W, 464
Yuki I, Murayama Y, Viñuela F. Endovascular management of dissecting vertebrobasilar artery aneurysms in patients presenting iwth acute subarachnoid hemorrhage, 649

Zadeh G. *See* Andrade-Souza YM, 642
Zafonte R. *See* Kondziolka D, 38
Zauner A. *See* Clausen T, 233, 597
Zazulia AR. *See* Jost SC, 25
Zemmel I. *See* Hamouda KB, 1095
Zervas NT. *See* Curry WT Jr, 630
Zhang C. *See* Xu W, 464
Zhu L. *See* Furuya K, 715
Zhu N. *See* Wang W, 1058
Zhu X. *See* Lü J, 337
Zhuang Z. *See* Vogel TWA, 284
Zimmermann M. *See* Raabe A, 974
Zuo Z. *See* Nemergut EC, 448

Subject Index

Absence epilepsy
  Abolition of spindle oscillations and 3-Hz absence seizurelike activity in the thalamus by using high-frequency stimulation: potential mechanism of action, 538
Acromegaly
  Cushing's first case of transsphenoidal surgery: the launch of the pituitary surgery era. Historical vignette, 570
Adenoviral vector
  Retargeting of adenoviral vector using basic fibroblast growth factor ligand for malignant glioma gene therapy, 1058
Adrenocorticotropic hormone–secreting adenoma
  Surgical management of adrenocorticotropic hormone–secreting macroadenomas: outcome and challenges in patients with Cushing's disease or Nelson's syndrome, 825
Aging
  Influence of age on stroke outcome following transient focal ischemia, 687
Alteplase
  Coronary AngioJet catheterization for the management of dural venous sinus thrombosis. Technical note, 368
American Association of Neurological Surgeons
  Fast forwarding: the evolution of neurosurgery. The 2005 presidential address, 585
Amino acid tracer
  Usefulness of L-[methyl-^{11}C] methionine–positron emission tomography as a biological monitoring tool in the treatment of glioma, 498
Anastomosis
  Long-term reendothelialization of excimer laser-assisted nonocclusive anastomoses compared with conventionally sutured anastomoses in pigs, 328
  Microsurgical robotic system for the deep surgical field: development of a prototype and feasibility studies in animal and cadaveric models, 320
Anatomy
  Microsurgical anatomy of the interpeduncular cistern and related arachnoid membranes, 337
Aneurysm
  Aneurysms of the posterior circulation: detection and treatment planning using volume-rendered three-dimensional helical computerized tomography angiography, 1018
  Angiographic and clinical results in 316 coil-treated basilar artery bifurcation aneurysms, 990
  Clazosentan (AXV-034343), a selective endothelin A receptor antagonist, in the prevention of cerebral vasospasm following severe aneurysmal subarachnoid hemorrhage: results of a randomized, double-blind, placebo-controlled multicenter Phase IIa study, 9
  Endovascular management of dissecting vertebrobasilar artery aneurysms in patients presenting with acute subarachnoid hemorrhage, 649
  Extracranial–intracranial bypass in the treatment of occlusive cerebrovascular disease and intracranial aneurysms in the United States between 1992 and 2001: a population-based study, 794
  Fenestrated optic nerve. Letters, 578
  Flow changes caused by the sequential placement of stents across the neck of sidewall cerebral aneurysms, 891
  Intraoperative monitoring of blood flow insufficiency during surgery of middle cerebral artery aneurysms, 275
  Limitations of three-dimensional reconstructed computerized tomography angiography after clip placement for intracranial aneurysms, 656
  Mental health, anxiety, and depression in patients with cerebral aneurysms, 636
  A proposed parent vessel geometry–based categorization of saccular intracranial aneurysms: computational flow dynamic analysis of the risk factor for lesion rupture, 662
  Role of estrogen deficiency in the formation and progression of cerebral aneurysms. Part I: experimental study of the effect of oophorectomy in rats, 1046
  Role of estrogen deficiency in the formation and progression of cerebral aneurysms. Part II: experimental study of the effects of hormone replacement therapy in rats, 1052
  Subarachnoid hemorrhage caused by posterior inferior cerebellar aneurysm with an anomalous course of the atlantoaxial segment of the vertebral artery. Case report and review of literature, 356
  A triple bifurcation aneurysm model for evaluating complex endovascular therapies in dogs, 738
  Unruptured aneurysms. Letters, 390
Angiogenesis
  Angiogenesis in the brain during development: the effects of vascular endothelial growth factor and angiopoietin-2 in an animal model, 136
  Enhanced brain angiogenesis in chronic cerebral hypoperfusion after administration of plasmid human vascular endothelial growth factor in combination with indirect vasoreconstructive surgery, 882
  Gliomatosis cerebri: quantitative proof of vessel recruitment by cooptation instead of angiogenesis, 702
Angiography
  Limitations of three-dimensional reconstructed computerized tomography angiography after clip placement for intracranial aneurysms, 656
AngioJet
  Coronary AngioJet catheterization for the management of dural venous sinus thrombosis. Technical note, 368
Angiopoietin
  Angiogenesis in the brain during development: the effects of vascular endothelial growth factor and angiopoietin-2 in an animal model, 136
Angiotensin-converting enzyme
  Lack of an association between the angiotensin-converting enzyme insertion/deletion polymorphism and intracranial aneurysms in a Caucasian population in the United States, 92
Animal model
  Role of estrogen deficiency in the formation and progression of cerebral aneurysms. Part I: experimental study of the effect of oophorectomy in rats, 1046
Animal research
  Large-animal research. Letters, 581
Anterior fossa
  The radical transbasal approach for resection of anterior and midline skull base lesions, 485
Antiapoptosis
  Encapsulated vascular endothelial growth factor-secreting cell grafts have neuroprotective and angiogenic effects on focal cerebral ischemia, 104
Anxiety
  Mental health, anxiety, and depression in patients with cerebral aneurysms, 636
  Psychiatric symptoms in patients with Parkinson disease presenting for deep brain stimulation surgery, 246
Apoptosis
  Expression of the tumor necrosis factor receptor-associated factors 1 and 2 and regulation of the nuclear factor–κB antiapoptotic activity in human gliomas, 873

Aqueductoplasty
Endoscopic aqueductoplasty through a tailored craniocervical approach, 778
Endoscopic fourth ventricular aqueductoplasty. Editorial, 773
Arachnoid cyst
Arachnoid cyst with associated arachnoiditis developing after subarachnoid hemorrhage. Case report, 1088
Arachnoiditis
Arachnoid cyst with associated arachnoiditis developing after subarachnoid hemorrhage. Case report, 1088
Arachnoid membrane
Microsurgical anatomy of the interpeduncular cistern and related arachnoid membranes, 337
Arteriovenous fistula
Combined surgical and endovascular treatment of a spontaneous diploic arteriovenous fistula. Case report, 179
Transvenous embolization for a purely intraorbital arteriovenous fistula. Case report, 756
Arteriovenous malformation
Angiogenesis in the brain during development: the effects of vascular endothelial growth factor and angiopoietin-2 in an animal model, 136
Testing the radiosurgery-based arteriovenous malformation score and the modified Spetzler–Martin grading system to predict radiosurgical outcome, 642
Artery bifurcation
Angiographic and clinical results in 316 coil-treated basilar artery bifurcation aneurysms, 990
Astrocytes
Embryonic stem cell–derived astrocytes expressing drug-inducible transgenes: differentiation and transplantation into the mouse brain, 115
Astrocytoma
Usefulness of L-[methyl-^{11}C] methionine–positron emission tomography as a biological monitoring tool in the treatment of glioma, 498
Asymmetric dimethyl L-arginine
In vitro and in vivo effects of probucol on hydrolysis of asymmetric dimethyl L-arginine and vasospasm in primates, 731
Atorvastatin
Effect of atorvastatin on spatial memory, neuronal survival, and vascular density in female rats after traumatic brain injury, 695
Awake craniotomy
Discordance between functional magnetic resonance imaging during silent speech tasks and intraoperative speech arrest, 267

Basal ganglion
Neurotransplantation for patients with subcortical motor stroke: a Phase 2 randomized trial, 38
Basic fibroblast growth factor
Retargeting of adenoviral vector using a basic fibroblast growth factor ligand for malignant glioma gene therapy, 1058
Tenascin-C–coated platinum coils for acceleration of organization of cavities and reduction of lumen size in a rat aneurysm model, 681
Basilar tip
Angiographic and clinical results in 316 coil-treated basilar artery bifurcation aneurysms, 990
Bifurcating aneurysm
Hemodynamic changes due to stent placement in bifurcating intracranial aneurysms, 146
Bilirubin oxidation product
In vitro and in vivo effects of probucol on hydrolysis of asymmetric dimethyl L-arginine and vasospasm in primates, 731
Bleb
A proposed parent vessel geometry–based categorization of saccular intracranial aneurysms: computational flow dynamic analysis of the risk factor for lesion rupture, 662
Blood–brain barrier
A reassessment of vascular endothelial growth factor in central nervous system pathology, 853
Reduction in levels of matrix metalloproteinases and increased expression of tissue inhibitor of metalloproteinase–2 in response to mild hypothermia therapy in experimental stroke, 289
Ultrastructural characteristics of hemorrhagic, nonhemorrhagic, and recurrent cavernous malformations, 903
Blood carbon dioxide
Preoperative and postoperative mapping of cerebrovascular reactivity in moyamoya disease by using blood oxygen level–dependent magnetic resonance imaging, 347
Blood oxygen level–dependent imaging
Functional magnetic resonance imaging in adult craniopagus for presurgical evaluation. Case report, 910
Preoperative and postoperative mapping of cerebrovascular reactivity in moyamoya disease by using blood oxygen level–dependent magnetic resonance imaging, 347
Blood pressure
George W. Crile, Ohio's first neurosurgeon, and his relationship with Harvey Cushing. Historical vignette, 378
Book review
Ali-Osman F (ed). *Brain Tumors*, 576
Benzel EC (ed). *Spine Surgery: Techniques, Complication Avoidance, and Management, ed. 2, Vols. 1 and 2*, 188
Follet KA (ed). *Neurosurgical Pain Management*, 387
Goodrich JT, Staffenberg D. *Plastic Techniques in Neurosurgery, ed. 2*, 189
Jackler RK, Brackman DE. *Neurotology, ed. 2*, 387
Kontogeorgos G, Kovacs K (eds). *Molecular Pathology of the Pituitary: Frontiers of Hormone Research, Vol. 32*, 189
Macdonald RL. *Cerebral Vasospasm—Advances in Research and Treatment*, 575
Maniker AH (ed). *Operative Exposures in Peripheral Nerve Surgery*, 765
Pickard JD, Akalan N, Di Rocco C, Dolenc VV, Fahlbusch R, Antunes JL, Sindou M, de Tribolet M, Tulleken CAF (eds). *Advances and Technical Standards in Neurosurgery, Vol. 30*, 764
Reulen HJ (ed). *Training in Neurosurgery in the Countries of the EU: A Guide to Organize a Training Programme*, 932
Ross JS, Brant-Zawadzki M, Moore KR, Crim J, Chen MZ, Katzman GL. *Diagnostic Imaging: Spine*, 388
Vaccaro TJA and Vacarro AR. *Physical Examination of the Spine*, 933
Valadka A, Andrews B (eds). *Neurotrauma: Evidence-Based Answers to Common Questions*, 932
Villanueva L, Dickenson AH, Ollat H (eds). *The Pain System in Normal and Pathological States: A Primer for Clinicians.*, 576
Wowra B, Toon J-C, Muacevic A (eds). *Gamma Knife Radiosurgery*, 764
Boron neutron capture therapy
Modified boron neutron capture therapy for malignant gliomas performed using epithermal neutron and two boron compounds with different accumulation mechanisms: an efficacy study based on findings on neuro images, 1000
Boronophenylalanine
Modified boron neutron capture therapy for malignant gliomas performed using epithermal neutron and two boron compounds with different accumulation mechanisms: an efficacy study based on findings on neuro images, 1000

Brachial plexus
Pulmonary function after complete unilateral phrenic nerve transection, 464
Restoration of elbow flexion by performing contralateral lateral thoracic and thoracodorsal nerve transfers after experimental musculocutaneous nerve transection, 70
Surgical interventions for traumatic lesions of the brachial plexus: a retrospective study of 134 cases, 614
Brachytherapy
Stereotactic interstitial radiosurgery for cerebral metastases, 630
Brain
Angiogenesis in the brain during development: the effects of vascular endothelial growth factor and angiopoietin-2 in an animal model, 136
Surface properties, more than size, limiting convective distribution of virus-sized particles and viruses in the central nervous system, 311
Brain injury
A reassessment of vascular endothelial growth factor in central nervous system pathology, 853
Brain metastasis
Gamma knife surgery for the treatment of intracranial metastases from breast cancer, 218
Brain natriuretic peptide
Pituitary cyst presenting with hyponatremia and increased secretion of brain natriuretic peptide. Case report, 1092
Brain tissue oxygenation
Effect of perfluorocarbons on brain oxygenation and ischemic damage in an acute subdural hematoma model in rats, 724
Reduced mortality rate in patients with severe traumatic brain injury treated with brain tissue oxygen monitoring, 805
Brain tumor
Depression and functional outcome in patients with brain tumors: a population-based 1-year follow-up study, 841
Posterior subtemporal transtentorial approach to intraparenchymal lesions of the anteromedial region of the superior cerebellum, 783
A reassessment of vascular endothelial growth factor in central nervous system pathology, 853
Sonographic detection and follow up of an atypical pineal cyst: a comparison with magnetic resonance imaging. Case report, 564
Stereotactic interstitial radiosurgery for cerebral metastases, 630
Surgery for primary brain tumors at United States academic training centers: results form the Residency Review Committee for Neurological Surgery, 789
Resection of parietal lobe gliomas: incidence and evolution of neurological deficits in 28 consecutive patients correlated with tumor location and morphological characteristics, 1010
Transtentorial approach. Editorial, 776
Breast cancer
Gamma knife surgery for the treatment of intracranial metastases from breast cancer, 218
B waves
CSF pulse pressure and B waves. Letters, 767
Bypass surgery
Extracranial–intracranial bypass in the treatment of occlusive cerebrovascular disease and intracranial aneurysms in the United States between 1992 and 2001: a population-based study, 794
Long-term reendothelialization of excimer laser–assisted nonocclusive anastomoses compared with conventionally sutured anastomoses in pigs, 328
Thyrocervical trunk–external carotid artery bypass for positional cerebral ischemia due to common carotid artery occlusion. Technical note, 170
Use of a side branch in a saphenous vein interposition graft for high-flow extracranial–intracranial bypass procedures. Technical note, 186

Camptocormia
Camptocormia in a patient with Parkinson disease: beneficial effects of pallidal deep brain stimulation. Case report, 1081
Carbon dioxide
Cerebral acid–base homeostasis after severe traumatic brain injury, 597
Carotid artery occlusion
Thyrocervical trunk–external carotid artery bypass for positional cerebral ischemia due to common carotid artery occlusion. Technical note, 170
Carotid artery stenosis
Contribution of an imbalance between oxidant–antioxidant systems to plaque vulnerability in patients with carotid artery stenosis, 518
Coronary artery disease and carotid endarterectomy. Editorial, 591
Prediction of coronary artery disease in patients undergoing carotid endarterectomy, 593
Cat
Restoration of elbow flexion by performing contralateral lateral thoracic and thoracodorsal nerve transfers after experimental musculocutaneous nerve transection, 70
Catheterization
Coronary AngioJet catheterization for the management of dural venous sinus thrombosis. Technical note, 368
Ventriculostomy-related infections in critically ill patients: a 6-year experience, 468
Cavernoma
Cystic cavernous malformation of the cerebellopontine angle, 931
Cavernous malformation
Cystic cavernous malformation of the cerebellopontine angle, 931
Ultrastructural characteristics of hemorrhagic, nonhemorrhagic, and recurrent cavernous malformations, 903
Cavernous sinus
Cavernous sinus fistula following percutaneous balloon compression of the trigeminal ganglion. Case report, 176
Celecoxib
Ubiquitous expression of cyclooxygenase-2 in meningiomas and decrease in cell growth following in vitro treatment with the inhibitor celecoxib: potential therapeutic application, 508
Central nervous system
Reflux-free cannula for convection-enhanced high-speed delivery of therapeutic agents. Technical note, 923
Cerebellar artery aneurysm
Subarachnoid hemorrhage caused by posterior inferior cerebellar aneurysm with an anomalous course of the atlantoaxial segment of the vertebral artery. Case report and review of literature, 356
Cerebellopontine angle
Cerebellopontine angle meningiomas. Letters, 935
Cystic cavernous malformation of the cerebellopontine angle, 931
Cerebellum
Posterior subtemporal transtentorial approach to intraparenchymal lesions of the anteromedial region of the superior cerebellum, 783
Transtentorial approach. Editorial, 776
Cerebral acid-base homeostasis
Cerebral acid-base homeostasis after severe traumatic brain injury, 597
Cerebral artery, middle
Intraoperative monitoring of blood flow insufficiency during surgery of middle cerebral artery aneurysms, 275

Role of MC-1 alone and in combination with tissue plasminogen activator in focal ischemia brain injury in rats, 165
Cerebral blood flow
Differences in infarct evolution between lipopolysaccharide-induced tolerant and nontolerant conditions to focal cerebral ischemia, 715
Effect of normal saline bolus on cerebral blood flow in regions with low baseline flow in patients with vasospasm following subarachnoid hemorrhage, 25
Posttraumatic vasospasm: the epidemiology, severity, and time course of an underestimated phenomenon: a prospective study performed in 299 patients, 812
Cerebral edema
Estrogen therapy for experimental intracerebral hemorrhage in rats, 97
A reassessment of vascular endothelial growth factor in central nervous system pathology, 853
Cerebral hemorrhage
Estrogen therapy for experimental intracerebral hemorrhage in rats, 97
Cerebral infarction
Differences in infarct evolution between lipopolysaccharide-induced tolerant and nontolerant conditions to focal cerebral ischemia, 715
Racial differences in demographics, acute complications, and outcomes in patients with subarachnoid hemorrhage: a large patient series, 18
Role of MC-1 alone and in combination with tissue plasminogen activator in focal ischemia brain injury in rats, 165
Cerebral ischemia
Effect of perfluorocarbons on brain oxygenation and ischemic damage in an acute subdural hematoma model in rats, 724
Racial differences in demographics, acute complications, and outcomes in patients with subarachnoid hemorrhage: a large patient series, 18
Reduction in levels of matrix metalloproteinases and increased expression of tissue inhibitor of metalloproteinase–2 in response to mild hypothermia therapy in experimental stroke, 289
Secondary ischemia impairing the restoration of ion homeostasis following traumatic brain injury, 707
Survival and differentiation of neural progenitor cells derived from embryonic stem cells and transplanted into ischemic brain, 304
Thyrocervical trunk-external carotid artery bypass for positional cerebral ischemia due to common carotid artery occlusion, Technical note, 170
Cerebral metastasis
Stereotactic interstitial radiosurgery for cerebral metastases, 630
Cerebral perfusion pressure
Association between elevated brain tissue glycerol levels and poor outcome following severe traumatic brain injury, 233
Cerebral perfusion pressure and intracranial pressure. Letters, 195
Pressure reactivity as a guide for cerebral perfusion pressure. Letters, 196
Cerebral revascularization
Long-term reendothelialization of excimer laser–assisted nonocclusive anastomoses compared with conventionally sutured anastomoses in pigs, 328
Cerebrospinal fluid
Ventriculostomy-related infections in critically ill patients: a 6-year experience, 468
Cerebrospinal fluid flow
Magnetic resonance imaging-based measurements of cerebrospinal fluid and blood flow as indicators of intracranial compliance in patients with Chiari malformation, 46
Use of a simple intraoperative hydrostatic pressure test to assess the relationship between mobility of the ventricular stoma and success of third ventriculostomy, 848
Cerebrospinal fluid leak
Novel laser tissue-soldering technique for dural reconstruction, 87
Spectrum of subdural fluid collections in spontaneous intracranial hypotension, 608
Cerebrospinal fluid pressure
Primary empty sella syndrome in a series of 142 patients, 831
Cerebrospinal fluid pulse pressure
CSF pulse pressure and B waves. Letters, 767
Cerebrospinal fluid shunt
Primary empty sella syndrome in a series of 142 patients, 831
Cerebrovascular disease
Coronary artery disease and carotid endarterectomy. Editorial, 591
Extracranial–intracranial bypass in the treatment of occlusive cerebrovascular disease and intracranial aneurysms in the United States between 1992 and 2001: a population-based study, 794
Prediction of coronary artery disease in patients undergoing carotid endarterectomy, 593
Cerebrovascular reactivity
Preoperative and postoperative mapping of cerebrovascular reactivity in moyamoya disease by using blood oxygen level–dependent magnetic resonance imaging, 347
Charles Bonnet syndrome
Charles Bonnet Syndrome in patients with visual field defects—are hallucinations good or bad? Letters, 193
Chemotherapy
Extended remission of a recurrent median nerve malignant peripheral nerve sheath tumor after multimodal treatment. Case report, 760
Chiari malformation
Acute obstructive hydrocephalus associated with infratentorial subdural hygromas complicating Chiari malformation Type I decompression. Report of two cases and literature review, 752
Hemifacial spasm in a patient with Marfan syndrome and Chiari I malformation. Case report, 552
Magnetic resonance imaging-based measurements of cerebrospinal fluid and blood flow as indicators of intracranial compliance in patients with Chiari malformation, 46
Chordoid meningioma
Pyrogenic cytokine interleukin-6 expression by a chordoid meningioma in an adult with a systemic inflammatory syndrome. Case report and review of the literature, 555
Chronic cerebral hypoperfusion
Enhanced brain angiogenesis in chronic cerebral hypoperfusion after administration of plasmid human vascular endothelial growth factor in combination with indirect vasoreconstructive surgery, 882
Cisplatin
Inhibition of tumor growth and prolonged survival of rats with intracranial gliomas following administration of clotrimazole, 79
Classification system
A proposed parent vessel geometry–based categorization of saccular intracranial aneurysms: computational flow dynamic analysis of the risk factor for lesion rupture, 662
Clazosentan
Clazosentan (AXV-034343), a selective endothelin A receptor antagonist, in the prevention of cerebral vasospasm following severe aneurysmal subarachnoid hemorrhage: results of a randomized, double-blind, placebo-controlled multicenter Phase IIa study, 9
Clear cell meningioma
Spinal intradural clear cell meningioma following resection of a suprasellar clear cell meningioma. Case report and recommendations for management, 559

Clinical competence
Surgery for primary brain tumors at United States academic training centers: results form the Residency Review Committee for Neurological Surgery, 789
Clinical trials
Clazosentan (AXV-034343), a selective endothelin A receptor antagonist, in the prevention of cerebral vasospasm following severe aneurysmal subarachnoid hemorrhage: results of a randomized, double-blind, placebo-controlled multicenter Phase IIa study, 9
Long-term outcome in patients harboring intracranial ependymoma. Editorial, 4
Clotrimazole
Inhibition of tumor growth and prolonged survival of rats with intracranial gliomas following administration of clotrimazole, 79
Coherence
Noninvasive assessment of intracranial pressure waveforms by using pulsed phase lock loop technology. Technical note, 361
Coil occlusion
Angiographic and clinical results in 316 coil-treated basilar artery bifurcation aneurysms, 990
Comparative study
Limitations of three-dimensional reconstructed computerized tomography angiography after clip placement for intracranial aneurysms, 656
Complication, acute
Acute neurological complications following gamma knife surgery for vestibular schwannoma. Case report, 546
Computational flow dynamic
A proposed parent vessel geometry–based categorization of saccular intracranial aneurysms: computational flow dynamic analysis of the risk factor for lesion rupture, 662
Computer-assisted surgery
Comparison of the reliability of brain lesion localization when using traditional and stereotactic image-guided techniques: a prospective study, 424
Frameless stereotaxy using bone fiducial markers for deep brain stimulation, 404
Computerized tomography
Limitations of three-dimensional reconstructed computerized tomography angiography after clip placement for intracranial aneurysms, 656
Computerized tomography, three-dimensional
Aneurysms of the posterior circulation: detection and treatment planning using volume-rendered three-dimensional helical computerized tomography angiography, 1018
Computerized tomography angiography
Unruptured aneurysms. Letters, 390
Conjoined twins
Functional magnetic resonance imaging in adult craniopagus for presurgical evaluation. Case report, 910
Contortrostatin
The role of contortrostatin, a snake venom disintegrin, in the inhibition of tumor progression and prolongation of survival in a rodent glioma model, 526
Convection
Surface properties, more than size, limiting convective distribution of virus-sized particles and viruses in the central nervous system, 311
Convection-enhanced delivery
Reflux-free cannula for convection-enhanced high-speed delivery of therapeutic agents. Technical note, 923
Coregistration
Deep brain stimulation in movement disorders: stereotactic coregistration of two-dimensional electrical field modeling and magnetic resonance imaging, 949
Craniofacial surgery
The radical transbasal approach for resection of anterior and midline skull base lesions, 485
Craniopagus
Functional magnetic resonance imaging in adult craniopagus for presurgical evaluation. Case report, 910
Craniopharyngioma
Predictors of diabetes insipidus after transsphenoidal surgery: a review of 881 patients, 448
Surgical management of the recurrence and growth of craniopharyngiomas, 224
Craniotomy
Case–control study of stereotactic radiosurgery for recurrent glioblastoma multiforme, 210
Discordance between functional magnetic resonance imaging during silent speech tasks and intraoperative speech arrest, 267
Cribra orbitalia
Entrapment neuropathy of the optic nerve due to hyperostosis associated with congenital anemia. Case report, 917
Crile, George W.
Cushing, The Mayos, and George Crile. Letters, 392
George W. Crile, Ohio's first neurosurgeon, and his relationship with Harvey Cushing. Historical vignette, 378
Cross-tolerance
Differences in infarct evolution between lipopolysaccharide-induced tolerant and nontolerant conditions to focal cerebral ischemia, 715
Cushing, Harvey W.
Cushing, The Mayos, and George Crile. Letters, 392
Cushing's first case of transsphenoidal surgery: the launch of the pituitary surgery era. Historical vignette, 570
The evolution of Harvey Cushing's surgical approach to pituitary tumors from transsphenoidal to transfrontal. Historical vignette, 372
George W. Crile, Ohio's first neurosurgeon, and his relationship with Harvey Cushing. Historical vignette, 378
Harvey Cushing and Oskar Hirsch: early forefathers of modern transsphenoidal surgery. Historical vignette, 1096
Cushing disease
Surgical management of adrenocorticotropic hormone–secreting macroadenomas: outcome and challenges in patients with Cushing's disease or Nelson's syndrome, 825
Cyclooxygenase-2
Ubiquitous expression of cyclooxygenase-2 in meningiomas and decrease in cell growth following in vitro treatment with the inhibitor celecoxib: potential therapeutic application, 508
Cystic mass
Cystic cavernous malformation of the cerebellopontine angle, 931

Deep brain stimulation
Abolition of spindle oscillations and 3-Hz absence seizurelike activity in the thalamus by using high-frequency stimulation: potential mechanism of action, 538
Camptocormia in a patient with Parkinson disease: beneficial effects of pallidal deep brain stimulation. Case report, 1081
Characterization and correction of distortions in stereotactic magnetic resonance imaging for bilateral subthalamic stimulation in Parkinson disease, 256
Connectivity of the human periventricular and periaqueductal gray region, 1030
Deep brain stimulation. Editorial, 399
Deep brain stimulation in Parkinson disease: a metaanalysis of patient outcomes, 956
Frameless stereotaxy using bone fiducial markers for deep brain stimulation, 404
Long-term benefits in quality of life provided by bilateral subthalamic stimulation in patients with Parkinson disease, 252
Thalamic deep brain stimulation for management of essential tremor, 400

Dendritic cell
Active immunotherapy for advanced intracranial murine tumors by using dendritic cell-tumor cell fusion vaccines, 156
Depression
Depression and functional outcome in patients with brain tumors: a population-based 1-year follow-up study, 841
Mental health, anxiety, and depression in patients with cerebral aneurysms, 636
Psychiatric symptoms in patients with Parkinson disease presenting for deep brain stimulation surgery, 246
DETA/NO
Controlled release of a nitric oxide donor for the prevention of delayed cerebral vasospasm following experimental subarachnoid hemorrhage in nonhuman primates, 745
Development
Angiogenesis in the brain during development: the effects of vascular endothelial growth factor and angiopoietin-2 in an animal model, 136
Dexterity
Microsurgical robotic system for the deep surgical field: development of a prototype and feasibility studies in animal and cadaveric models, 320
Diabetes insipidus
Predictors of diabetes insipidus after transsphenoidal surgery: a review of 881 patients, 448
Diabetes mellitus
Prediction of coronary artery disease in patients undergoing carotid endarterectomy, 593
Differentiation
Multi-germ layer lineage central nervous system repair: nerve and vascular cell generation by embryonic stem cells transplanted in the injured brain, 124
Diffuse axonal injury
Diffuse axonal injury in mild traumatic brain injury: a diffusion tensor imaging study, 298
Diffusion tensor imaging
Diffuse axonal injury in mild traumatic brain injury: a diffusion tensor imaging study, 298
Diffusion tractography
Connectivity of the human periventricular and periaqueductal gray region, 1030
Diffusion-weighted imaging
Serial diffusion-weighted magnetic resonance imaging in cases of glioma: distinguishing tumor recurrence from postresection injury, 428
Digital subtraction angiography
Limitations of three-dimensional reconstructed computerized tomography angiography after clip placement for intracranial aneurysms, 656
Diploic space
Combined surgical and endovascular treatment of a spontaneous diploic arteriovenous fistula. Case report, 179
Disintegrin
The role of contortrostatin, a snake venom disintegrin, in the inhibition of tumor progression and prolongation of survival in a rodent glioma model, 526
Dissemination
Long-term outcome in patients harboring intracranial ependymoma, 31
Distortion ratio
Noninvasive assessment of intracranial pressure waveforms by using pulsed phase lock loop technology. Technical note, 361
Dog
A triple bifurcation aneurysm model for evaluating complex endovascular therapies in dogs, 738
Dopamine turnover
Attenuation of fluctuating striatal synaptic dopamine levels in patients with Parkinson disease in response to subthalamic nucleus stimulation: a positron emission tomography study, 968
Drug delivery
Surface properties, more than size, limiting convective distribution of virus-sized particles and viruses in the central nervous system, 311
Drug delivery system
Local distribution and toxicity of prolonged hippocampal infusion of muscimol, 1035
Dural allograft
Propionibacterium infection associated with bovine pericardium dural allograft. Case report, 182
Dural venous sinus thrombosis
Coronary AngioJet catheterization for the management of dural venous sinus thrombosis. Technical note, 368
Dura mater
Novel laser tissue-soldering technique for dural reconstruction, 87
Dystonia
Camptocormia in a patient with Parkinson disease: beneficial effects of pallidal deep brain stimulation. Case report, 1081
Deep brain stimulation in movement disorders: stereotactic coregistration of two-dimensional electrical field modeling and magnetic resonance imaging, 949

Electrocorticography
Discordance between functional magnetic resonance imaging during silent speech tasks and intraoperative speech arrest, 267
Mapping prosody: correlation of functional magnetic resonance imaging with intraoperative electrocorticography recordings in a patient with a right-sided temporooccipital glioma. Case illustration, 930
Electrofusion
Active immunotherapy for advanced intracranial murine tumors by using dendritic cell-tumor cell fusion vaccines, 156
Electronic field distribution
Deep brain stimulation in movement disorders: stereotactic coregistration of two-dimensional electrical field modeling and magnetic resonance imaging, 949
Electron microscopy
Role of estrogen deficiency in the formation and progression of cerebral aneurysms. Part I: experimental study of the effect of oophorectomy in rats, 1046
Role of estrogen deficiency in the formation and progression of cerebral aneurysms. Part II: experimental study of the effects of hormone replacement therapy in rats, 1052
Embolization
Cavernous sinus fistula following percutaneous balloon compression of the trigeminal ganglion. Case report, 176
Role of MC-1 alone and in combination with tissue plasminogen activator in focal ischemia brain injury in rats, 165
Transvenous embolization for a purely intraorbital arteriovenous fistula. Case report, 756
Embryonic stem cell
Embryonic stem cell-derived astrocytes expressing drug-inducible transgenes: differentiation and transplantation into the mouse brain, 115
Multi-germ layer lineage central nervous system repair: nerve and vascular cell generation by embryonic stem cells transplanted in the injured brain, 124
Survival and differentiation of neural progenitor cells derived from embryonic stem cells and transplanted into ischemic brain, 304
Empty sella
Primary empty sella syndrome in a series of 142 patients, 831

Encapsulated cell grafting
Encapsulated vascular endothelial growth factor-secreting cell grafts have neuroprotective and angiogenic effects on focal cerebral ischemia, 104
Endocrinopathy
Predictors of diabetes insipidus after transsphenoidal surgery: a review of 881 patients, 448
Endogenous nitric oxide synthase inhibitor
In vitro and in vivo effects of probucol on hydrolysis of asymmetric dimethyl L-arginine and vasospasm in primates, 731
Endolymphatic sac tumor
Coexpression of erythropoietin and its receptor in endolymphatic sac tumors, 284
Endoscope-assisted microsurgery
Endoscope-assisted microsurgical resection of an intraneural ganglion cyst of the hypoglossal nerve. Case report, 920
Endoscopic third ventriculostomy
Endoscopic treatment of thalamic neuroepithelial cysts. Report of three cases, 342
Use of a simple intraoperative hydrostatic pressure test to assess the relationship between mobility of the ventricular stoma and success of third ventriculostomy, 848
Endothelial cell
Multi-germ layer lineage central nervous system repair: nerve and vascular cell generation by embryonic stem cells transplanted in the injured brain, 124
Ultrastructural characteristics of hemorrhagic, nonhemorrhagic, and recurrent cavernous malformations, 903
Endothelial nitric oxide synthase
Differences in infarct evolution between lipopolysaccharide-induced tolerant and nontolerant conditions to focal cerebral ischemia, 715
Endothelin
Clazosentan (AXV-034343), a selective endothelin A receptor antagonist, in the prevention of cerebral vasospasm following severe aneurysmal subarachnoid hemorrhage: results of a randomized, double-blind, placebo-controlled multicenter Phase IIa study, 9
Endovascular management
Combined surgical and endovascular treatment of a spontaneous diploic arteriovenous fistula. Case report, 179
Endovascular stroke
Coronary AngioJet catheterization for the management of dural venous sinus thrombosis. Technical note, 368
Endovascular treatment
Angiographic and clinical results in 316 coil-treated basilar artery bifurcation aneurysms, 990
Endovascular management of dissecting vertebrobasilar artery aneurysms in patients presenting with acute subarachnoid hemorrhage, 649
Tenascin-C–coated platinum coils for acceleration of organization of cavities and reduction of lumen size in a rat aneurysm model, 681
A triple bifurcation aneurysm model for evaluating complex endovascular therapies in dogs, 738
Ependymoma
Long-term outcome in patients harboring intracranial ependymoma, 31
Long-term outcome in patients harboring intracranial ependymoma. Editorial, 4
Epilepsy
Local distribution and toxicity of prolonged hippocampal infusion of muscimol, 1035
Temporal lobe epilepsy. Letters, 768
Epsilon-caprolactone
Nerve regeneration across a 2-cm gap in the rat median nerve using a resorbable nerve conduit filled with Schwann cells, 1067
Erythropoietin
Coexpression of erythropoietin and its receptor in endolymphatic sac tumors, 284
Erythropoietin receptor
Coexpression of erythropoietin and its receptor in endolymphatic sac tumors, 284
Estradiol
Role of estrogen deficiency in the formation and progression of cerebral aneurysms. Part II: experimental study of the effects of hormone replacement therapy in rats, 1052
Estrogen
Role of estrogen deficiency in the formation and progression of cerebral aneurysms. Part I: experimental study of the effect of oophorectomy in rats, 1046
Estrogen receptor
Estrogen therapy for experimental intracerebral hemorrhage in rats, 97
Evidence-based medicine
Quality of clinical studies in neurosurgical journals: signs of improvement over three decades, 439
Evolution of neurosurgery
Fast forwarding: the evolution of neurosurgery. The 2005 presidential address, 585
Excimer laser–assisted nonocclusive anastomosis technique
Long-term reendothelialization of excimer laser-assisted nonocclusive anastomoses compared with conventionally sutured anastomoses in pigs, 328
Extent of resection
Long-term outcome in patients harboring intracranial ependymoma, 31
External carotid-internal carotid bypass
Use of a side branch in a saphenous vein interposition graft for high-flow extracranial-intracranial bypass procedures. Technical note, 186
Extracranial–intracranial bypass
Extracranial–intracranial bypass in the treatment of occlusive cerebrovascular disease and intracranial aneurysms in the United States between 1992 and 2001: a population-based study, 794

Facial motor evoked potential
Monitoring of facial muscle motor evoked potentials during microvascular decompression for hemifacial spasm: evidence of changes in motor neuron excitability, 64
Facial nerve
Hemifacial spasm in a patient with Marfan syndrome and Chiari I malformation. Case report, 552
Facial vein
Transvenous embolization for a purely intraorbital arteriovenous fistula. Case report, 756
Fascia
Novel laser tissue-soldering technique for dural reconstruction, 87
Ferret
Abolition of spindle oscillations and 3-Hz absence seizurelike activity in the thalamus by using high-frequency stimulation: potential mechanism of action, 538
Fistula
Cavernous sinus fistula following percutaneous balloon compression of the trigeminal ganglion, Case report, 176
Focal cerebral ischemia
Differences in infarct evolution between lipopolysaccharide-induced tolerant and nontolerant conditions to focal cerebral ischemia, 715
Influence of age on stroke outcome following transient focal ischemia, 687
Fourier transform
Noninvasive assessment of intracranial pressure waveforms by using pulsed phase lock loop technology. Technical note, 361

Frameless stereotaxy
Frameless stereotaxy using bone fiducial markers for deep brain stimulation, 404
Frontal sinus
Synovial sarcoma of the frontal sinus. Case report, 1077
Functional magnetic resonance imaging
Discordance between functional magnetic resonance imaging during silent speech tasks and intraoperative speech arrest, 267
Functional magnetic resonance imaging in adult craniopagus for presurgical evaluation. Case report, 910
Mapping prosody: correlation of functional magnetic resonance imaging with intraoperative electrocorticography recordings in a patient with a right-sided temporooccipital glioma. Case illustration, 930

Gamma knife surgery
Acute neurological complications following gamma knife surgery for vestibular schwannoma. Case report, 546
Gamma knife surgery for the treatment of intracranial metastases from breast cancer, 218
Glaucoma treated by gamma knife irradiation. Letters, 192
Gene therapy
Embryonic stem cell-derived astrocytes expressing drug-inducible transgenes: differentiation and transplantation into the mouse brain, 115
Surface properties, more than size, limiting convective distribution of virus-sized particles and viruses in the central nervous system, 311
Genetics
Lack of an association between the angiotensin-converting enzyme insertion/deletion polymorphism and intracranial aneurysms in a Caucasian population in the United States, 92
Gene transfer
Retargeting of adenoviral vector using a basic fibroblast growth factor ligand for malignant glioma gene therapy, 1058
Geometrical distortion
Characterization and correction of distortions in stereotactic magnetic resonance imaging for bilateral subthalamic stimulation in Parkinson disease, 256
Glasgow Outcome Scale
Predictive value of an early Glasgow Outcome Scale score: 15-month score changes, 239
Glaucoma
Glaucoma treated by gamma knife irradiation. Letters, 192
Glioblastoma multiforme
Case–control study of stereotactic radiosurgery for recurrent glioblastoma multiforme, 210
Usefulness of L-[methyl-^{11}C] methionine–positron emission tomography as a biological monitoring tool in the treatment of glioma, 498
Gliogenesis
Encapsulated vascular endothelial growth factor-secreting cell grafts have neuroprotective and angiogenic effects on focal cerebral ischemia, 104
Glioma
Active immunotherapy for advanced intracranial murine tumors by using dendritic cell-tumor cell fusion vaccines, 156
Expression of the tumor necrosis factor receptor-associated factors 1 and 2 and regulation of the nuclear factor–κB antiapoptotic activity in human gliomas, 873
Imaging of somatotopic representation of sensory cortex with intrinsic optical signals as guides for brain tumor surgery, 414
Inhibition of tumor growth and prolonged survival of rats with intracranial gliomas following administration of clotrimazole, 79
Modified boron neutron capture therapy for malignant gliomas performed using epithermal neutron and two boron compounds with different accumulation mechanisms: an efficacy study based on findings on neuroimages, 1000
Serial diffusion-weighted magnetic resonance imaging in cases of glioma: distinguishing tumor recurrence from postresection injury, 428
Resection of parietal lobe gliomas: incidence and evolution of neurological deficits in 28 consecutive patients correlated with tumor location and morphological characteristics, 1010
Glioma, malignant
Retargeting of adenoviral vector using a basic fibroblast growth factor ligand for malignant glioma gene therapy, 1058
Glioma cell
The role of contortrostatin, a snake venom disintegrin, in the inhibition of tumor progression and prolongation of survival in a rodent glioma model, 526
Glioma model
The role of contortrostatin, a snake venom disintegrin, in the inhibition of tumor progression and prolongation of survival in a rodent glioma model, 526
Gliomatosis cerebri
Gliomatosis cerebri: quantitative proof of vessel recruitment by cooptation instead of angiogenesis, 702
Globus pallidum
Deep brain stimulation in Parkinson disease: a metaanalysis of patient outcomes, 956
Glycerol
Association between elevated brain tissue glycerol levels and poor outcome following severe traumatic brain injury, 233
Graft repair
Missile-induced complete lesions of the tibial nerve and tibial division of the sciatic nerve: results of 119 repairs, 622
Growth inhibition
Inhibition of tumor growth and prolonged survival of rats with intracranial gliomas following administration of clotrimazole, 79
Guglielmi detachable coil
Endovascular management of dissecting vertebrobasilar artery aneurysms in patients presenting with acute subarachnoid hemorrhage, 649
Gunshot
Missile-induced complete lesions of the tibial nerve and tibial division of the sciatic nerve: results of 119 repairs, 622

Hallucinations
Charles Bonnet syndrome in patients with visual field defects—are hallucinations good or bad? Letters, 193
Harmonic imaging
Sonographic detection and follow up of an atypical pineal cyst: a comparison with magnetic resonance imaging. Case report, 564
Headache
Posttraumatic migraine. Letters, 934
Spectrum of subdural fluid collections in spontaneous intracranial hypotension, 608
Head and neck
Synovial sarcoma of the frontal sinus. Case report, 1077
Head injury
Posttraumatic vasospasm: the epidemiology, severity, and time course of an underestimated phenomenon: a prospective study performed in 299 patients, 812
Predictive value of an early Glasgow Outcome Scale score: 15-month score changes, 239
Hearing loss
Acute neurological complications following gamma knife surgery for vestibular schwannoma. Case report, 546

Hemangioblastoma
Coexpression of erythropoietin and its receptor in endolymphatic sac tumors, 284
Hemifacial spasm
Hemifacial spasm in a patient with Marfan syndrome and Chiari I malformation. Case report, 552
Monitoring of facial muscle motor evoked potentials during microvascular decompression for hemifacial spasm: evidence of changes in motor neuron excitability, 64
Hemodynamics
Flow changes caused by the sequential placement of stents across the neck of sidewall cerebral aneurysms, 891
Hemodynamic changes due to stent placement in bifurcating intracranial aneurysms, 146
Hemolytic anemia
Entrapment neuropathy of the optic nerve due to hyperostosis associated with congenital anemia. Case report, 917
Hemorrhage
Ultrastructural characteristics of hemorrhagic, nonhemorrhagic, and recurrent cavernous malformations, 903
High-flow graft
Use of a side branch in a saphenous vein interposition graft for high-flow extracranial-intracranial bypass procedures. Technical note, 186
High-frequency stimulation
Abolition of spindle oscillations and 3-Hz absence seizurelike activity in the thalamus by using high-frequency stimulation: potential mechanism of action, 538
Hirsch, Oskar
Harvey Cushing and Oskar Hirsch: early forefathers of modern transsphenoidal surgery. Historical vignette, 1096
Histological grade
Long-term outcome in patients harboring intracranial ependymoma, 31
History of neurosurgery
Cushing's first case of transsphenoidal surgery: the launch of the pituitary surgery era. Historical vignette, 570
The evolution of Harvey Cushing's surgical approach to pituitary tumors from transsphenoidal to transfrontal. Historical vignette, 372
George W. Crile, Ohio's first neurosurgeon, and his relationship with Harvey Cushing. Historical vignette, 378
Harvey Cushing and Oskar Hirsch: early forefathers of modern transsphenoidal surgery. Historical vignette, 1096
Hormone replacement therapy
Role of estrogen deficiency in the formation and progression of cerebral aneurysms. Part II: experimental study of the effects of hormone replacement therapy in rats, 1052
Hydrocephalus
Acute obstructive hydrocephalus associated with infratentorial subdural hygromas complicating Chiari malformation Type I decompression. Report of two cases and literature review, 752
Endoscopic aqueductoplasty through a tailored craniocervical approach, 778
Endoscopic fourth ventricular aqueductoplasty. Editorial, 773
Linear accelerator radiosurgery for vestibular schwannoma: measuring tumor volume changes on serial three-dimensional spoiled gradient-echo magnetic resonance images, 53
Hydrocephalus, obstructive
Use of a simple intraoperative hydrostatic pressure test to assess the relationship between mobility of the ventricular stoma and success of third ventriculostomy, 848
Hydrostatic test
Use of a simple intraoperative hydrostatic pressure test to assess the relationship between mobility of the ventricular stoma and success of third ventriculostomy, 848
Hyperostosis
Entrapment neuropathy of the optic nerve due to hyperostosis associated with congenital anemia. Case report, 917
Hypertension
Relative importance of hypertension compared with hypervolemia for increasing cerebral oxygenation in patients with cerebral vasospasm after subarachnoid hemorrhage, 974
Hypervolemic hypertensive hemodilution
Relative importance of hypertension compared with hypervolemia for increasing cerebral oxygenation in patients with cerebral vasospasm after subarachnoid hemorrhage, 974
Hyponatremia
Pituitary cyst presenting with hyponatremia and increased secretion of brain natriuretic peptide. Case report, 1092
Hypothermia
Reduction in levels of matrix metalloproteinases and increased expression of tissue inhibitor of metalloproteinase–2 in response to mild hypothermia therapy in experimental stroke, 289
Hypoglossal nerve
Endoscope-assisted microsurgical resection of an intraneural ganglion cyst of the hypoglossal nerve. Case report, 920

Immunotherapy
Active immunotherapy for advanced intracranial murine tumors by using dendritic cell-tumor cell fusion vaccines, 156
Indirect revascularization
Power Doppler imaging in detection of surgically induced indirect neoangiogenesis in adult moyamoya disease, 869
Indirect vasoreconstruction
Enhanced brain angiogenesis in chronic cerebral hypoperfusion after administration of plasmid human vascular endothelial growth factor in combination with indirect vasoreconstructive surgery, 882
Indocyanine green
Prospective evaluation of surgical microscope–integrated intraoperative near-infrared indocyanine green video angiography during aneurysm surgery, 982
Indomethacin
Indomethacin. Letters, 578
Infarction
Neural transplantation. Editorial, 6
Neurotransplantation for patients with subcortical motor stroke: a Phase 2 randomized trial, 38
Inflammatory syndrome
Pyrogenic cytokine interleukin-6 expression by a chordoid meningioma in an adult with a systemic inflammatory syndrome. Case report and review of the literature, 555
Infusion
Local distribution and toxicity of prolonged hippocampal infusion of muscimol, 1035
Interleukin-6
Pyrogenic cytokine interleukin-6 expression by a chordoid meningioma in an adult with a systemic inflammatory syndrome. Case report and review of the literature, 555
Internal trapping
Endovascular management of dissecting vertebrobasilar artery aneurysms in patients presenting with acute subarachnoid hemorrhage, 649
Interpeduncular cistern
Microsurgical anatomy of the interpeduncular cistern and related arachnoid membranes, 337
Intracranial aneurysm
Flow changes caused by the sequential placement of stents across the neck of sidewall cerebral aneurysms, 891
Hemodynamic changes due to stent placement in bifurcating intracranial aneurysms, 146
Lack of an association between the angiotensin-converting enzyme insertion/deletion polymorphism and intracranial aneurysms in a Caucasian population in the United States, 92

Prospective evaluation of surgical microscope–integrated intraoperative near-infrared indocyanine green video angiography during aneurysm surgery, 982
Tenascin-C–coated platinum coils for acceleration of organization of cavities and reduction of lumen size in a rat aneurysm model, 681
Intracranial bleeding
Spontaneous intracranial meningioma bleeding: clinicopathological features and outcome, 473
Intracranial compliance
Magnetic resonance imaging-based measurements of cerebrospinal fluid and blood flow as indicators of intracranial compliance in patients with Chiari malformation, 46
Intracranial cyst
Sonographic detection and follow up of an atypical pineal cyst: a comparison with magnetic resonance imaging. Case report, 564
Intracranial empyema
Propionibacterium infection associated with bovine pericardium dural allograft. Case report, 182
Intracranial hemorrhage
Spontaneous intracranial meningioma bleeding: clinicopathological features and outcome, 473
Intracranial hypotension
Spectrum of subdural fluid collections in spontaneous intracranial hypotension, 608
Intracranial injury
Successful repair of an intracranial nail-gun injury involving the parietal region and the superior sagittal sinus. Case report, 567
Intracranial pressure
Cerebral perfusion pressure and intracranial pressure. Letters, 195
Noninvasive assessment of intracranial pressure waveforms by using pulsed phase lock loop technology. Technical note, 361
Reduced mortality rate in patients with severe traumatic brain injury treated with brain tissue oxygen monitoring, 805
Intracystic nodule
Rathke cleft cyst intracystic nodule: a characteristic magnetic resonance imaging finding, 837
Intradural mass
Spinal intradural clear cell meningioma following resection of a suprasellar clear cell meningioma. Case report and recommendations for management, 559
Intraneural ganglion cyst
Endoscope-assisted microsurgical resection of an intraneural ganglion cyst of the hypoglossal nerve. Case report, 920
Intraoperative angiography
Prospective evaluation of surgical microscope–integrated intraoperative near-infrared indocyanine green video angiography during aneurysm surgery, 982
Intraoperative monitoring
Intraoperative monitoring of blood flow insufficiency during surgery of middle cerebral artery aneurysms, 275
Intraoperative neurophysiology
Monitoring of facial muscle motor evoked potentials during microvascular decompression for hemifacial spasm: evidence of changes in motor neuron excitability, 64
Intraorbital arteriovenous fistula
Transvenous embolization for a purely intraorbital arteriovenous fistula. Case report, 756
Intrinsic optical signal
Imaging of somatotopic representation of sensory cortex with intrinsic optical signals as guides for brain tumor surgery, 414
Ion-selective electrode
Secondary ischemia impairing the restoration of ion homeostasis following traumatic brain injury, 707
Irradiation
Glaucoma treated by gamma knife irradiation. Letters, 192
Ischemic heart disease
Coronary artery disease and carotid endarterectomy. Editorial, 591
Prediction of coronary artery disease in patients undergoing carotid endarterectomy, 593
Ischemic stroke
Influence of age on stroke outcome following transient focal ischemia, 687
Ischemic tolerance
Differences in infarct evolution between lipopolysaccharide-induced tolerant and nontolerant conditions to focal cerebral ischemia, 715

Lactate/ischemia
Cerebral acid-base homeostasis after severe traumatic brain injury, 597
Laminectomy
Spinal intradural clear cell meningioma following resection of a suprasellar clear cell meningioma. Case report and recommendations for management, 559
Language dominance
Functional magnetic resonance imaging in adult craniopagus for presurgical evaluation. Case report, 910
Language mapping
Discordance between functional magnetic resonance imaging during silent speech tasks and intraoperative speech arrest, 267
Functional magnetic resonance imaging in adult craniopagus for presurgical evaluation. Case report, 910
Laser soldering
Novel laser tissue-soldering technique for dural reconstruction, 87
Lateral thoracic nerve
Restoration of elbow flexion by performing contralateral lateral thoracic and thoracodorsal nerve transfers after experimental musculocutaneous nerve transection, 70
Lenticulostriate artery
Intraoperative monitoring of blood flow insufficiency during surgery of middle cerebral artery aneurysms, 275
Level of evidence
Quality of clinical studies in neurosurgical journals: signs of improvement over three decades, 439
Linear accelerator
Linear accelerator radiosurgery for vestibular schwannoma: measuring tumor volume changes on serial three-dimensional spoiled gradient-echo magnetic resonance images, 53
Linear accelerator surgery for meningiomas, 206
Testing the radiosurgery-based arteriovenous malformation score and the modified Spetzler–Martin grading system to predict radiosurgical outcome, 642
Lipopolysaccharide
Differences in infarct evolution between lipopolysaccharide-induced tolerant and nontolerant conditions to focal cerebral ischemia, 715
Liposome
Reflux-free cannula for convection-enhanced high-speed delivery of therapeutic agents. Technical note, 923
Macaca cynomolgus
In vitro and in vivo effects of probucol on hydrolysis of asymmetric dimethyl L-arginine and vasospasm in primates, 731
Macaca fascicularis
Controlled release of a nitric oxide donor for the prevention of delayed cerebral vasospasm following experimental subarachnoid hemorrhage in nonhuman primates, 745
Reflux-free cannula for convection-enhanced high-speed delivery of therapeutic agents. Technical note, 923

Macroadenoma
Surgical management of adrenocorticotropic hormone–secreting macroadenomas: outcome and challenges in patients with Cushing's disease or Nelson's syndrome, 825
Magnetic resonance imaging
Characterization and correction of distortions in stereotactic magnetic resonance imaging for bilateral subthalamic stimulation in Parkinson disease, 256
Discordance between functional magnetic resonance imaging during silent speech tasks and intraoperative speech arrest, 267
Linear accelerator radiosurgery for vestibular schwannoma: measuring tumor volume changes on serial three-dimensional spoiled gradient-echo magnetic resonance images, 53
Local distribution and toxicity of prolonged hippocampal infusion of muscimol, 1035
Magnetic resonance imaging-based measurements of cerebrospinal fluid and blood flow as indicators of intracranial compliance in patients with Chiari malformation, 46
Preoperative and postoperative mapping of cerebrovascular reactivity in moyamoya disease by using blood oxygen level–dependent magnetic resonance imaging, 347
Rapid expansion in a previously asymptomatic subependymoma. Case report, 1084
Rathke cleft cyst intracystic nodule: a characteristic magnetic resonance imaging finding, 837
Serial diffusion-weighted magnetic resonance imaging in cases of glioma: distinguishing tumor recurrence from postresection injury, 428
Sonographic detection and follow up of an atypical pineal cyst: a comparison with magnetic resonance imaging. Case report, 564
Systematic review of the natural history of vestibular schwannoma, 59
Temporal lobe epilepsy. Letters, 768
Magnetoencephalography
Imaging of somatotopic representation of sensory cortex with intrinsic optical signals as guides for brain tumor surgery, 414
Malignant peripheral nerve sheath tumor
Extended remission of a recurrent median nerve malignant peripheral nerve sheath tumor after multimodal treatment. Case report, 760
Mannitol
Osmolality not predictive of mannitol-induced acute renal insufficiency, 444
Marfan syndrome
Hemifacial spasm in a patient with Marfan syndrome and Chiari I malformation. Case report, 552
Matrix metalloproteinase
Reduction in levels of matrix metalloproteinases and increased expression of tissue inhibitor of metalloproteinase–2 in response to mild hypothermia therapy in experimental stroke, 289
Median nerve
Extended remission of a recurrent median nerve malignant peripheral nerve sheath tumor after multimodal treatment. Case report, 760
Nerve regeneration across a 2-cm gap in the rat median nerve using a resorbable nerve conduit filled with Schwann cells, 1067
Meningioma
Cerebellopontine angle meningiomas. Letters, 935
Linear accelerator surgery for meningiomas, 206
Pyrogenic cytokine interleukin-6 expression by a chordoid meningioma in an adult with a systemic inflammatory syndrome. Case report and review of the literature, 555
Radiosurgery and neurosurgeons. Editorial, 203
Sphenoorbital meningiomas: surgical limitations and lessons learned in their long-term management, 491
Spinal intradural clear cell meningioma following resection of a suprasellar clear cell meningioma. Case report and recommendations for management, 559
Spontaneous intracranial meningioma bleeding: clinicopathological features and outcome, 473
Ubiquitous expression of cyclooxygenase-2 in meningiomas and decrease in cell growth following in vitro treatment with the inhibitor celecoxib: potential therapeutic application, 508
Mental health
Mental health, anxiety, and depression in patients with cerebral aneurysms, 636
Metaanalysis
Systematic review of the natural history of vestibular schwannoma, 59
Microdialysis
Association between elevated brain tissue glycerol levels and poor outcome following severe traumatic brain injury, 233
Microsurgery
Microsurgical anatomy of the interpeduncular cistern and related arachnoid membranes, 337
Microsurgical robotic system for the deep surgical field: development of a prototype and feasibility studies in animal and cadaveric models, 320
Microvascular decompression
Monitoring of facial muscle motor evoked potentials during microvascular decompression for hemifacial spasm: evidence of changes in motor neuron excitability, 64
Minimally invasive neurosurgery
Endoscopic aqueductoplasty through a tailored craniocervical approach, 778
Modified Spetzler–Martin grading system
Testing the radiosurgery-based arteriovenous malformation score and the modified Spetzler–Martin grading system to predict radiosurgical outcome, 642
Mortality rate
Reduced mortality rate in patients with severe traumatic brain injury treated with brain tissue oxygen monitoring, 805
Motor cortex
Imaging of somatotopic representation of sensory cortex with intrinsic optical signals as guides for brain tumor surgery, 414
Motor deficit
Surgical interventions for traumatic lesions of the brachial plexus: a retrospective study of 134 cases, 614
Motor evoked potential
Intraoperative monitoring of blood flow insufficiency during surgery of middle cerebral artery aneurysms, 275
Motor function
Encapsulated vascular endothelial growth factor-secreting cell grafts have neuroprotective and angiogenic effects on focal cerebral ischemia, 104
Mouse
Active immunotherapy for advanced intracranial murine tumors by using dendritic cell-tumor cell fusion vaccines, 156
The role of contortrostatin, a snake venom disintegrin, in the inhibition of tumor progression and prolongation of survival in a rodent glioma model, 526
Survival and differentiation of neural progenitor cells derived from embryonic stem cells and transplanted into ischemic brain, 304
Moyamoya disease
Enhanced brain angiogenesis in chronic cerebral hypoperfusion after administration of plasmid human vascular endothelial growth factor in combination with indirect vasoreconstructive surgery, 882
Power Doppler imaging in detection of surgically induced indirect neoangiogenesis in adult moyamoya disease, 869

Preoperative and postoperative mapping of cerebrovascular reactivity in moyamoya disease by using blood oxygen level–dependent magnetic resonance imaging, 347
Multimodal monitoring
Association between elevated brain tissue glycerol levels and poor outcome following severe traumatic brain injury, 233
Cerebral acid-base homeostasis after severe traumatic brain injury, 597
Musculocutaneous nerve
Restoration of elbow flexion by performing contralateral lateral thoracic and thoracodorsal nerve transfers after experimental musculocutaneous nerve transection, 70

Nail
Successful repair of an intracranial nail-gun injury involving the parietal region and the superior sagittal sinus. Case report, 567
Nasopharynx
Rathke cleft cyst of the sphenoid bone and nasopharynx. Case illustration, 1095
Nelson syndrome
Surgical management of adrenocorticotropic hormone–secreting macroadenomas: outcome and challenges in patients with Cushing's disease or Nelson's syndrome, 825
Neoangiogenesis
Power Doppler imaging in detection of surgically induced indirect neoangiogenesis in adult moyamoya disease, 869
Nerve conduit
Nerve regeneration across a 2-cm gap in the rat median nerve using a resorbable nerve conduit filled with Schwann cells, 1067
Nerve cross-transfer
Restoration of elbow flexion by performing contralateral lateral thoracic and thoracodorsal nerve transfers after experimental musculocutaneous nerve transection, 70
Nerve repair
Nerve regeneration across a 2-cm gap in the rat median nerve using a resorbable nerve conduit filled with Schwann cells, 1067
Nerve transfer
Pulmonary function after complete unilateral phrenic nerve transection, 464
Neural element
Multi-germ layer lineage central nervous system repair: nerve and vascular cell generation by embryonic stem cells transplanted in the injured brain, 124
Neural progenitor cell
Survival and differentiation of neural progenitor cells derived from embryonic stem cells and transplanted into ischemic brain, 304
Neural transplantation
Encapsulated vascular endothelial growth factor-secreting cell grafts have neuroprotective and angiogenic effects on focal cerebral ischemia, 104
Neuroendoscopy
Endoscopic aqueductoplasty through a tailored craniocervical approach, 778
Neurological deficit
Resection of parietal lobe gliomas: incidence and evolution of neurological deficits in 28 consecutive patients correlated with tumor location and morphological characteristics, 1010
Neuron
Neurotransplantation for patients with subcortical motor stroke: a Phase 2 randomized trial, 38
Neuronavigation
Comparison of the reliability of brain lesion localization when using traditional and stereotactic image-guided techniques: a prospective study, 424
Neurooncology
Serial diffusion-weighted magnetic resonance imaging in cases of glioma: distinguishing tumor recurrence from postresection injury, 428
Neuroplasticity
Effect of atorvastatin on spatial memory, neuronal survival, and vascular density in female rats after traumatic brain injury, 695
Neuropsychological test
Good outcome in patients with normal-pressure hydrocephalus and factors indicating poor prognosis, 455
Neurosurgery
Endoscopic aqueductoplasty through a tailored craniocervical approach, 778
Fast forwarding: the evolution of neurosurgery. The 2005 presidential address, 585
Microsurgical robotic system for the deep surgical field: development of a prototype and feasibility studies in animal and cadaveric models, 320
Neurotransplantation
Neurotransplantation for patients with subcortical motor stroke: a Phase 2 randomized trial, 38
Nitric oxide
Controlled release of a nitric oxide donor for the prevention of delayed cerebral vasospasm following experimental subarachnoid hemorrhage in nonhuman primates, 745
Normal-pressure hydrocephalus syndrome
Good outcome in patients with normal-pressure hydrocephalus and factors indicating poor prognosis, 455
Nuclear factor–κB
Expression of the tumor necrosis factor receptor-associated factors 1 and 2 and regulation of the nuclear factor–κB antiapoptotic activity in human gliomas, 873

Oligodendroglioma
Usefulness of L-[methyl-^{11}C] methionine–positron emission tomography as a biological monitoring tool in the treatment of glioma, 498
Ophthalmic artery
Transvenous embolization for a purely intraorbital arteriovenous fistula. Case report, 756
Optical imaging
Imaging of somatotopic representation of sensory cortex with intrinsic optical signals as guides for brain tumor surgery, 414
Optic canal
Entrapment neuropathy of the optic nerve due to hyperostosis associated with congenital anemia. Case report, 917
Optic nerve
Fenestrated optic nerve. Letters, 578
Orbital reconstruction
Sphenoorbital meningiomas: surgical limitations and lessons learned in their long-term management, 491
Orbital tumor
Sphenoorbital meningiomas: surgical limitations and lessons learned in their long-term management, 491
Oscillation
Abolition of spindle oscillations and 3-Hz absence seizurelike activity in the thalamus by using high-frequency stimulation: potential mechanism of action, 538
Osmolality
Osmolality not predictive of mannitol-induced acute renal insufficiency, 444
Outcome
Depression and functional outcome in patients with brain tumors: a population-based 1-year follow-up study, 841
Extracranial-intracranial bypass in the treatment of occlusive cerebrovascular disease and intracranial aneurysms in the United States between 1992 and 2001: a population-based study, 794

Good outcome in patients with normal-pressure hydrocephalus and factors indicating poor prognosis, 455
Mental health, anxiety, and depression in patients with cerebral aneurysms, 636
Missile-induced complete lesions of the tibial nerve and tibial division of the sciatic nerve: results of 119 repairs, 622
Predictive value of an early Glasgow Outcome Scale score: 15-month score changes, 239
Rathke cleft cysts. Letters, 389
Spontaneous intracranial meningioma bleeding: clinicopathological features and outcome, 473
Surgical management of the recurrence and growth of craniopharyngiomas, 224
Testing the radiosurgery-based arteriovenous malformation score and the modified Spetzler–Martin grading system to predict radiosurgical outcome, 642
Ventriculostomy-related infections in critically ill patients: a 6-year experience, 468
Oxidized low-density lipoprotein
Contribution of an imbalance between oxidant–antioxidant systems to plaque vulnerability in patients with carotid artery stenosis, 518
Oxygenation
Association between elevated brain tissue glycerol levels and poor outcome following severe traumatic brain injury, 233

Pain
Connectivity of the human periventricular–periaqueductal gray region, 1030
Paralysis
Neurotransplantation for patients with subcortical motor stroke: a Phase 2 randomized trial, 38
Paranasal sinus
Synovial sarcoma of the frontal sinus. Case report, 1077
Parietal lobe
Resection of parietal lobe gliomas: incidence and evolution of neurological deficits in 28 consecutive patients correlated with tumor location and morphological characteristics, 1010
Parkinson disease
Attentuation of fluctuating striatal synaptic dopamine levels in patients with Parkinson disease in response to subthalamic nucleus stimulation: a positron emission tomography study, 968
Camptocormia in a patient with Parkinson disease: beneficial effects of pallidal deep brain stimulation. Case report, 1081
Characterization and correction of distortions in stereotactic magnetic resonance imaging for bilateral subthalamic stimulation in Parkinson disease, 256
Deep brain stimulation in Parkinson disease: a metaanalysis of patient outcomes, 956
Long-term benefits in quality of life provided by bilateral subthalamic stimulation in patients with Parkinson disease, 252
Psychiatric symptoms in patients with Parkinson disease presenting for deep brain stimulation surgery, 246
Pathology
Rapid expansion in a previously asymptomatic subependymoma. Case report, 1084
Percutaneous compression
Cavernous sinus fistula following percutaneous balloon compression of the trigeminal ganglion. Case report, 176
Perfluorocarbon
Effect of perfluorocarbons on brain oxygenation and ischemic damage in an acute subdural hematoma model in rats, 724
Periaqueductal gray region
Connectivity of the human periventricular and periaqueductal gray region, 1030
Pericardium, bovine
Propionibacterium infection associated with bovine pericardium dural allograft. Case report, 182
Periventricular gray region
Connectivity of the human periventricular and periaqueductal gray region, 1030
Phase-contrast magnetic resonance imaging
Magnetic resonance imaging-based measurements of cerebrospinal fluid and blood flow as indicators of intracranial compliance in patients with Chiari malformation, 46
Phrenic nerve
Pulmonary function after complete unilateral phrenic nerve transection, 464
Pig
Long-term reendothelialization of excimer laser-assisted nonocclusive anastomoses compared with conventionally sutured anastomoses in pigs, 328
Pineal gland
Sonographic detection and follow up of an atypical pineal cyst: a comparison with magnetic resonance imaging. Case report, 564
Pituitary adenoma
Predictors of diabetes insipidus after transsphenoidal surgery: a review of 881 patients, 448
Pituitary cyst
Pituitary cyst presenting with hyponatremia and increased secretion of brain natriuretic peptide. Case report, 1092
Pituitary surgery
Predictors of diabetes insipidus after transsphenoidal surgery: a review of 881 patients, 448
Pituitary tumor
Cushing's first case of transsphenoidal surgery: the launch of the pituitary surgery era. Historical vignette, 570
The evolution of Harvey Cushing's surgical approach to pituitary tumors from transsphenoidal to transfrontal. Historical vignette, 372
Harvey Cushing and Oskar Hirsch: early forefathers of modern transsphenoidal surgery. Historical vignette, 1096
Pluripotent cell
Multi-germ layer lineage central nervous system repair: nerve and vascular cell generation by embryonic stem cells transplanted in the injured brain, 124
Polymorphism
Lack of an association between the angiotensin-converting enzyme insertion/deletion polymorphism and intracranial aneurysms in a Caucasian population in the United States, 92
Positional cerebral ischemia
Thyrocervical trunk-external carotid artery bypass for positional cerebral ischemia due to common carotid artery occlusion. Technical note, 170
Positron emission tomography
Effect of normal saline bolus on cerebral blood flow in regions with low baseline flow in patients with vasospasm following subarachnoid hemorrhage, 25
Imaging of somatotopic representation of sensory cortex with intrinsic optical signals as guides for brain tumor surgery, 414
Modified boron neutron capture therapy for malignant gliomas performed using epithermal neutron and two boron compounds with different accumulation mechanisms: an efficacy study based on findings on neuroimages, 1000
Attenuation of fluctuating striatal synaptic dopamine levels in patients with Parkinson disease in response to subthalamic nucleus stimulation: a positron emission tomography study, 968
Usefulness of L-[methyl-^{11}C] methionine–positron emission tomography as a biological monitoring tool in the treatment of glioma, 498
Postoperative infection
Propionibacterium infection associated with bovine pericardium dural allograft. Case report, 182

Postoperative radiotherapy
Long-term outcome in patients harboring intracranial ependymoma, 31
Long-term outcome in patients harboring intracranial ependymoma. Editorial, 4
Posttraumatic migraine
Posttraumatic migraine. Letters, 934
Potassium
Secondary ischemia impairing the restoration of ion homeostasis following traumatic brain injury, 707
Potential distribution
Deep brain stimulation in movement disorders: stereotactic coregistration of two-dimensional electrical field modeling and magnetic resonance imaging, 949
Power Doppler imaging
Power Doppler imaging in detection of surgically induced indirect neoangiogenesis in adult moyamoya disease, 869
Presidential address
Fast forwarding: the evolution of neurosurgery. The 2005 presidential address, 585
Probucol
In vitro and in vivo effects of probucol on hydrolysis of asymmetric dimethyl L-arginine and vasospasm in primates, 731
Progenitor cell
Multi-germ layer lineage central nervous system repair: nerve and vascular cell generation by embryonic stem cells transplanted in the injured brain, 124
Prognosis
Good outcome in patients with normal-pressure hydrocephalus and factors indicating poor prognosis, 455
Propionibacterium species
Propionibacterium infection associated with bovine pericardium dural allograft. Case report, 182
Prosody
Mapping prosody: correlation of functional magnetic resonance imaging with intraoperative electrocorticography recordings in a patient with a right-sided temporooccipital glioma. Case illustration, 930
Psychosis
Psychiatric symptoms in patients with Parkinson disease presenting for deep brain stimulation surgery, 246
Pulmonary function
Pulmonary function after complete unilateral phrenic nerve transection, 464
Pulsed phase lock loop
Noninvasive assessment of intracranial pressure waveforms by using pulsed phase lock loop technology. Technical note, 361
Pyrogenic cytokine
Pyrogenic cytokine interleukin-6 expression by a chordoid meningioma in an adult with a systemic inflammatory syndrome. Case report and review of the literature, 555

Quail embryo
Angiogenesis in the brain during development: the effects of vascular endothelial growth factor and angiopoietin-2 in an animal model, 136
Quality of life
Long-term benefits in quality of life provided by bilateral subthalamic stimulation in patients with Parkinson disease, 252

Race
Racial differences in demographics, acute complications, and outcomes in patients with subarachnoid hemorrhage: a large patient series, 18
Radiation therapy
Extended remission of a recurrent median nerve malignant peripheral nerve sheath tumor after multimodal treatment. Case report, 760
Spinal intradural clear cell meningioma following resection of a suprasellar clear cell meningioma. Case report and recommendations for management, 559
Radiosurgery
Linear accelerator surgery for meningiomas, 206
Radiosurgery and neurosurgeons. Editorial, 203
Stereotactic interstitial radiosurgery for cerebral metastases, 630
Testing the radiosurgery-based arteriovenous malformation score and the modified Spetzler–Martin grading system to predict radiosurgical outcome, 642
Radiosurgery-based arteriovenous malformation score
Testing the radiosurgery-based arteriovenous malformation score and the modified Spetzler–Martin grading system to predict radiosurgical outcome, 642
Rat
Differences in infarct evolution between lipopolysaccharide-induced tolerant and nontolerant conditions to focal cerebral ischemia, 715
Effect of atorvastatin on spatial memory, neuronal survival, and vascular density in female rats after traumatic brain injury, 695
Effect of perfluorocarbons on brain oxygenation and ischemic damage in an acute subdural hematoma model in rats, 724
Encapsulated vascular endothelial growth factor-secreting cell grafts have neuroprotective and angiogenic effects on focal cerebral ischemia, 104
Enhanced brain angiogenesis in chronic cerebral hypoperfusion after administration of plasmid human vascular endothelial growth factor in combination with indirect vasoreconstructive surgery, 882
Estrogen therapy for experimental intracerebral hemorrhage in rats, 97
Inhibition of tumor growth and prolonged survival of rats with intracranial gliomas following administration of clotrimazole, 79
Microsurgical robotic system for the deep surgical field: development of a prototype and feasibility studies in animal and cadaveric models, 320
Multi-germ layer lineage central nervous system repair: nerve and vascular cell generation by embryonic stem cells transplanted in the injured brain, 124
Nerve regeneration across a 2-cm gap in the rat median nerve using a resorbable nerve conduit filled with Schwann cells, 1067
Reflux-free cannula for convection-enhanced high-speed delivery of therapeutic agents. Technical note, 923
The role of contortrostatin, a snake venom disintegrin, in the inhibition of tumor progression and prolongation of survival in a rodent glioma model, 526
Role of estrogen deficiency in the formation and progression of cerebral aneurysms. Part II: experimental study of the effects of hormone replacement therapy in rats, 1052
Role of MC-1 alone and in combination with tissue plasminogen activator in focal ischemia brain injury in rats, 165
Secondary ischemia impairing the restoration of ion homeostasis following traumatic brain injury, 707
Surface properties, more than size, limiting convective distribution of virus-sized particles and viruses in the central nervous system, 311
Tenascin-C–coated platinum coils for acceleration of organization of cavities and reduction of lumen size in a rat aneurysm model, 681
Rathke cleft cyst
Predictors of diabetes insipidus after transsphenoidal surgery: a review of 881 patients, 448
Rathke cleft cyst intracystic nodule: a characteristic magnetic resonance imaging finding, 837
Rathke cleft cysts. Letters, 389

Rathke cleft cyst of the sphenoid and nasopharynx. Case illustration, 1095
Recurrence
Case–control study of stereotactic radiosurgery for recurrent glioblastoma multiforme, 210
Long-term outcome in patients harboring intracranial ependymoma, 31
Serial diffusion-weighted magnetic resonance imaging in cases of glioma: distinguishing tumor recurrence from postresection injury, 428
Spinal intradural clear cell meningioma following resection of a suprasellar clear cell meningioma. Case report and recommendations for management, 559
Surgical management of the recurrence and growth of craniopharyngiomas, 224
Ultrastructural characteristics of hemorrhagic, nonhemorrhagic, and recurrent cavernous malformations, 903
Reflux
Reflux-free cannula for convection-enhanced high-speed delivery of therapeutic agents. Technical note, 923
Regeneration
Multi-germ layer lineage central nervous system repair: nerve and vascular cell generation by embryonic stem cells transplanted in the injured brain, 124
Renal cell carcinoma
Coexpression of erythropoietin and its receptor in endolymphatic sac tumors, 284
Renal insufficiency
Osmolality not predictive of mannitol-induced acute renal insufficiency, 444
Repair
Successful repair of an intracranial nail-gun injury involving the parietal region and the superior sagittal sinus. Case report, 567
Research
Large-animal research. Letters, 581
Rhinorrhea
Primary empty sella syndrome in a series of 142 patients, 831
Risk factors
Prediction of coronary artery disease in patients undergoing carotid endarterectomy, 593
Ventriculostomy-related infections in critically ill patients: a 6-year experience, 468
Robotics
Microsurgical robotic system for the deep surgical field: development of a prototype and feasibility studies in animal and cadaveric models, 320

Saphenous vein bypass
Use of a side branch in a saphenous vein interposition graft for high-flow extracranial-intracranial bypass procedures. Technical note, 186
Schwann cell
Nerve regeneration across a 2-cm gap in the rat median nerve using a resorbable nerve conduit filled with Schwann cells, 1067
Sensory evoked potential
Imaging of somatotopic representation of sensory cortex with intrinsic optical signals as guides for brain tumor surgery, 414
Serial imaging
Systematic review of the natural history of vestibular schwannoma, 59
Severity outcome score
Predictive value of an early Glasgow Outcome Scale score: 15-month score changes, 239
Sex differences
Estrogen therapy for experimental intracerebral hemorrhage in rats, 97
Sidewall aneurysm
Flow changes caused by the sequential placement of stents across the neck of sidewall cerebral aneurysms, 891
Sinonasal cavity
The radical transbasal approach for resection of anterior and midline skull base lesions, 485
Skull base
Novel laser tissue-soldering technique for dural reconstruction, 87
The radical transbasal approach for resection of anterior and midline skull base lesions, 485
Sodium
Secondary ischemia impairing the restoration of ion homeostasis following traumatic brain injury, 707
Sodium borocaptate
Modified boron neutron capture therapy for malignant gliomas performed using epithermal neutron and two boron compounds with different accumulation mechanisms: an efficacy study based on findings on neuroimages, 1000
Soft-tissue sarcoma
Synovial sarcoma of the frontal sinus. Case report, 1077
Somatosensory cortex
Imaging of somatotopic representation of sensory cortex with intrinsic optical signals as guides for brain tumor surgery, 414
Somatosensory evoked potential
Intraoperative monitoring of blood flow insufficiency during surgery of middle cerebral artery aneurysms, 275
Spatial memory
Effect of atorvastatin on spatial memory, neuronal survival, and vascular density in female rats after traumatic brain injury, 695
Sphenoid
Rathke cleft cyst of the sphenoid and nasopharynx. Case illustration, 1095
Sphenoorbital meningiomas: surgical limitations and lessons learned in their long-term management, 491
Spinal tumor
Spinal intradural clear cell meningioma following resection of a suprasellar clear cell meningioma. Case report and recommendations for management, 559
Stent
Flow changes caused by the sequential placement of stents across the neck of sidewall cerebral aneurysms, 891
Hemodynamic changes due to stent placement in bifurcating intracranial aneurysms, 146
Step-design cannula
Reflux-free cannula for convection-enhanced high-speed delivery of therapeutic agents. Technical note, 923
Stereotactic radiosurgery
Case–control study of stereotactic radiosurgery for recurrent glioblastoma multiforme, 210
Characterization and correction of distortions in stereotactic magnetic resonance imaging for bilateral subthalamic stimulation in Parkinson disease, 256
Neurotransplantation for patients with subcortical motor stroke: a Phase 2 randomized trial, 38
Stereotactic interstitial radiosurgery for cerebral metastases, 630
Testing the radiosurgery-based arteriovenous malformation score and the modified Spetzler–Martin grading system to predict radiosurgical outcome, 642
Stereotactic technique
Frameless stereotaxy using bone fiducial markers for deep brain stimulation, 404
Stereotaxy
Comparison of the reliability of brain lesion localization when using traditional and stereotactic image-guided techniques: a prospective study, 424
Stimulated volume
Deep brain stimulation in movement disorders: stereotactic coregistration of two-dimensional electrical field modeling and magnetic resonance imaging, 949

Stroke
Influence of age on stroke outcome following transient focal ischemia, 687
Neural transplantation. Editorial, 6
Neurotransplantation for patients with subcortical motor stroke: a Phase 2 randomized trial, 38
Power Doppler imaging in detection of surgically induced indirect neoangiogenesis in adult moyamoya disease, 869
Prediction of coronary artery disease in patients undergoing carotid endarterectomy, 593
Reduction in levels of matrix metalloproteinases and increased expression of tissue inhibitor of metalloproteinase–2 in response to mild hypothermia therapy in experimental stroke, 289
Role of MC-1 alone and in combination with tissue plasminogen activator in focal ischemia brain injury in rats, 165
Survival and differentiation of neural progenitor cells derived from embryonic stem cells and transplanted into ischemic brain, 304
A triple bifurcation aneurysm model for evaluating complex endovascular therapies in dogs, 738
Subarachnoid hemorrhage
Arachnoid cyst with associated arachnoiditis developing after subarachnoid hemorrhage. Case report, 1088
Clazosentan (AXV-034343), a selective endothelin A receptor antagonist, in the prevention of cerebral vasospasm following severe aneurysmal subarachnoid hemorrhage: results of a randomized, double-blind, placebo-controlled multicenter Phase IIa study, 9
Controlled release of a nitric oxide donor for the prevention of delayed cerebral vasospasm following experimental subarachnoid hemorrhage in nonhuman primates, 745
Effect of normal saline bolus on cerebral blood flow in regions with low baseline flow in patients with vasospasm following subarachnoid hemorrhage, 25
Endovascular management of dissecting vertebrobasilar artery aneurysms in patients presenting with acute subarachnoid hemorrhage, 649
Lack of an association between the angiotensin-converting enzyme insertion/deletion polymorphism and intracranial aneurysms in a Caucasian population in the United States, 92
Mental health, anxiety, and depression in patients with cerebral aneurysms, 636
Racial differences in demographics, acute complications, and outcomes in patients with subarachnoid hemorrhage: a large patient series, 18
Relative importance of hypertension compared with hypervolemia for increasing cerebral oxygenation in patients with cerebral vasospasm after subarachnoid hemorrhage, 982
Spontaneous intracranial meningioma bleeding: clinicopathological features and outcome, 473
Subarachnoid hemorrhage caused by posterior inferior cerebellar aneurysm with an anomalous course of the atlantoaxial segment of the vertebral artery. Case report and review of literature, 356
Vasospasm. Editorial, 1
Subarachnoid space
Microsurgical anatomy of the interpeduncular cistern and related arachnoid membranes, 337
Subdural hematoma
Effect of perfluorocarbons on brain oxygenation and ischemic damage in an acute subdural hematoma model in rats, 724
Spectrum of subdural fluid collections in spontaneous intracranial hypotension, 608
Subdural hygroma
Acute obstructive hydrocephalus associated with infratentorial subdural hygromas complicating Chiari malformation Type I decompression. Report of two cases and literature review, 752
Subependymoma
Rapid expansion in a previously asymptomatic subependymoma. Case report, 1084
Subtemporal approach
Posterior subtemporal transtentorial approach to intraparenchymal lesions of the anteromedial region of the superior cerebellum, 783
Subthalamic nucleus
Attenuation of fluctuating striatal synaptic dopamine levels in patients with Parkinson disease in response to subthalamic nucleus stimulation: a positron emission tomography study, 968
Characterization and correction of distortions in stereotactic magnetic resonance imaging for bilateral subthalamic stimulation in Parkinson disease, 256
Deep brain stimulation in Parkinson disease: a metaanalysis of patient outcomes, 956
Long-term benefits in quality of life provided by bilateral subthalamic stimulation in patients with Parkinson disease, 252
Subthalamic stimulation
Psychiatric symptoms in patients with Parkinson disease presenting for deep brain stimulation surgery, 246
Superior sagittal sinus
Successful repair of an intracranial nail-gun injury involving the parietal region and the superior sagittal sinus. Case report, 567
Superoxide dismutase
Contribution of an imbalance between oxidant–antioxidant systems to plaque vulnerability in patients with carotid artery stenosis, 518
Surgery
Charles Bonnet syndrome in patients with visual field defects—are hallucinations good or bad? Letters, 193
Combined surgical and endovascular treatment of a spontaneous diploic arteriovenous fistula. Case report, 179
Extended remission of a recurrent median nerve malignant peripheral nerve sheath tumor after multimodal treatment. Case report, 760
Good outcome in patients with normal-pressure hydrocephalus and factors indicating poor prognosis, 455
Posterior subtemporal transtentorial approach to intraparenchymal lesions of the anteromedial region of the superior cerebellum, 783
Rathke cleft cysts. Letters, 389
Surgical interventions for traumatic lesions of the brachial plexus: a retrospective study of 134 cases, 614
Surgical management of adrenocorticotropic hormone–secreting macroadenomas: outcome and challenges in patients with Cushing's disease or Nelson's syndrome, 825
Resection of parietal lobe gliomas: incidence and evolution of neurological deficits in 28 consecutive patients correlated with tumor location and morphological characteristics, 1010
Surgical microscope
Prospective evaluation of surgical microscope–integrated intraoperative near-infrared indocyanine green video angiography during aneurysm surgery, 982
Surgical technique
Frameless stereotaxy using bone fiducial markers for deep brain stimulation, 404
Survival
Inhibition of tumor growth and prolonged survival of rats with intracranial gliomas following administration of clotrimazole, 79
Survival and differentiation of neural progenitor cells derived from embryonic stem cells and transplanted into ischemic brain, 304

Suture repair
Missile-induced complete lesions of the tibial nerve and tibial division of the sciatic nerve: results of 119 repairs, 622
Synovial sarcoma
Synovial sarcoma of the frontal sinus. Case report, 1077

Tenascin-C
Tenascin-C–coated platinum coils for acceleration of organization of cavities and reduction of lumen size in a rat aneurysm model, 681
Teratoma
Embryonic stem cell-derived astrocytes expressing drug-inducible transgenes: differentiation and transplantation into the mouse brain, 115
Thalamic neuroepithelial cyst
Endoscopic treatment of thalamic neuroepithelial cysts. Report of three cases, 342
Thalamus
Abolition of spindle oscillations and 3-Hz absence seizurelike activity in the thalamus by using high-frequency stimulation: potential mechanism of action, 538
Deep brain stimulation. Editorial, 399
Thalamic deep brain stimulation for management of essential tremor, 400
Thoracodorsal nerve
Restoration of elbow flexion by performing contralateral lateral thoracic and thoracodorsal nerve transfers after experimental musculocutaneous nerve transection, 70
Three-dimensional spoiled gradient-echo magnetic resonance imaging
Linear accelerator radiosurgery for vestibular schwannoma: measuring tumor volume changes on serial three-dimensional spoiled gradient-echo magnetic resonance images, 53
Thrombolysis
Coronary AngioJet catheterization for the management of dural venous sinus thrombosis. Technical note, 368
Thyrocervical trunk
Thyrocervical trunk–external carotid artery bypass for positional cerebral ischemia due to common carotid artery occlusion. Technical note, 170
Tibial nerve lesion
Missile-induced complete lesions of the tibial nerve and tibial division of the sciatic nerve: results of 119 repairs, 622
Time course
Posttraumatic vasospasm: the epidemiology, severity, and time course of an underestimated phenomenon: a prospective study performed in 299 patients, 812
Transcranial Doppler ultrasonography
Posttraumatic vasospasm: the epidemiology, severity, and time course of an underestimated phenomenon: a prospective study performed in 299 patients, 812
Transcranial ultrasonography
Sonographic detection and follow up of an atypical pineal cyst: a comparison with magnetic resonance imaging. Case report, 564
Transfrontonasoorbital approach
The radical transbasal approach for resection of anterior and midline skull base lesions, 485
Transplantation
Embryonic stem cell–derived astrocytes expressing drug-inducible transgenes: differentiation and transplantation into the mouse brain, 115
Neural transplantation. Editorial, 6
Neurotransplantation for patients with subcortical motor stroke: a Phase 2 randomized trial, 38
Transsphenoidal surgery
Cushing's first case of transsphenoidal surgery: the launch of the pituitary surgery era. Historical vignette, 570
The evolution of Harvey Cushing's surgical approach to pituitary tumors from transsphenoidal to transfrontal. Historical vignette, 372
Harvey Cushing and Oskar Hirsch: early forefathers of modern transsphenoidal surgery. Historical vignette, 1096
Surgery for primary brain tumors at United States academic training centers: results form the Residency Review Committee for Neurological Surgery, 789
Surgical management of adrenocorticotropic hormone–secreting macroadenomas: outcome and challenges in patients with Cushing's disease or Nelson's syndrome, 825
Transtentorial approach
Posterior subtemporal transtentorial approach to intraparenchymal lesions of the anteromedial region of the superior cerebellum, 783
Transvenous embolization
Transvenous embolization for a purely intraorbital arteriovenous fistula. Case report, 756
Traumatic brain injury
Association between elevated brain tissue glycerol levels and poor outcome following severe traumatic brain injury, 233
Cerebral acid-base homeostasis after severe traumatic brain injury, 597
Effect of atorvastatin on spatial memory, neuronal survival, and vascular density in female rats after traumatic brain injury, 695
Posttraumatic vasospasm: the epidemiology, severity, and time course of an underestimated phenomenon: a prospective study performed in 299 patients, 812
Predictive value of an early Glasgow Outcome Scale score: 15-month score changes, 239
Pressure reactivity as a guide for cerebral perfusion pressure. Letters, 196
Reduced mortality rate in patients with severe traumatic brain injury treated with brain tissue oxygen monitoring, 805
Secondary ischemia impairing the restoration of ion homeostasis following traumatic brain injury, 707
Traumatic brain injury, mild
Diffuse axonal injury in mild traumatic brain injury: a diffusion tensor imaging study, 298
Treatment failure
Serial diffusion-weighted magnetic resonance imaging in cases of glioma: distinguishing tumor recurrence from postresection injury, 428
Tremor
Abolition of spindle oscillations and 3-Hz absence seizurelike activity in the thalamus by using high-frequency stimulation: potential mechanism of action, 538
Tremor, essential
Deep brain stimulation. Editorial, 399
Thalamic deep brain stimulation for management of essential tremor, 400
Trigeminal ganglion
Cavernous sinus fistula following percutaneous balloon compression of the trigeminal ganglion. Case report, 176
Trigeminal neuralgia
Cavernous sinus fistula following percutaneous balloon compression of the trigeminal ganglion. Case report, 176
Tumor growth
Systematic review of the natural history of vestibular schwannoma, 59
Tumorigenesis
Coexpression of erythropoietin and its receptor in endolymphatic sac tumors, 284
Tumor model
Active immunotherapy for advanced intracranial murine tumors by using dendritic cell-tumor cell fusion vaccines, 156
Tumor necrosis factor
Pyrogenic cytokine interleukin-6 expression by a chordoid meningioma in an adult with a systemic inflammatory syndrome. Case report and review of the literature, 555

Tumor necrosis factor receptor-associated factor
Expression of the tumor necrosis factor receptor-associated factors 1 and 2 and regulation of the nuclear factor–κB antiapoptotic activity in human gliomas, 873
Tumor volume
Linear accelerator radiosurgery for vestibular schwannoma: measuring tumor volume changes on serial three-dimensional spoiled gradient-echo magnetic resonance images, 53

Vascular cast
Role of estrogen deficiency in the formation and progression of cerebral aneurysms. Part I: experimental study of the effect of oophorectomy in rats, 1046
Role of estrogen deficiency in the formation and progression of cerebral aneurysms. Part II: experimental study of the effects of hormone replacement therapy in rats, 1052
Vascular endothelial growth factor
Angiogenesis in the brain during development: the effects of vascular endothelial growth factor and angiopoietin-2 in an animal model, 136
Enhanced brain angiogenesis in chronic cerebral hypoperfusion after administration of plasmid human vascular endothelial growth factor in combination with indirect vasoreconstructive surgery, 882
A reassessment of vascular endothelial growth factor in central nervous system pathology, 853
Vascular neurosurgery
Power Doppler imaging in detection of surgically induced indirect neoangiogenesis in adult moyamoya disease, 869
Vascular permeability factor
A reassessment of vascular endothelial growth factor in central nervous system pathology, 853
Vasospasm
Clazosentan (AXV-034343), a selective endothelin A receptor antagonist, in the prevention of cerebral vasospasm following severe aneurysmal subarachnoid hemorrhage: results of a randomized, double-blind, placebo-controlled multicenter Phase IIa study, 9
Controlled release of a nitric oxide donor for the prevention of delayed cerebral vasospasm following experimental subarachnoid hemorrhage in nonhuman primates, 745
Effect of normal saline bolus on cerebral blood flow in regions with low baseline flow in patients with vasospasm following subarachnoid hemorrhage, 25
In vitro and in vivo effects of probucol on hydrolysis of asymmetric dimethyl L-arginine and vasospasm in primates, 731
Posttraumatic vasospasm: the epidemiology, severity, and time course of an underestimated phenomenon: a prospective study performed in 299 patients, 812
Racial differences in demographics, acute complications, and outcomes in patients with subarachnoid hemorrhage: a large patient series, 18
Relative importance of hypertension compared with hypervolemia for increasing cerebral oxygenation in patients with cerebral vasospasm after subarachnoid hemorrhage, 974
Vasospasm. Editorial, 1
Vein interposition grafts
Use of a side branch in a saphenous vein interposition graft for high-flow extracranial-intracranial bypass procedures. Technical note, 186
Ventriculostomy
Endoscopic treatment of thalamic neuroepithelial cysts. Report of three cases, 342
Ventriculostomy catheter
Ventriculostomy-related infections in critically ill patients: a 6-year experience, 468
Ventriculostomy-related infection
Ventriculostomy-related infections in critically ill patients: a 6-year experience, 468
Vertebral artery
Hemifacial spasm in a patient with Marfan syndrome and Chiari I malformation. Case report, 552
Subarachnoid hemorrhage caused by posterior inferior cerebellar aneurysm with an anomalous course of the atlantoaxial segment of the vertebral artery. Case report and review of literature, 356
Vertebrobasilar dissecting aneurysm
Endovascular management of dissecting vertebrobasilar artery aneurysms in patients presenting with acute subarachnoid hemorrhage, 649
Vessel cooptation
Gliomatosis cerebri: quantitative proof of vessel recruitment by cooptation instead of angiogenesis, 702
Vestibular schwannoma
Acute neurological complications following gamma knife surgery for vestibular schwannoma. Case report, 546
Linear accelerator radiosurgery for vestibular schwannoma: measuring tumor volume changes on serial three-dimensional spoiled gradient-echo magnetic resonance images, 53
Systematic review of the natural history of vestibular schwannoma, 59
Virus
Surface properties, more than size, limiting convective distribution of virus-sized particles and viruses in the central nervous system, 311
Visual defect
Entrapment neuropathy of the optic nerve due to hyperostosis associated with congenital anemia. Case report, 917
Volume expansion
Effect of normal saline bolus on cerebral blood flow in regions with low baseline flow in patients with vasospasm following subarachnoid hemorrhage, 25
Von Hippel–Lindau disease
Coexpression of erythropoietin and its receptor in endolymphatic sac tumors, 284
Vulnerable plaque
Contribution of an imbalance between oxidant–antioxidant systems to plaque vulnerability in patients with carotid artery stenosis, 518

Wall shear stress
A proposed parent vessel geometry–based categorization of saccular intracranial aneurysms: computational flow dynamic analysis of the risk factor for lesion rupture, 662
Wall stress
Flow changes caused by the sequential placement of stents across the neck of sidewall cerebral aneurysms, 891
Hemodynamic changes due to stent placement in bifurcating intracranial aneurysms, 146
Wearing-off phenomenon
Attenuation of fluctuating striatal synaptic dopamine levels in patients with Parkinson disease in response to subthalamic nucleus stimulation: a positron emission tomography study, 968
Welding
Novel laser tissue-soldering technique for dural reconstruction, 87
Wound
Missile-induced complete lesions of the tibial nerve and tibial division of the sciatic nerve: results of 119 repairs, 622

Index to
Journal of Neurosurgery: *Pediatrics*
Volume 103

July–December, 2005

Author Index

Abbott AH. *See* Netherway DJ, 137
Abbott R. *See* Jallo GI, 319
Adelson PD. *See* Berger RP, 61
Aeby A. *See* Morelli D, 247
Ahn ES, Smith ER. Acute clival and spinal subdural hematoma with spontaneous resolution: clinical and radiographic correlation in support of a proposed pathophysiological mechanism. Case report, 175
Ailles L. *See* Huhn SL, 446
Alatas I. *See* Bas NS, 285
Amariglio N. *See* Tabori U, 357
Andermann F. *See* Mittal S, 401
Anderson PJ. *See* Netherway DJ, 137
Andrews B. *See* Ghahreman A, 213
Ankermann T. *See* Fritsch MJ, 50
Arnaud E. *See* Lajeunie E, 353
Arnold B. *See* Wetzel M, 549
Ashley WW Jr, McKinstry RC, Leonard JR, Smyth MD, Lee BC, Park TS. Use of rapid-sequence magnetic resonance imaging for evaluation of hydrocephalus in children, 124
Asthagiri AR. *See* Kanter AS, 413
Aviram A. *See* Tabori U, 357

Bacherini F. *See* Iannelli A, 272
Barnwell SL. *See* Stephan MJ, 462
Barrett RJ. *See* Sood S, 119
Bas NS, Güzey FK, Emel E, Cefle K, Turgut H, Alatas I, Sel B, Palanduz S, Ozturk S, Bas SC. A solitary calvarial lytic lesion with typical histopathological findings of juvenile hyaline fibromatosis. Case report, 285
Bas SC. *See* Bas NS, 285
Baumgartner JE, Teichgraeber JF, Xia JJ, Gateno J. Sticky sutures? Letters, 204
Baykaner MK. *See* Börcek AÖ, 79
Bayston R. Shunt infection. Letters, 293
Beauchamp R. *See* Hicdonmez T, 10
———. *See* White NJ, 282
Behrens ML. *See* Stephan MJ, 462
Beni-Adani L, Sainte-Rose C, Zerah M, Brunelle F, Constantini S, Renier D, Lellouch-Tubiana A, Leger J, Pierre-Kahn A. Surgical implications of the thickened pituitary stalk accompanied by central diabetes insipidus, 142
Berenstein A. *See* Niimi Y, 156
Berger RP, Adelson PD, Pierce MC, Dulani T, Cassidy LD, Kochanek PM. Serum neuron-specific enolase, S100B, and myelin basic protein concentrations after inflicted and noninflicted traumatic brain injury in children, 61
Berré J. *See* Morelli D, 247
Bertrand WJ. Shunt infection. Letters, 293
Beskonakli E. *See* Solaroglu I, 289
Bhasin V. *See* Ghahreman A, 213
Bierbrauer K. *See* Vender JR, 458
Bierman JS. *See* Muhonen MC, 180
Blount JP, Tubbs S, Okor M, Tyler-Kabara EC, Wellons JC III, Grabb PA, Oakes WJ. Supraplacode spinal cord transection in paraplegic patients with myelodysplasia and repetitive symptomatic tethered spinal cord, 36
Boev AN, Fountas KN, Karampelas I, Boev C, Machinis TG, Feltes C, Okosun I, Dimopoulos V, Troup C. Quantitative pupillometry: normative data in healthy pediatric volunteers, 496
Boev C. *See* Boev AN, 496
Bognár L. *See* Jallo GI, 88
Boop FA. *See* Phillips NS, 557
Börcek AÖ, Ergün E, Emmez H, Kurt G, Dogulu F, Baykaner MK. Anterior thoracic myelomeningocele presenting as a retromediastinal mass. Case report, 79
Brathwaite C. *See* Wolfe SQ, 362
Brauner R. *See* Meuric S, 421
Brisman JL. *See* Niimi Y, 156
Brotchi J. *See* Morelli D, 247
Brunelle F. *See* Beni-Adani L, 142
Buggage RR. *See* Lonser RR, 292
Bullock PR. *See* Chakraborth A, 83
Burchfield DJ. *See* Saxonhouse MA, 277
Burns DK. *See* Psarros TG, 184
Burstein Y. *See* Tabori U, 357

Caldarelli M, Tamburrini G, Di Rocco F. Neurocutaneous melanosis. Letter, 382
Cardinale F. *See* Cossu M, 333
Carson B. *See* Sciubba DM, 131
Casey ATH. *See* Nader-Sepahi A, 231
Cassidy LD. *See* Berger RP, 61
Castagna M. *See* Iannelli A, 272
Cefle K. *See* Bas NS, 285
Cervantes L. *See* Wolfe SQ, 362

Ceylan S. *See* Etus V, 260
Chakraborty A, Workman MR, Bullock PR. *Scedosporium apiospermum* brain abscess treated with surgery and voriconazole. Case report, 83
Chaseling R. *See* Ghahreman A, 213
Chen L. *See* Liao C, 17
Chen Y. *See* Mardini S, 238
Cheshier S. *See* Huhn SL, 446
Chi JH, Fullerton HJ, Gupta N. Time trends and demographics of deaths from congenital hydrocephalus in children in the United States: National Center for Health Statistics data, 1979 to 1998, 113
———. *See* Gupta N, 111
Cho B. *See* Hoon J, 524
———. *See* Seol HJ, 439
Choi J. *See* Kim SH, 433
Chu J. *See* Schuhmann MU, 223
Chuang C. *See* Liao C, 17
Cinalli G. *See* Santos de Oliveira R, 512
Cochrane DD. *See* White NJ, 282
Cohen AJ. *See* Dickerman RD, 95
Cole CD. *See* Lui JK, 266
Collins DR. *See* O'Brien DF, 5, 393
Colombo N. *See* Cossu M, 333
Constantini S. *See* Beni-Adani L, 142
———. *See* Tabori U, 357
Cossu M, Cardinale F, Colombo N, Mai R, Nobili L, Sartori I, Lo Russo G. Stereoelectroencephalography in the presurgical evaluation of children with drug-resistant focal epilepsy, 333
Crimmins DW. *See* Lajeunie E, 353
Crockard HA. *See* Nader-Sepahi A, 231

Danielpour M. *See* Das A, 451
Das A, Simmons C, Danielpour M. A congenital brain tumor associated with assisted in vitro fertilization. Case report, 451
David DJ. *See* Netherway DJ, 137
David P. *See* Morelli D, 247
Delfini R. *See* Missori P, 563
Determmerman D. *See* Morelli D, 247
Di Rocco C. *See* Petrella G, 166
Di Rocco F, Oi S. Spontaneous regression of syringomyelia in Hajdu-Cheney syndrome with severe platybasia. Case report, 194
———, Yoshino M, Oi S. Neuroendoscopic transventricular ventriculocystostomy in treatment for intracranial cysts, 54
———. *See* Caldarelli M, 382
Diallo AO. *See* Kanter AS, 413
Dias MS. Neurosurgical causes of scoliosis in patients with myelomeningocele: an evidence-based literature review, 24
DiBiasi C. *See* Missori P, 563
Dickerman RD, Cohen AJ. Cranial defects. Letters, 95
Dimopoulos V. *See* Boev AN, 496
Dirks P. *See* Yahya RR, 219
Doerner L. *See* Fritsch MJ, 40
Dogulu F. *See* Börcek AÖ, 79
Drake JM. Congenital hydrocephalus. Editorial, 111
———. *See* Yahya RR, 219
Draper EJ. *See* Schuhmann MU, 223
Dromi Y. *See* Tabori U, 357
Dubeau F. *See* Mittal S, 401
Duhaime A. *See* Quebada PB, 567
Dulani T. *See* Berger RP, 61
Dunaway DJ. *See* Thomson DNP, 544
Dvir R. *See* Tabori U, 357

Elouahdani S. *See* Grill J, 312
Emel E. *See* Bas NS, 285
Emmez H. *See* Börcek AÖ, 79
Epstein F. *See* Jallo GI, 319
Ergün E. *See* Börcek AÖ, 79
Etus V, Ceylan S. The role of endoscopic third ventriculostomy in the treatment of triventricular hydrocephalus seen in children with achondroplasia. Report of two cases, 260

Farmer J. *See* Mittal S, 401
Feiz-Erfan I, Horn EM, Rekate HL, Spetzler RF, Ng Y, Rosenfeld JV, Kerrigan JF III. Surgical strategies for approaching hypothalamic hamartomas causing gelastic seizures in the pediatric population: transventricular compared with skull base approaches, 325
Feltes C. *See* Boev AN, 496
Fernandez PM. *See* Niimi Y, 156
Finocchi V. *See* Missori P, 563
Fountas KN. *See* Boev AN, 496
Fricx C. *See* Morelli D, 247
Fritsch MJ, Doerner L, Kienke S, Mehdorn HM. Hydrocephalus in children with posterior fossa tumors: role of endoscopic third ventriculostomy, 40
———, Kienke S, Ankermann T, Padoin M, Mehdorn HM. Endoscopic third ventriculostomy in infants, 50
Fujii K. *See* Shimizu S, 270
Fukui K. *See* Hashiguchi K, 537
Fullerton HJ. *See* Chi JH, 113
———. *See* Gupta N, 111

Gajjar A. *See* Phillips NS, 557
Gateno J. *See* Baumgartner JE, 204
Gerstle JT. *See* Serletis D, 471
Ghahreman A, Bhasin V, Chaseling R, Andrews B, Lang EW. Nonaccidental head injuries in children: a Sydney experience, 213
Goldberg J. *See* Sands SA, 302
Gottfried ON, Hedlund GL, Opitz JM, Walker ML. Chiari I malformation in patients with FG syndrome, 148
Grabb PA. *See* Blount JP, 36
Greene CS Jr. *See* Middelhof CA, 374
Grill J, Lellouch-Tubiana A, Elouahdani S, Pierre-Kahn A, Zerah M, Renier D, Valteau-Couanet D, Hartmann O, Kalifa C, Sainte-Rose C. Preoperative chemotherapy in children with high-risk medulloblastomas: a feasibility study, 312
———. Medulloblastoma. Editorial, 299
Grotenhuis JA. *See* Hagebeuk EEO, 253
Gupta DK, Mahapatra AK. Terminal myelocystoceles: a series of 17 cases, 344
———. *See* Mahapatra AK, 531
Gupta N, Chi JH, Fullerton HJ. Congenital hydrocephalus. Editorial, 111
———. *See* Chi JH, 113
Guzel A. *See* Tatli M, 454

Guzel E. *See* Tatli M, 454
Güzey FK. *See* Bas NS, 285

Habrock T. *See* Mangano FT, 501
Hagebeuk EEO, Kloet A, Grotenhuis JA, Peeters EAJ. Bobble-head doll syndrome successfully treated with an endoscopic ventriculocystocisternostomy. Case report and review of the literature, 253
Ham SD. *See* Schuhmann MU, 223
———. *See* Sood S, 119
Hanley HA. *See* Muhonen MC, 180
Harsh G. *See* Huhn SL, 446
Hartmann O. *See* Grill J, 312
Hasegawa T. *See* Kobayashi T, 482
Hashiguchi K, Morioka T, Fukui K, Miyagi Y, Mihara F, Yoshiura T, Nagata S, Sasaki T. Usefulness of constructive interference in steady-state magnetic resonance imaging in the presurgical examination for lumbosacral lipoma, 537
Haughton V. *See* Iskandar BJ, 508
Hayward R. *See* Nader-Sepahi A, 231
Hedlund GL. *See* Gottfried ON, 148
Helton KJ. *See* Phillips NS, 557
Hicdonmez T, Steinbok P, Beauchamp R, Sawatzky B. Hip joint subluxation after selective dorsal rhizotomy for spastic cerebral palsy, 10
Hong S. *See* Hoon J, 524
Hoon J, Kim S, Park S, Hong S, Wang K, Cho B. Immature teratoma of central nervous system: is adjuvant therapy mandatory? 524
Horn EM. *See* Feiz-Erfan I, 325
Huang J. *See* Hung K, 69
Huang Y. *See* Liao C, 17
Huhn SL, Yung Y, Cheshier S, Harsh G, Ailles L, Weissman I, Vogel H, Tse V. Identification of phenotypic neural stem cells in a pediatric astroblastoma, 446
Humphreys R. *See* Yahya RR, 219
Hung K, Liao H, Huang J. Rational management of simple depressed skull fractures in infants, 69
Hussain NS. *See* Muhonen MC, 180
Hussain SS. *See* Muhonen MC, 180
Hwang Y. *See* Seol HJ, 439

Iannelli A, Lupi G, Castagna M, Valleriani A, Bacherini F. Intramedullary capillary hemangioma associated with hydrocephalus in an infant. Case report, 272
Inoue T, Kuzu Y, Ogasawara K, Ogawa A. Effect of 3-tesla magnetic resonance imaging on various pressure programmable shunt valves, 163
Iskandar BJ, Haughton V. Peak cerebrospinal fluid velocities in the foramen magnum vary with age, T6
———, Sansone JM. Endoscopic fourth ventricular aqueductoplasty. Editorial, 385
———. *See* Sansone JM, 388
Izraeli S. *See* Tabori U, 357

Jallo GI, Kothbauer K, Mehta V, Abbott R, Epstein F. Meningioangiomatosis without neurofibromatosis: a clinical analysis, 319
———, Suk I, Bognár L. A superciliary approach for anterior cranial fossa lesions in children. Technical note, 88
———. *See* Sciubba DM, 131
James HE, Lubinsky G. Terminal myelocystocele, 443
Jane JA Jr. *See* Kanter AS, 413
Javadpour M. *See* O'Brien DF, 393

Kalifa C. *See* Grill J, 312
Kanter AS, Diallo AO, Jane JA Jr, Sheehan JP, Asthagiri AR, Oskouian RJ, Okonkwo DO, Sansur CA, Vance ML, Rogol AD, Laws ER Jr. Single-center experience with pediatric Cushing's disease, 413
Kaptanoglu E. *See* Solaroglu I, 289
Karampelas I. *See* Boev AN, 496
Kazmi SS. *See* Nejat F, 94
Keating RF. *See* Rushing EJ, 489
Keklikci U. *See* Tatli M, 454
Kerrigan JF III. *See* Feiz-Erfan I, 325
Kestle JRW. *See* Klimo P Jr, 207
———. *See* Lui JK, 266
Khoshyomn S. *See* Serletis D, 471
Kida Y. *See* Kobayashi T, 482
Kienke S. *See* Fritsch MJ, 40, 50
Kiliçkesmez Ö. *See* Tasdemiroglu E, 205
Kim D. *See* Kim SH, 433
Kim KJ. *See* Seol HJ, 439
Kim S. *See* Hoon J, 524
———. *See* Seol HJ, 439
Kim SH, Choi J, Yang K, Kim T, Kim D. Risk factors for postoperative ischemic complications in patients with moyamoya disease, 433
Kim T. *See* Kim SH, 433
Klimo P Jr, Kestle JRW. Potentially useful outcome measures for clinical research in pediatric neurosurgery, 207
Kloet A. *See* Hagebeuk EEO, 253
Kobayashi T, Kida Y, Mori Y, Hasegawa T. Long-term results of gamma knife radiosurgery for craniopharyngioma: 98 consecutive cases, 482
Koch D. *See* Wagner W, 43
Kochanek PM. *See* Berger RP, 61
Kothbauer K. *See* Jallo GI, 319
Kourtopoulos H. Neonatal aneurysms. Letters, 472
Krieger MD. *See* Sandberg DI, 427
Kurt G. *See* Börcek AÖ, 79
Kuzu Y. *See* Inoue T, 163

Lajeunie E, Crimmins DW, Arnaud E, Renier D. Genetic considerations in nonsyndromic midline craniosynostoses: a study of twins and their families, 353
Lang EW. *See* Ghahreman A, 213
Lauriola L. *See* Petrella G, 166
Laws ER Jr. *See* Kanter AS, 413
Lee BC. *See* Ashley WW Jr, 124
Lee Y. *See* Rushing EJ, 489
Leger J. *See* Beni-Adani L, 142
Leider-Trejo L. *See* Tabori U, 357
Lellouch-Tubiana A. *See* Beni-Adani L, 142
———. *See* Grill J, 312
Leonard JR. *See* Ashley WW Jr, 124
———. *See* Mangano FT, 501
———. *See* O'Brien DF, 5
Leuthardt EC. *See* O'Brien DF, 5
Liao C, Lui T, Chen L, Chuang C, Huang Y. Spinal cord injury without radiological abnormality in

preschool-aged children: correlation of magnetic resonance imaging findings with neurological outcomes, 17
LIAO T. *See* Hung K, 69
LIU JK, COLE CD, SHERR GT, KESTLE JR, WALKER ML. Noncommunicating spinal extradural arachnoid cyst causing spinal compression in a child. Case report, 266
LO L. *See* Mardini S, 238
LO RUSSO G. *See* Cossu M, 333
LONSER RR, BUGGAGE RR, WEIL RJ. Malignant cerebral swelling in Behçet disease, 292
LOUDON WG. *See* Middelhof CA, 374
LUBANSU A. *See* Morelli D, 247
LUBINSKY G. *See* James HE, 443
LUI T. *See* Liao C, 17
LUPI G. *See* Iannelli A, 272

MACHINIS TG. *See* Boev AN, 496
MAHAPATRA AK, GUPTA DK. Split cord malformations: a clinical study of 254 cases and proposal for a new clinicoradiological classification, 531
———. *See* Gupta DK, 344
MAI R. *See* Cossu M, 333
MALLUCCI CL. *See* O'Brien DF, 393
MANGANO FT, MENEDEZ JA, HABROCK T, NARAYAN P, LEONARD JR, PARK TS, SMYTH MD. Early programmable valve malfunction in pediatric hydrocephalus, 501
MARDINI S, See L, Lo L, Salgado CJ, Chen Y. Intracranial space, brain, and cerebrospinal fluid volume measurements obtained with the aid of three-dimensional computerized tomography in patients with and without Crouzon syndrome, 238
MAXFIELD C. *See* Sands SA, 302
MCALLISTER JP. *See* Schuhmann MU, 223
MCCOMB JG. *See* Sandberg DI, 427
MCGIRT MJ. *See* Sciubba DM, 131
MCKINSTRY RC. *See* Ashley WW Jr, 124
MEHDORN HM. *See* Fritsch MJ, 40, 50
MEHTA V. *See* Jallo GI, 319
MENA H. *See* Rushing EJ, 489
MENEDEZ JA. *See* Mangano FT, 501
MEURIC S, BRAUNER R, TRIVIN C, SOUBERBIELLE J, ZERA M, SAINTE-ROSE C. Influence of tumor location on the presentation and evolution of craniopharyngiomas, 421
MIDDELHOF CA, LOUDON WG, MUHONEN MD, XAVIER C, GREENE CS JR. Improved survival in central nervous system aspergillosis: a series of immunocompromised children with leukemia undergoing stereotactic resection of aspergillomas, 374
MIHARA F. *See* Hashiguchi K, 537
MILNER JS. *See* Sands SA, 302
MISCUSI M. *See* Missori P, 563
MISSORI P, MISCUSI M, PAOLINI S, DIBIASI C, FINOCCHI V, PESCHILLO S, DELFINI R. A C1–2 locked facet in a child with atlantoaxial rotatory fixation. Case report, 563
MITTAL S, MONTES JL, FARMER J, ROSENBLATT B, DUBEAU F, ANDERMANN F, POULIN N, OLIVIER A. Long-term outcome after surgical treatment of temporal lobe epilepsy in children, 401
MIYAGI Y. *See* Hashiguchi K, 537
MOHANTY A. Endoscopic options in the management of isolated fourth ventricles. Case report, 73
MOLITERNO JA. *See* Sands SA, 302
MONTES JL. *See* Mittal S, 401
MORELLI D, PIROTTE B, LUBANSU A, DETERMMERMAN D, AEBY A, FRICX C, BERRÉ J, DAVID P, BROTCHI J. Persistent hydrocephalus after early surgical management of posterior fossa tumors in children: is routine preoperative endoscopic third ventriculostomy justified? 247
MORI Y. *See* Kobayashi T, 482
MORIOKA T. *See* Hashiguchi K, 537
MORRISON G. *See* Wolfe SQ, 362
MOWATT DJ, THOMSON DNP, DUNAWAY DJ. Tissue expansion for the delayed closure of large myelomeningoceles, 544
MUHONEN MD. *See* Middelhof CA, 374
MUHONEN MG, BIERMAN JS, HUSSAIN NS, HANLEY HA, HUSSAIN SS. Giant intracranial teratoma and lack of cortical development in a fetus. Case report, 180
MUKHI V. *See* Sands SA, 302
MULNE AF. *See* Psarros TG, 184
MUTHUKUMAR N. Occult sacral meningocele. Letters, 204
———, VENKATESH G, THIRUPPATHY S. Arrested hydrocephalus and the presyrinx state. Case report, 466

NADER-SEPAHI A, CASEY ATH, HAYWARD R, CROCKARD HA, THOMPSON D. Symptomatic atlantoaxial instability in Down syndrome, 231
NAGATA S. *See* Hashiguchi K, 537
NARAYAN P. *See* Mangano FT, 501
NEFF S. Measurement of flow of cerebrospinal fluid in shunts by transcutaneous thermal convection. Technical note, 366
NEJAT F, KAZMI SS. Spontaneous resorption of a sacral meningocele. Case illustration, 94
NESBIT GM. *See* Stephan MJ, 462
NETHERWAY DJ, ABBOTT AH, ANDERSON PJ, DAVID DJ. Intracranial volume in patients with nonsyndromal craniosynostosis, 137
NG Y. *See* Feiz-Erfan I, 325
NIIMI Y, BERENSTEIN A, FERNANDEZ PM, BRISMAN JL, SONG JK. Pediatric nonvertebral paraspinal arteriovenous fistulas along the segmental nerve: clinical, imaging, and therapeutic considerations, 156
NOBILI L. *See* Cossu M, 333

OAKES WJ. *See* Blount JP, 36
———. *See* Tubbs RS, 170, 172
O'BRIEN DF, JAVADPOUR M, COLLINS DR, SPENNATO P, MALLUCCI CL. Endoscopic third ventriculostomy: an outcome analysis of primary cases and procedures performed after ventriculoperitoneal shunt malfunction, 393
———, PARK TS. Dorsal rhizotomy. Editorial, 1
———, ———, PUGLISI JA, COLLINS DR, LEUTHARDT EC, LEONARD JR. Orthopedic surgery after selective dorsal rhizotomy for spastic diplegia in relation to ambulatory status and age, 5
OGASAWARA K. *See* Inoue T, 163
OGAWA A. *See* Inoue T, 163
OGG RJ. *See* Phillips NS, 557
OHAEGBULAM C, WOODARD EJ, PROCTOR M. Occipitocondylar hyperplasia: an unusual craniovertebral junction anomaly causing myelopathy, 379
OI S. *See* Di Rocco F, 54, 194
OKA H. *See* Shimizu S, 270

Okonkwo DO. *See* Kanter AS, 413
Okor M. *See* Blount JP, 36
Okosun I. *See* Boev AN, 496
Okutan Ö. *See* Solaroglu I, 289
Olavarria G. *See* Wolfe SQ, 362
Olivier A. *See* Mittal S, 401
Olsen C. *See* Rushing EJ, 489
Opitz JM. *See* Gottfried ON, 148
Oskouian RJ. *See* Kanter AS, 413
Ostrowski KR. *See* Schuhmann MU, 223
Ozturk S. *See* Bas NS, 285

Packer RJ. Medulloblastoma. Editorial, 299
———. *See* Rushing EJ, 489
Padoin M. *See* Fritsch MJ, 50
Palanduz S. *See* Bas NS, 285
Pang D. Cranial defects. Letters, 95
Paolini S. *See* Missori P, 563
Park S. *See* Hoon J, 524
Park TS. *See* Ashley WW Jr, 124
———. *See* Mangano FT, 501
———. *See* O'Brien DF, 1, 5
Pearl G. *See* Trumble ER, 191
Peeters EAJ. *See* Hagebeuk EEO, 253
Peschillo S. *See* Missori P, 563
Petrella G, Tamburrini G, Lauriola L, Di Rocco C. Spinal epidural angiolipoma complicated by an intratumoral abscess. Case report, 166
Phillips NS, Sanford RA, Helton KJ, Boop FA, Zou P, Tekautz T, Gajjar A, Ogg RJ. Diffusion tensor imaging of intraaxial tumors at the cervicomedullary and pontomedullary junction. Report of two cases, 557
Piatt JH Jr. Progressive syringomyelia controlled by treatment of associated hydrocephalus in an infant with birth injury. Case report, 198
Pierce MC. *See* Berger RP, 61
Pierre-Kahn A. *See* Beni-Adani L, 142
———. *See* Grill J, 312
Pincus DW. *See* Saxonhouse MA, 277
Pirotte B. *See* Morelli D, 247
Pirre-Kahn A. *See* Santos de Oliveira R, 512
Pollack IF. *See* Wetzel M, 549
Poulin N. *See* Mittal S, 401
Powell T. *See* Sood S, 119
Premkumar DRD. *See* Wetzel M, 549
Proctor M. *See* Ohaegbulam C, 379
Psarros TG, Swift D, Mulne AF, Burns DK. Neurocytoma-like neoplasm of the thoracic spine in a 15-month-old child presenting with diffuse leptomeningeal dissemination and communicating hydrocephalus. Case report, 184
Puglisi JA. *See* O'Brien DF, 5

Quebada PB, Duhaime A. Chiari I malformation and a dolichoodontoid process responsible for sudden cardiorespiratory arrest. Case report, 567
Quisling R. *See* Saxonhouse MA, 277

Ragheb J. *See* Wolfe SQ, 362
Rechavi G. *See* Tabori U, 357
Rekate HL. Craniopharyngioma. Editorial, 297
———. Endoscopic fourth ventricular aqueductoplasty. Editorial, 385
———. *See* Feiz-Erfan I, 325
Renier D. *See* Beni-Adani L, 142
———. *See* Grill J, 312
———. *See* Lajeunie E, 353
Rienstein S. *See* Tabori U, 357
Rogol AD. *See* Kanter AS, 413
Rosenblatt B. *See* Mittal S, 401
Rosenfeld JV. *See* Feiz-Erfan I, 325
Roujeau T. *See* Santos de Oliveira R, 512
Rueda M. *See* Rushing EJ, 489
Rushing EJ, Olsen C, Mena H, Rueda M, Lee Y, Keating RF, Packer RJ, Santi M. Central nervous system meningiomas in the first two decades of life: clinicopathological analysis of 87 cases, 489
Rutka JT. *See* Serletis D, 471
———. *See* Yahya RR, 219

Sainte-Rose C. *See* Beni-Adani L, 142
———. *See* Grill J, 312
———. *See* Meuric S, 421
———. *See* Santos de Oliveira R, 512
Salgado CJ. *See* Mardini S, 238
Samdani A. *See* Sciubba DM, 131
Sandberg DI, McComb JG, Krieger MD. Chemical analysis of fluid obtained from intracranial arachnoid cysts in pediatric patients, 427
Sands SA, Milner JS, Goldberg J, Mukhi V, Moliterno JA, Maxfield C, Wisoff JH. Quality of life and behavioral follow-up study of pediatric survivors of craniopharyngioma, 302
———. *See* Wisoff JH, 297
Sanford RA. *See* Phillips NS, 557
Sansone JM, Iskander BJ. Endoscopic cerebral aqueductoplasty: a trans–fourth ventricle approach, 388
———. *See* Iskandar BJ, 385
Sansur CA. *See* Kanter AS, 413
Santi M. *See* Rushing EJ, 489
Santos de Oliveira R, Cinalli G, Roujeau T, Sainte-Rose C, Pirre-Kahn A, Zerah M. Neurenteric cysts in children: a personal series of 16 consecutive cases and review of the literature, 512
Sartori I. *See* Cossu M, 333
Sasaki T, Hashiguchi K, 537
Sawatzky B. *See* Hicdonmez T, 10
Saxonhouse MA, Yachins AT, Burchfield DJ, Quisling R, Sullivan MP, Pincus DW. Neonatal hypothalamic hamartoma: a differentiating nonlethal hamartoblastoma. Case report, 277
Schuhmann MU, Ostrowski KR, Draper EJ, Chu J, Ham SD, Sood S, McAllister JP. The value of C-reactive protein in the management of shunt infections, 223
Sciubba DM, Stuart M, McGirt MJ, Woodworth GF, Samdani A, Carson B, Jallo GI. Effect of antibiotic-impregnated shunt catheters in decreasing the incidence of shunt infection in the treatment of hydrocephalus, 131
See L. *See* Mardini S, 238
Sel B. *See* Bas NS, 285
Selden NR. *See* Stephan MJ, 462

SEOL HJ, WANG K, KIM S, HWANG Y, KIM KJ, CHO B. Headache in pediatric moyamoya disease: a review of 204 consecutive cases, 439
SERLETIS D, KHOSHYOMN S, GERSTLE JT, RUTKA JT. Anterior penetrating sacral injury in a child. Case illustration, 471
SHEEHAN JP. *See* Kanter AS, 413
SHERR GT. *See* Lui JK, 266
SHIMIZU S, UTSUKI S, SUZUKI S, OKA H, FUJII K. Obstruction of a Codman-Hakim programmable valve by a migrating pressure control cam. Case report, 270
SIMMONS C. *See* Das A, 451
SMITH ER. *See* Ahn ES, 175
SMITH RM. *See* Trumble ER, 191
SMYTH MD. *See* Ashley WW Jr, 124
———. *See* Mangano FT, 501
SOLAROGLU I, OKUTAN Ö, KAPTANOGLU E, BESKONAKLI E. Unilateral proptosis arising from an ectopic lacrimal gland of the orbit. Case report, 289
SONG JK. Neonatal aneurysms. Letters, 472
———. *See* Niimi Y, 156
SOOD S, BARRETT RJ, POWELL T, HAM SD. The role of lumbar shunts in the management of slit ventricles: does the slit-ventricle syndrome exist? 119
———. *See* Schuhmann MU, 223
SOUBERBIELLE J. *See* Meuric S, 421
SPENNATO P. *See* O'Brien DF, 393
SPETZLER RF. *See* Feiz-Erfan I, 325
STEINBOK P. *See* Hicdonmez T, 10
STEPHAN MJ, NESBIT GM, BEHRENS ML, WHITAKER MA, BARNWELL SL, SELDEN NR. Endovascular treatment of spinal arteriovenous fistula in a young child with hereditary hemorrhagic telangiectasia. Case report, 462
STUART M. *See* Sciubba DM, 131
SUK I. *See* Jallo GI, 88
SULLIVAN MP. *See* Saxonhouse MA, 277
SUZUKI S. *See* Shimizu S, 270
SWIFT D. *See* Psarros TG, 184

TABORI U, RIENSTEIN S, DROMI Y, LEIDER-TREJO L, CONSTANTINI S, BURSTEIN Y, DVIR R, AMARIGLIO N, TOREN A, RECHAVI G, IZRAELI S, AVIRAM A. *Epidermal growth factor receptor* gene amplification and expression in disseminated pediatric low-grade gliomas, 357
TAMBURRINI G. *See* Caldarelli M, 382
———. *See* Petrella G, 166
TASDEMIROGLU E, KILIÇKESMEZ Ö. Occult sacral meningocele. Letters, 205
TATLI M, GUZEL A, KEKLIKCI U, GUZEL E. Pediatric orbital multifocal cavernous hemangiomas associated with bilateral arachnoid cysts of the middle cranial fossa. Case report and review of the literature, 454
TAYLOR M. *See* Yahya RR, 219
TEICHGRAEBER JF. *See* Baumgartner JE, 204
TEKAUTZ T. *See* Phillips NS, 557
THIRUPPATHY S. *See* Muthukumar N, 466
THOMPSON D. *See* Nader-Sepahi A, 231
THOMSON DNP. *See* Mowatt DJ, 544
TOREN A. *See* Tabori U, 357
TRIVIN C. *See* Meuric S, 421
TROUP C. *See* Boev AN, 496
TRUMBLE ER, SMITH RM, PEARL G, WALL J. Transplacental transmission of metastatic melanoma to the posterior fossa. Case report, 191
TSE V. *See* Huhn SL, 446
TUBBS RS, OAKES WJ. An unusual presentation of achondroplasia. Case report, 170
———, ———. Beckwith–Wiedemann syndrome in a child with Chiari I malformation. Case report, 172
———. *See* Blount JP, 36
TURGUT H. *See* Bas NS, 285
TURNER MS. Dorsal rhizotomy. Editorial, 1
TYLER-KABARA EC. *See* Blount JP, 36

UTSUKI S. *See* Shimizu S, 270

VALLERIANI A. *See* Iannelli A, 272
VALTEAU-COUANET D. *See* Grill J, 312
VANCE ML. *See* Kanter AS, 413
VENDER JR, BIERBRAUER K. Delayed intracranial hypertension and cerebellar tonsillar necrosis associated with a depressed occipital skull fracture compressing the superior sagittal sinus. Case report, 458
VENKATESH G. *See* Muthukumar N, 466
VOGEL H. *See* Huhn SL, 446

WAGNER W, KOCH D. Mechanisms of failure after endoscopic third ventriculostomy in young infants, 43
WALKER ML. *See* Gottfried ON, 148
———. *See* Lui JK, 266
WALL J. *See* Trumble ER, 191
WANG K. *See* Hoon J, 524
———. *See* Seol HJ, 439
WARF BC. Endoscopic third ventriculostomy alone and combined with choroid plexus cauterization in infants younger than 1 year old: a prospective study in 550 African children, 475
WEIL RJ. *See* Lonser RR, 292
WEISSMAN I. *See* Huhn SL, 446
WELLONS JC III. *See* Blount JP, 36
WETZEL M, PREMKUMAR DRD, ARNOLD B, POLLACK IF. Effect of trichostatin A, a histone deacetylase inhibitor, on glioma proliferation in vitro by inducing cell cycle arrest and apoptosis, 549
WHITAKER MA. *See* Stephan MJ, 462
WHITE NJ, COCHRANE DD, BEAUCHAMP R. Paraparesis caused by an angiolipomatous hamartoma in an adolescent with Proteus syndrome and scoliosis. Case report, 282
WINSTON K. Sticky sutures? Letters, 203
WISOFF JH, SANDS SA. Craniopharyngioma. Editorial, 297
———. *See* Sands SA, 302
WOLFE SQ, CERVANTES L, OLAVARRIA G, BRATHWAITE C, RAGHEB J, MORRISON G. Desmoplastic fibroma of the pediatric skull. Report of three cases, 362
WOODARD EJ. *See* Ohaegbulam C, 379
WOODWORTH GF. *See* Sciubba DM, 131
WORKMAN MR. *See* Chakraborth A, 83

XAVIER C. *See* Middelhof CA, 374
XIA JJ. *See* Baumgartner JE, 204

YACHINS AT. *See* Saxonhouse MA, 277
YAHYA RR, DIRKS P, HUMPHREYS R, RUTKA JT, TAYLOR M, DRAKE JM. Children and television tipovers: a significant and preventable cause of long-term neurological deficits, 219
YANG K. *See* Kim SH, 433
YOSHINO M. *See* Di Rocco F, 54
YOSHIURA T. *See* HASHIGUCHI K, 537
YUNG Y. *See* Huhn SL, 446

ZERAH M. *See* Beni-Adani L, 142
———. *See* Grill J, 312
———. *See* Meuric S, 421
———. *See* Santos de Oliveira R, 512
ZOU P. *See* Phillips NS, 557

Subject Index

Abscess
  Spinal epidural angiolipoma complicated by an instrumental abscess. Case report, 166
Achondroplasia
  The role of endoscopic third ventriculostomy in the treatment of triventricular hydrocephalus seen in children with achondroplasia. Report of two cases, 260
  An unusual presentation of achondroplasia. Case report, 170
Adenoma
  Single-center experience with pediatric Cushing's disease, 413
Adjuvant therapy
  Immature teratomas of the central nervous system: is adjuvant therapy mandatory? 524
Adrenocorticotropic hormone
  Single-center experience with pediatric Cushing's disease, 413
Africa
  Comparison of endoscopic third ventriculostomy alone and combined with choroid plexus cauterization in infants younger than 1 year of age: results of a prospective study in 550 African children, 475
Ambulatory status
  Orthopedic surgery after selective dorsal rhizotomy for spastic diplegia in relation to ambulatory status and age, 5
Aneurysm
  Neonatal aneurysms. Letters, 472
Angiolipoma
  Spinal epidural angiolipoma complicated by an instrumental abscess. Case report, 166
Angiolipomatous hamartoma
  Paraparesis caused by an angiolipomatous hamartoma in an adolescent with Proteus syndrome and scoliosis. Case report, 282
Anterior thoracic myelomeningocele
  Anterior thoracic myelomeningocele presenting as a retromediastinal mass. Case report, 79
Antibiotic-impregnated catheter
  Effect of antibiotic-impregnated shunt catheters in decreasing in incidence of shunt infection in the treatment of hydrocephalus, 131
Antisiphon device
  Early programmable valve malfunctions in pediatric hydrocephalus, 501
Apoptosis
  Effect of trichostatin A, a histone deacetylase inhibitor, on glioma proliferation in vitro by inducing cell cycle arrest and apoptosis, 549
Aqueductal stenosis
  Endoscopic cerebral aqueductoplasty: a trans–fourth ventricle approach, 388
  Endoscopic fourth ventricular aqueductoplasty. Editorial, 385
  Hydrocephalus in children with posterior fossa tumors: role of endoscopic third ventriculostomy, 40
Aqueductal stenting
  Endoscopic options in the management of isolated fourth ventricles. Case report, 73
Arachnoid cyst
  Chemical analysis of fluid obtained from intracranial arachnoid cysts in pediatric patients, 427
  Noncommunicating spinal extradural arachnoid cyst causing spinal cord compression in a child. Case report, 266
  Pediatric orbital multifocal cavernous hemangiomas associated with bilateral arachnoid cysts of the middle cranial fossa. Case report and review of the literature, 454
Arrested hydrocephalus
  Arrested hydrocephalus and the presyrinx state. Case report, 466
Aspergillosis
  Improved survival in central nervous system aspergillosis: a series of immunocompromised children with leukemia undergoing stereotactic resection of aspergillomas. Report of four cases, 374
Assessment
  Potentially useful outcome measures for clinical research in pediatric neurosurgery, 207
Astroblastoma
  Identification of phenotypic neural stem cells in a pediatric astroblastoma, 446
Atlantoaxial instability
  A C1–2 locked facet in a child with atlantoaxial rotary fixation. Case report, 563
  Symptomatic atlantoaxial instability in Down syndrome, 231
Atlas
  A C1–2 locked facet in a child with atlantoaxial rotary fixation. Case report, 563
Axis
  A C1–2 locked facet in a child with atlantoaxial rotary fixation. Case report, 563

Basilar invagination
  Spontaneous regression of syringomyelia in Hajdu–Cheney syndrome with severe platybasia. Case report, 194
Behçet disease
  Malignant cerebellar swelling in Behçet disease. Case illustration, 292
Biomarkers
  Serum neuron-specific enolase, S100B, and myelin basic protein concentrations after inflicted and noninflicted traumatic brain injury in children, 61
Biopsy
  Surgical implications of the thickened pituitary stalk accompanied by central diabetes insipidus, 142
Birth injury
  Progressive syringomyelia controlled by treatment of associated hydrocephalus in an infant with birth injury. Case report, 198
Blood vessel neoplasm
  Intramedullary capillary hemangioma associated with hydrocephalus in an infant. Case report, 272
Bobble head
  Bobble head doll syndrome successfully treated with an endoscopic ventriculocystocisternostomy. Case report and review of the literature, 253
Bone neoplasm
  Desmoplastic fibroma of the pediatric skull. Report of three cases, 362
Bone spur
  Split cord malformations: a clinical study of 254 patients and a proposal for a new clinical–imaging classification, 531
Brain abscess
  Scedosporium apiospermum brain abscess treated with surgery and voriconazole. Case report, 83

Brain neoplasm
Meningioangiomatosis without neurofibromatosis: a clinical analysis, 319
Transplacental transmission of metastatic melanoma to the posterior fossa. Case report, 191
Brain tumor
Diffusion tensor imaging of intraaxial tumors at the cervicomedullary and pontomedullary junction. Report of two cases, 557
Giant intracranial teratoma and lack of cortical development in a fetus. Case report, 180
Surgical implications of the thickened pituitary stalk accompanied by central diabetes insipidus, 142

Calvarial lytic lesion
A solitary calvarial lytic lesion with typical histopathological findings of juvenile hyaline fibromatosis. Case report, 284
Cardiorespiratory arrest
Chiari I malformation and a dolichoodontoid process responsible for sudden cardiorespiratory arrest. Case report, 567
Cavernous hemangioma
Pediatric orbital multifocal cavernous hemangiomas associated with bilateral arachnoid cysts of the middle cranial fossa. Case report and review of the literature, 454
Cell cycle
Effect of trichostatin A, a histone deacetylase inhibitor, on glioma proliferation in vitro by inducing cell cycle arrest and apoptosis, 549
Central nervous system
Immature teratomas of the central nervous system: is adjuvant therapy mandatory? 524
Cerebellum
Malignant cerebellar swelling in Behçet disease. Case illustration, 292
Cerebrospinal fluid
Age-related variations in peak cerebrospinal fluid velocities in the foramen magnum, 508
Early programmable valve malfunctions in pediatric hydrocephalus, 501
Measurement of flow of cerebrospinal fluid in shunts by transcutaneous thermal convection. Technical note, 366
Age-related variations in peak cerebrospinal fluid velocities in the foramen magnum, 508
The value of C-reactive protein in the management of shunt infections, 223
Cerebrospinal fluid dynamics
Neuroendoscopic transventricular ventriculocystostomy in treatment for intracranial cysts, 54
Cervical spine
Age-related variations in peak cerebrospinal fluid velocities in the foramen magnum, 508
Cervicomedullary junction
Diffusion tensor imaging of intraaxial tumors at the cervicomedullary and pontomedullary junction. Report of two cases, 557
Chemical fluid analysis
Chemical analysis of fluid obtained from intracranial arachnoid cysts in pediatric patients, 427
Chemotherapy
Immature teratomas of the central nervous system: is adjuvant therapy mandatory? 524
Chiari malformation
Beckwith–Wiedemann syndrome in a child with Chiari I malformation. Case report, 172
Chiari I malformation and a dolichoodontoid process responsible for sudden cardiorespiratory arrest. Case report, 567
Chiari I malformation in patients with FG syndrome, 148
Neurosurgical causes of scoliosis in patients with myelomeningocele: an evidence-based literature review, 24
Spontaneous regression of syringomyelia in Hajdu–Cheney syndrome with severe platybasia. Case report, 194
Child abuse
Nonaccidental head injuries in children: a Sydney experience, 213
Serum neuron-specific enolase, S100B, and myelin basic protein concentrations after inflicted and noninflicted traumatic brain injury in children, 61
Choroid plexus cauterization
Comparison of endoscopic third ventriculostomy alone and combined with choroid plexus cauterization in infants younger than 1 year of age: results of a prospective study in 550 African children, 475
Cine-mode magnetic resonance imaging
Neuroendoscopic transventricular ventriculocystostomy in treatment for intracranial cysts, 54
Cleft palate
Neonatal hypothalamic hamartoma: a differentiating nonlethal hamartoblastoma. Case report, 277
Clinicoradiological classification
Split cord malformations: a clinical study of 254 patients and a proposal for a new clinical–imaging classification, 531
Clival subdural hematoma
Acute clival and spinal subdural hematoma with spontaneous resolution: clinical and radiographic correlation in support of a proposed pathophysiological mechanism. Case report, 175
Cloacal exstrophy
Terminal myelocystocele, 443
Communicating hydrocephalus
Hydrocephalus in children with posterior fossa tumors: role of endoscopic third ventriculostomy, 40
Neurocytoma-like neoplasm of the thoracic spine in a 15-month-old child presenting with diffuse leptomeningeal dissemination and communicating hydrocephalus. Case report, 184
Computerized tomography
Intracranial space, brain, and cerebrospinal fluid volume measurements obtained with the aid of three-dimensional computerized tomography in patients with and without Crouzon syndrome, 238
Intracranial volume in patients with nonsyndromal craniosynostosis, 137
Nonaccidental head injuries in children: a Sydney experience, 213
Computerized tomography ventriculocisternography
Neuroendoscopic transventricular ventriculocystostomy in treatment for intracranial cysts, 54
Congenital brain tumor
A congenital brain tumor associated with assisted in vitro fertilization. Case report, 451
Congenital hydrocephalus
Congenital hydrocephalus. Editorial, 111
Time trends and demographics of deaths from congenital hydrocephalus in children in the United States: National Center for Health Statistics data, 1979 to 1998, 113
Constructive interference in steady-state
Usefulness of constructive interference in steady-state magnetic resonance imaging in the presurgical examination for lumbosacral lipoma, 537
Craniopharyngioma
Craniopharyngioma. Editorial, 297
Influence of tumor location on the presentation and evolution of craniopharyngiomas, 421
Long-term results of gamma knife surgery for the treatment of craniopharyngioma in 98 consecutive cases, 482
Quality of life and behavioral follow-up study of pediatric survivors of craniopharyngioma, 302
Cranioplasty
Cranial defects. Letters, 95

Craniosynostosis
Genetic considerations in nonsyndromic midline craniosynostoses: a study of twins and their families, 353
Intracranial volume in patients with nonsyndromal craniosynostosis, 137
Craniovertebral instability
Symptomatic atlantoaxial instability in Down syndrome, 231
Craniovertebral junction
Occipitocondylar hyperplasia: an unusual craniovertebral junction anomaly causing myelopathy. Case report, 379
C-reactive protein
The value of C-reactive protein in the management of shunt infections, 223
Crouzon syndrome
Intracranial space, brain, and cerebrospinal fluid volume measurements obtained with the aid of three-dimensional computerized tomography in patients with and without Crouzon syndrome, 238
Cushing disease
Single-center experience with pediatric Cushing's disease, 413
Cyst
Bobble head doll syndrome successfully treated with an endoscopic ventriculocystocisternostomy. Case report and review of the literature, 253
Cyst growth
Chemical analysis of fluid obtained from intracranial arachnoid cysts in pediatric patients, 427

Delayed closure
Tissue expansion for the delayed closure of large myelomeningoceles, 544
Depressed skull fracture
Rational management of simple depressed skull fractures in infants, 69
Desmoplastic fibroma
Desmoplastic fibroma of the pediatric skull. Report of three cases, 362
Developing country
Comparison of endoscopic third ventriculostomy alone and combined with choroid plexus cauterization in infants younger than 1 year of age: results of a prospective study in 550 African children, 475
Diabetes insipidus
Surgical implications of the thickened pituitary stalk accompanied by central diabetes insipidus, 142
Diastematomyelia
Occult sacral meningocele. Letters, 204
Diffusion tensor imaging
Diffusion tensor imaging of intraaxial tumors at the cervicomedullary and pontomedullary junction. Report of two cases, 557
Dissemination
Epidermal growth factor receptor gene amplification and expression in disseminated pediatric low-grade gliomas, 357
Dolichoodontoid process
Chiari I malformation and a dolichoodontoid process responsible for sudden cardiorespiratory arrest. Case report, 567
Down syndrome
Symptomatic atlantoaxial instability in Down syndrome, 231
Drowning
Scedosporium apiospermum brain abscess treated with surgery and voriconazole. Case report, 83

Electrode
Stereoelectroencephalography in the presurgical evaluation of children with drug-resistant focal epilepsy, 333
Electroencephalography
Stereoelectroencephalography in the presurgical evaluation of children with drug-resistant focal epilepsy, 333
Endoscopic third ventriculostomy
Comparison of endoscopic third ventriculostomy alone and combined with choroid plexus cauterization in infants younger than 1 year of age: results of a prospective study in 550 African children, 475
Endoscopic third ventriculostomy: an outcome analysis of primary cases and procedures performed after ventriculoperitoneal shunt malfunction, 393
Endoscopic third ventriculostomy in infants, 50
Hydrocephalus in children with posterior fossa tumors: role of endoscopic third ventriculostomy, 40
Persistent hydrocephalus after early surgical management of posterior fossa tumors in children: is routine preoperative endoscopic third ventriculostomy justified? 247
The role of endoscopic third ventriculostomy in the treatment of triventricular hydrocephalus seen in children with achondroplasia. Report of two cases, 260
Endoscopy
Endoscopic cerebral aqueductoplasty: a trans–fourth ventricle approach, 388
Endovascular embolization
Endovascular treatment of spinal arteriovenous fistula in a young child with hereditary hemorrhagic telangiectasia. Case report, 462
Enterogenous cyst
Neurenteric cysts in children: 16 consecutive cases and review of the literature, 512
Epidermal growth factor receptor
Epidermal growth factor receptor gene amplification and expression in disseminated pediatric low-grade gliomas, 357
Epidural tumor
Spinal epidural angiolipoma complicated by an instrumental abscess. Case report, 166
Epilepsy
Long-term outcome after surgical treatment of temporal lobe epilepsy in children, 401
Stereoelectroencephalography in the presurgical evaluation of children with drug-resistant focal epilepsy, 333
Ethnicity
Time trends and demographics of deaths from congenital hydrocephalus in children in the United States: National Center for Health Statistics data, 1979 to 1998, 113

Fetus
Giant intracranial teratoma and lack of cortical development in a fetus. Case report, 180
FG syndrome
Chiari I malformation in patients with FG syndrome, 148
Fixation
A C1–2 locked facet in a child with atlantoaxial rotary fixation. Case report, 563
Fluorescence-activated cell sorting
Identification of phenotypic neural stem cells in a pediatric astroblastoma, 446
Foramen magnum
Age-related variations in peak cerebrospinal fluid velocities in the foramen magnum, 508
Freehand maneuver
Neuroendoscopic transventricular ventriculocystostomy in treatment for intracranial cysts, 54

Gamma knife surgery
Long-term results of gamma knife surgery for the treatment of craniopharyngioma in 98 consecutive cases, 482
Ganglioglioma
Diffusion tensor imaging of intraaxial tumors at the cervicomedullary and pontomedullary junction. Report of two cases, 557
Gelastic seizure
Surgical strategies for approaching hypothalamic hamartomas causing gelastic seizures in the pediatric population: transveatricular compared with skull base approaches, 325

Genetics
Genetic considerations in nonsyndromic midline craniosynostoses: a study of twins and their families, 353
Glioma
Effect of trichostatin A, a histone deacetylase inhibitor, on glioma proliferation in vitro by inducing cell cycle arrest and apoptosis, 549
Glioma, low-grade
Diffusion tensor imaging of intraaxial tumors at the cervicomedullary and pontomedullary junction. Report of two cases, 557
Epidermal growth factor receptor gene amplification and expression in disseminated pediatric low-grade gliomas, 357
Gorlin syndrome
Central nervous system meningiomas in the first two decades of life: clinicopathological analysis of 87 cases, 489
Growth hormone
Influence of tumor location on the presentation and evolution of craniopharyngiomas, 421

Hajdu–Cheney syndrome
Spontaneous regression of syringomyelia in Hajdu–Cheney syndrome with severe platybasia. Case report, 194
Hamartoma
Neonatal hypothalamic hamartoma: a differentiating nonlethal hamartoblastoma. Case report, 277
Surgical strategies for approaching hypothalamic hamartomas causing gelastic seizures in the pediatric population: transventricular compared with skull base approaches, 325
Handy rigid-rod neuroendoscope
Neuroendoscopic transventricular ventriculocystostomy in treatment for intracranial cysts, 54
Headache
Headache in pediatric moyamoya disease: review of 204 consecutive cases, 439
Head injury
Children and television tipovers: a significant and preventable cause of long-term neurological deficits, 219
Nonaccidental head injuries in children: a Sydney experience, 213
Hemangiolipoma
Paraparesis caused by an angiolipomatous hamartoma in an adolescent with Proteus syndrome and scoliosis. Case report, 282
Hemihypertrophy
Beckwith–Wiedemann syndrome in a child with Chiari I malformation. Case report, 172
Hemorrhage
Endoscopic third ventriculostomy: an outcome analysis of primary cases and procedures performed after ventriculoperitoneal shunt malfunction, 393
Hereditary hemorrhagic telangiectasia
Endovascular treatment of spinal arteriovenous fistula in a young child with hereditary hemorrhagic telangiectasia. Case report, 462
High-dose chemotherapy
Medulloblastoma. Editorial, 299
Preoperative chemotherapy in children with high-risk medulloblastomas: a feasibility study, 312
Hindbrain
Beckwith–Wiedemann syndrome in a child with Chiari I malformation. Case report, 172
Hip subluxation
Hip joint subluxation after selective dorsal rhizotomy for spastic cerebral palsy, 10
Histone deacetylase inhibitor
Effect of trichostatin A, a histone deacetylase inhibitor, on glioma proliferation in vitro by inducing cell cycle arrest and apoptosis, 549

Hydrocephalus
Arrested hydrocephalus and the presyrinx state. Case report, 466
Comparison of endoscopic third ventriculostomy alone and combined with choroid plexus cauterization in infants younger than 1 year of age: a prospective study in 550 African children, 475
Congenital hydrocephalus. Editorial, 111
Early programmable valve malfunctions in pediatric hydrocephalus, 501
Effect of antibiotic-impregnated shunt catheters in decreasing in incidence of shunt infection in the treatment of hydrocephalus, 131
Effect of 3-tesla magnetic resonance imaging on various pressure programmable shunt valves, 163
Endoscopic cerebral aqueductoplasty: a trans–fourth ventricle approach, 388
Endoscopic fourth ventricular aqueductoplasty. Editorial, 385
Endoscopic options in the management of isolated fourth ventricles. Case report, 73
Comparison of endoscopic third ventriculostomy alone and combined with choroid plexus cauterization in infants younger than 1 year of age: results of a prospective study in 550 African children, 475
Endoscopic third ventriculostomy in infants, 50
Hydrocephalus in children with posterior fossa tumors: role of endoscopic third ventriculostomy, 40
Intramedullary capillary hemangioma associated with hydrocephalus in an infant. Case report, 272
Neurocutaneous melanosis. Letters, 382
Neurocytoma-like neoplasm of the thoracic spine in a 15-month-old child presenting with diffuse leptomeningeal dissemination and communicating hydrocephalus. Case report, 184
Persistent hydrocephalus after early surgical management of posterior fossa tumors in children: is routine preoperative endoscopic third ventriculostomy justified? 247
Progressive syringomyelia controlled by treatment of associated hydrocephalus in an infant with birth injury. Case report, 198
The role of endoscopic third ventriculostomy in the treatment of triventricular hydrocephalus seen in children with achondroplasia. Report of two cases, 260
The role of lumbar shunts in the management of slit ventricles: does the slit-ventricle syndrome exist? 119
Time trends and demographics of deaths from congenital hydrocephalus in children in the United States: National Center for Health Statistics data, 1979 to 1998, 113
Use of rapid-sequence magnetic resonance imaging for evaluation of hydrocephalus in children, 124
The value of C-reactive protein in the management of shunt infections, 223
Hydromer
Shunt infection. Letters, 293
Hydromyelia
Neurosurgical causes of scoliosis in patients with myelomeningocele: an evidence-based literature review, 24
Hydroxyapatite
Cranial defects. Letters, 95
Hypercortisolism
Single-center experience with pediatric Cushing's disease, 413
Hypothalamic hamartoblastoma
Neonatal hypothalamic hamartoma: a differentiating nonlethal hamartoblastoma. Case report, 277
Hypothalamus
Influence of tumor location on the presentation and evolution of craniopharyngiomas, 421
Surgical strategies for approaching hypothalamic hamartomas causing gelastic seizures in the pediatric population: transventricular compared with skull base approaches, 325

Hypotonia
Chiari I malformation in patients with FG syndrome, 148

Immature teratoma
Immature teratomas of the central nervous system: is adjuvant therapy mandatory? 524
Immunocompromise
Improved survival in central nervous system aspergillosis: a series of immunocompromised children with leukemia undergoing stereotactic resection of aspergillomas. Report of four cases, 374
Infant
A congenital brain tumor associated with assisted in vitro fertilization. Case report, 451
Endoscopic third ventriculostomy: an outcome analysis of primary cases and procedures performed aftecgtqz
Hydrocephalus in children with posterior fossa tumors: role of endoscopic third ventriculostomy, 40
Rational management of simple depressed skull fractures in infants, 69
Infarction
Risk factors for postoperative ischemic complications in patients with moyamoya disease, 433
Infection
Effect of antibiotic-impregnated shunt catheters in decreasing in incidence of shunt infection in the treatment of hydrocephalus, 131
Endoscopic third ventriculostomy: an outcome analysis of primary cases and procedures performed after ventriculoperitoneal shunt malfunction, 393
Infratentorial mass
Transplacental transmission of metastatic melanoma to the posterior fossa. Case report, 191
Intracranial abscess
Improved survival in central nervous system aspergillosis: a series of immunocompromised children with leukemia undergoing stereotactic resection of aspergillomas. Report of four cases, 374
Intracranial cyst
Neuroendoscopic transventricular ventriculocystostomy in treatment for intracranial cysts, 54
Intracranial hypertension
Delayed intracranial hypertension and cerebellar tonsillar necrosis associated with a depressed occipital skull fracture compressing the superior sagittal sinus. Case report, 458
Intracranial volume
Intracranial volume in patients with nonsyndromal craniosynostosis, 137
Intractable epilepsy
Long-term outcome after surgical treatment of temporal lobe epilepsy in children, 401
Intramedullary hemangioma
Intramedullary capillary hemangioma associated with hydrocephalus in an infant. Case report, 272
Intraoperative monitoring
Usefulness of constructive interference in steady-state magnetic resonance imaging in the presurgical examination for lumbosacral lipoma, 537
Invasive investigation
Stereoelectroencephalography in the presurgical evaluation of children with drug-resistant focal epilepsy, 333
In vitro fertilization
A congenital brain tumor associated with assisted in vitro fertilization. Case report, 451
Ischemia
Headache in pediatric moyamoya disease: review of 204 consecutive cases, 439
Isolated fourth ventricle
Endoscopic options in the management of isolated fourth ventricles. Case report, 73

Juvenile hyaline fibromatosis
A solitary calvarial lytic lesion with typical histopathological findings of juvenile hyaline fibromatosis. Case report, 284
Juvenile systemic hyalinosis
A solitary calvarial lytic lesion with typical histopathological findings of juvenile hyaline fibromatosis. Case report, 284

Keyhole craniotomy
A superciliary approach for anterior cranial fossa lesions in children. Technical note, 88

Lacrimal gland
Unilateral proptosis arising from an ectopic lacrimal gland of the orbit. Case report, 289
Late effect
Quality of life and behavioral follow-up study of pediatric survivors of craniopharyngioma, 302
Leptomeningeal dissemination
Neurocytoma-like neoplasm of the thoracic spine in a 15-month-old child presenting with diffuse leptomeningeal dissemination and communicating hydrocephalus. Case report, 184
Lipomyelocystocele
Terminal myelocystoceles: a series of 17 cases, 344
Lumbar shunt
The role of lumbar shunts in the management of slit ventricles: does the slit-ventricle syndrome exist? 119
Lumbosacral lipoma
Usefulness of constructive interference in steady-state magnetic resonance imaging in the presurgical examination for lumbosacral lipoma, 537
Lumbosacral mass
Terminal myelocystoceles: a series of 17 cases, 344

Magnetic resonance imaging
Arrested hydrocephalus and the presyrinx state. Case report, 466
Effect of 3-tesla magnetic resonance imaging on various pressure programmable shunt valves, 163
Giant intracranial teratoma and lack of cortical development in a fetus. Case report, 180
Nonaccidental head injuries in children: a Sydney experience, 213
Spinal cord injury without radiological abnormality in preschool-aged children: correlation of magnetic resonance imaging findings with neurological outcomes, 17
Surgical implications of the thickened pituitary stalk accompanied by central diabetes insipidus, 142
Usefulness of constructive interference in steady-state magnetic resonance imaging in the presurgical examination for lumbosacral lipoma, 537
Magnetic resonance venography
Delayed intracranial hypertension and cerebellar tonsillar necrosis associated with a depressed occipital skull fracture compressing the superior sagittal sinus. Case report, 458
Maturation
Preoperative chemotherapy in children with high-risk medulloblastomas: a feasibility study, 312
Melanoma
Transplacental transmission of metastatic melanoma to the posterior fossa. Case report, 191
Meningioangiomatosis
Meningioangiomatosis without neurofibromatosis: a clinical analysis, 319
Meningioma
Central nervous system meningiomas in the first two decades of life: clinicopathological analysis of 87 cases, 489
Meningocele
Occult sacral meningocele. Letters, 204
Spontaneous resorption of a sacral meningocele. Case illustration, 94

Metastasis
Preoperative chemotherapy in children with high-risk medulloblastomas: a feasibility study, 312
Microsurgery
Single-center experience with pediatric Cushing's disease, 413
Minimally invasive
A superciliary approach for anterior cranial fossa lesions in children. Technical note, 88
Mixed glioneuronal neoplasm
Neurocytoma-like neoplasm of the thoracic spine in a 15-month-old child presenting with diffuse leptomeningeal dissemination and communicating hydrocephalus. Case report, 184
Moyamoya disease
Headache in pediatric moyamoya disease: review of 204 consecutive cases, 439
Risk factors for postoperative ischemic complications in patients with moyamoya disease, 433
Myelin basic protein
Serum neuron-specific enolase, S100B, and myelin basic protein concentrations after inflicted and noninflicted traumatic brain injury in children, 61
Myelocystocele
Terminal myelocystocele, 443
Myelomeningocele
Anterior thoracic myelomeningocele presenting as a retromediastinal mass. Case report, 79
Comparison of endoscopic third ventriculostomy alone and combined with choroid plexus cauterization in infants younger than 1 year of age: results of a prospective study in 550 African children, 475
Neurosurgical causes of scoliosis in patients with myelomeningocele: an evidence-based literature review, 24
Tissue expansion for the delayed closure of large myelomeningoceles, 544
Myelopathy
Occipitocondylar hyperplasia: an unusual craniovertebral junction anomaly causing myelopathy. Case report, 379

Natural history
Spontaneous regression of syringomyelia in Hajdu–Cheney syndrome with severe platybasia. Case report, 194
Neonate
Neonatal aneurysms. Letters, 472
Neonatal hypothalamic hamartoma: a differentiating nonlethal hamartoblastoma. Case report, 277
Rational management of simple depressed skull fractures in infants, 69
Neoplasm
Unilateral proptosis arising from an ectopic lacrimal gland of the orbit. Case report, 289
Neural stem cell
Identification of phenotypic neural stem cells in a pediatric astroblastoma, 446
Neurenteric cyst
Neurenteric cysts in children: 16 consecutive cases and review of the literature, 512
Neurocutaneous melanosis
Neurocutaneous melanosis. Letters, 382
Neurocytoma
Neurocytoma-like neoplasm of the thoracic spine in a 15-month-old child presenting with diffuse leptomeningeal dissemination and communicating hydrocephalus. Case report, 184
Neuroendoscopy
Endoscopic options in the management of isolated fourth ventricles. Case report, 73
Neuroepithelial tumor
A congenital brain tumor associated with assisted in vitro fertilization. Case report, 451
Neurofibromatosis
Central nervous system meningiomas in the first two decades of life: clinicopathological analysis of 87 cases, 489
Neuroimaging
Diffusion tensor imaging of intraaxial tumors at the cervicomedullary and pontomedullary junction. Report of two cases, 557
Neurological surgery
Malignant cerebellar swelling in Behçet disease. Case illustration, 292
Neuron-specific enolase
Serum neuron-specific enolase, S100B, and myelin basic protein concentrations after inflicted and noninflicted traumatic brain injury in children, 61

Obstructive hydrocephalus
Hydrocephalus in children with posterior fossa tumors: role of endoscopic third ventriculostomy, 40
Occipitocondylar hyperplasia
Occipitocondylar hyperplasia: an unusual craniovertebral junction anomaly causing myelopathy. Case report, 379
Orbit
Pediatric orbital multifocal cavernous hemangiomas associated with bilateral arachnoid cysts of the middle cranial fossa. Case report and review of the literature, 454
Orthopedic surgery
Dorsal rhizotomy. Editorial, 1
Orthopedic surgery after selective dorsal rhizotomy for spastic diplegia in relation to ambulatory status and age, 5
Osler-Weber-Rendu syndrome
Endovascular treatment of spinal arteriovenous fistula in a young child with hereditary hemorrhagic telangiectasia. Case report, 462
Os odontoideum
Symptomatic atlantoaxial instability in Down syndrome, 231
Outcome
Endoscopic third ventriculostomy: an outcome analysis of primary cases and procedures performed after ventriculoperitoneal shunt malfunction, 393
Hip joint subluxation after selective dorsal rhizotomy for spastic cerebral palsy, 10
Long-term outcome after surgical treatment of temporal lobe epilepsy in children, 401
Nonaccidental head injuries in children: a Sydney experience, 213
Orthopedic surgery after selective dorsal rhizotomy for spastic diplegia in relation to ambulatory status and age, 5
Split cord malformations: a clinical study of 254 patients and a proposal for a new clinical–imaging classification, 531
Terminal myelocystoceles: a series of 17 cases, 344
Outcome measures
Potentially useful outcome measures for clinical research in pediatric neurosurgery, 207
Outcome research
Potentially useful outcome measures for clinical research in pediatric neurosurgery, 207
Overgrowth syndrome
Beckwith–Wiedemann syndrome in a child with Chiari I malformation. Case report, 172

Paraplegia
Supraplacode spinal cord transection in paraplegic patients with myelodysplasia and repetitive symptomatic tethered spinal cord, 36
Pediatric trauma
Acute clival and spinal subdural hematoma with spontaneous resolution: clinical and radiographic correlation in support of a proposed pathophysiological mechanism. Case report, 175

Penetrating injury
Anterior penetrating sacral injury in a child. Case illustration, 471
Pilocytic astrocytoma
Diffusion tensor imaging of intraaxial tumors at the cervicomedullary and pontomedullary junction. Report of two cases, 557
Pituitary stalk
Surgical implications of the thickened pituitary stalk accompanied by central diabetes insipidus, 142
Pituitary tumor
Influence of tumor location on the presentation and evolution of craniopharyngiomas, 421
Single-center experience with pediatric Cushing's disease, 413
Pontomedullary junction
Diffusion tensor imaging of intraaxial tumors at the cervicomedullary and pontomedullary junction. Report of two cases, 557
Posterior fossa tumor
Hydrocephalus in children with posterior fossa tumors: role of endoscopic third ventriculostomy, 40
Medulloblastoma. Editorial, 299
Persistent hydrocephalus after early surgical management of posterior fossa tumors in children: is routine preoperative endoscopic third ventriculostomy justified? 247
Preoperative chemotherapy in children with high-risk medulloblastomas: a feasibility study, 312
Posterior rhizotomy
Hip joint subluxation after selective dorsal rhizotomy for spastic cerebral palsy, 10
Postoperative ischemic complication
Risk factors for postoperative ischemic complications in patients with moyamoya disease, 433
Posttraumatic syringomyelia
Progressive syringomyelia controlled by treatment of associated hydrocephalus in an infant with birth injury. Case report, 198
Pressure control arm
Obstruction of a Codman-Hakim programmable valve by a migrating pressure control cam. Case report, 270
Pressure-programmable valve
Effect of 3-tesla magnetic resonance imaging on various pressure programmable shunt valves, 163
Presyrinx state
Arrested hydrocephalus and the presyrinx state. Case report, 466
Priapism
An unusual presentation of achondroplasia. Case report, 170
Programmable valve
Early programmable valve malfunctions in pediatric hydrocephalus, 501
Obstruction of a Codman-Hakim programmable valve by a migrating pressure control cam. Case report, 270
Proptosis
Unilateral proptosis arising from an ectopic lacrimal gland of the orbit. Case report, 289
Proteus syndrome
Paraparesis caused by an angiolipomatous hamartoma in an adolescent with Proteus syndrome and scoliosis. Case report, 282
Pseudotumor cerebri
Delayed intracranial hypertension and cerebellar tonsillar necrosis associated with a depressed occipital skull fracture compressing the superior sagittal sinus. Case report, 458
Pupillometry
Quantitative pupillometry: normative data in healthy pediatric volunteers, 496

Quality of life
Craniopharyngioma. Editorial, 297
Quality of life and behavioral follow-up study of pediatric survivors of craniopharyngioma, 302

Radiation
Central nervous system meningiomas in the first two decades of life: clinicopathological analysis of 87 cases, 489
Radiosurgery
Long-term results of gamma knife surgery for the treatment of craniopharyngioma in 98 consecutive cases, 482
Radiotherapy
Immature teratomas of the central nervous system: is adjuvant therapy mandatory? 524
Rapid-sequence magnetic resonance imaging
Use of rapid-sequence magnetic resonance imaging for evaluation of hydrocephalus in children, 124
Retromediastinal mass
Anterior thoracic myelomeningocele presenting as a retromediastinal mass. Case report, 79
Revascularization
Risk factors for postoperative ischemic complications in patients with moyamoya disease, 433
Risk factor
Nonaccidental head injuries in children: a Sydney experience, 213

Sacral meningocele
Spontaneous resorption of a sacral meningocele. Case illustration, 94
Sacrum
Anterior penetrating sacral injury in a child. Case illustration, 471
Sagittal suture
Sticky sutures? Letters, 203
S100B
Serum neuron-specific enolase, S100B, and myelin basic protein concentrations after inflicted and noninflicted traumatic brain injury in children, 61
Scaphocephaly
Genetic considerations in nonsyndromic midline craniosynostoses: a study of twins and their families, 353
Sticky sutures? Letters, 203
Scedosporium apiospermum
Scedosporium apiospermum brain abscess treated with surgery and voriconazole. Case report, 83
SCIWORA
Spinal cord injury without radiological abnormality in preschool-aged children: correlation of magnetic resonance imaging findings with neurological outcomes, 17
Scoliosis
Neurosurgical causes of scoliosis in patients with myelomeningocele: an evidence-based literature review, 24
Paraparesis caused by an angiolipomatous hamartoma in an adolescent with Proteus syndrome and scoliosis. Case report, 282
Segmented nerve
Pediatric nonvertebral paraspinal arteriovenous fistulas along the segmental curve: clinical, imaging, and therapeutic considerations, 156
Seizure
Long-term outcome after surgical treatment of temporal lobe epilepsy in children, 401
Meningioangiomatosis without neurofibromatosis: a clinical analysis, 319
Selective dorsal rhizotomy
Dorsal rhizotomy. Editorial, 1
Hip joint subluxation after selective dorsal rhizotomy for spastic cerebral palsy, 10
Orthopedic surgery after selective dorsal rhizotomy for spastic diplegia in relation to ambulatory status and age, 5

Shunt
Early programmable valve malfunctions in pediatric hydrocephalus, 501
Effect of antibiotic-impregnated shunt catheters in decreasing in incidence of shunt infection in the treatment of hydrocephalus, 131
Measurement of flow of cerebrospinal fluid in shunts by transcutaneous thermal convection. Technical note, 366
Obstruction of a Codman-Hakim programmable valve by a migrating pressure control cam. Case report, 270
The role of lumbar shunts in the management of slit ventricles: does the slit-ventricle syndrome exist? 119
Shunt infection. Letters, 293
The value of C-reactive protein in the management of shunt infections, 223
Skull base
Surgical strategies for approaching hypothalamic hamartomas causing gelastic seizures in the pediatric population: transventricular compared with skull base approaches, 325
Skull base fracture
Children and television tipovers: a significant and preventable cause of long-term neurological deficits, 219
Skull fracture
Delayed intracranial hypertension and cerebellar tonsillar necrosis associated with a depressed occipital skull fracture compressing the superior sagittal sinus. Case report, 458
Skull lesion
Desmoplastic fibroma of the pediatric skull. Report of three cases, 362
Slit ventricle syndrome
The role of lumbar shunts in the management of slit ventricles: does the slit-ventricle syndrome exist? 119
Spastic diplegia
Orthopedic surgery after selective dorsal rhizotomy for spastic diplegia in relation to ambulatory status and age, 5
Spasticity
Hip joint subluxation after selective dorsal rhizotomy for spastic cerebral palsy, 10
Spina bifida
Congenital hydrocephalus. Editorial, 111
Neurosurgical causes of scoliosis in patients with myelomeningocele: an evidence-based literature review, 24
Supraplacode spinal cord transection in paraplegic patients with myelodysplasia and repetitive symptomatic tethered spinal cord, 36
Time trends and demographics of deaths from congenital hydrocephalus in children in the United States: National Center for Health Statistics data, 1979 to 1998, 113
Spinal arteriovenous fistula
Pediatric nonvertebral paraspinal arteriovenous fistulas along the segmental curve: clinical, imaging, and therapeutic considerations, 156
Spinal cord
Intramedullary capillary hemangioma associated with hydrocephalus in an infant. Case report, 272
An unusual presentation of achondroplasia. Case report, 170
Spinal cord compression
Noncommunicating spinal extradural arachnoid cyst causing spinal cord compression in a child. Case report, 266
Paraparesis caused by an angiolipomatous hamartoma in an adolescent with Proteus syndrome and scoliosis. Case report, 282
Spinal epidural angiolipoma complicated by an instrumental abscess. Case report, 166
Spinal cord injury
Spinal cord injury without radiological abnormality in preschool-aged children: correlation of magnetic resonance imaging findings with neurological outcomes, 17
Spinal cord tethering
Neurosurgical causes of scoliosis in patients with myelomeningocele: an evidence-based literature review, 24
Spinal cyst
Neurenteric cysts in children: 16 consecutive cases and review of the literature, 512
Spinal dysraphism
Anterior thoracic myelomeningocele presenting as a retromediastinal mass. Case report, 79
Neurosurgical causes of scoliosis in patients with myelomeningocele: an evidence-based literature review, 24
Terminal myelocystocele, 443
Terminal myelocystoceles: a series of 17 cases, 344
Spinal dysraphism
Neurenteric cysts in children: 16 consecutive cases and review of the literature, 512
Spinal injury
Anterior penetrating sacral injury in a child. Case illustration, 471
Spinal stenosis
An unusual presentation of achondroplasia. Case report, 170
Spinal subdural hematoma
Acute clival and spinal subdural hematoma with spontaneous resolution: clinical and radiographic correlation in support of a proposed pathophysiological mechanism. Case report, 175
Spinal tumor
Paraparesis caused by an angiolipomatous hamartoma in an adolescent with Proteus syndrome and scoliosis. Case report, 282
Spine
Spinal cord injury without radiological abnormality in preschool-aged children: correlation of magnetic resonance imaging findings with neurological outcomes, 17
Split cord malformations
Split cord malformations: a clinical study of 254 patients and a proposal for a new clinical–imaging classification, 531
Split notochord syndrome
Neurenteric cysts in children: 16 consecutive cases and review of the literature, 512
Spontaneous resolution
Spontaneous regression of syringomyelia in Hajdu–Cheney syndrome with severe platybasia. Case report, 194
Spontaneous resorption
Spontaneous resorption of a sacral meningocele. Case illustration, 94
Stereotactic neurosurgery
Improved survival in central nervous system aspergillosis: a series of immunocompromised children with leukemia undergoing stereotactic resection of aspergillomas. Report of four cases, 374
Stereotaxy
Stereoelectroencephalography in the presurgical evaluation of children with drug-resistant focal epilepsy, 333
Subdural hematoma
Acute clival and spinal subdural hematoma with spontaneous resolution: clinical and radiographic correlation in support of a proposed pathophysiological mechanism. Case report, 175
Subluxation
A C1–2 locked facet in a child with atlantoaxial rotary fixation. Case report, 563
Superciliary approach
A superciliary approach for anterior cranial fossa lesions in children. Technical note, 88
Superior sagittal sinus
Delayed intracranial hypertension and cerebellar tonsillar necrosis associated with a depressed occipital skull fracture compressing the superior sagittal sinus. Case report, 458
Suprasellar arachnoid cyst
Bobble head doll syndrome successfully treated with an endoscopic ventriculocystocisternostomy. Case report and review of the literature, 253

Syringomyelia
Arrested hydrocephalus and the presyrinx state. Case report, 466
Neurosurgical causes of scoliosis in patients with myelomeningocele: an evidence-based literature review, 24

Television tipover
Children and television tipovers: a significant and preventable cause of long-term neurological deficits, 219
Temporal lobe epilepsy
Long-term outcome after surgical treatment of temporal lobe epilepsy in children, 401
Teratoma
Giant intracranial teratoma and lack of cortical development in a fetus. Case report, 180
Terminal myelocystocele
Terminal myelocystoceles: a series of 17 cases, 344
Tethered cord
Split cord malformations: a clinical study of 254 patients and a proposal for a new clinical–imaging classification, 531
Supraplacode spinal cord transection in paraplegic patients with myelodysplasia and repetitive symptomatic tethered spinal cord, 36
Thermal convection
Measurement of flow of cerebrospinal fluid in shunts by transcutaneous thermal convection. Technical note, 366
Third ventriculocisternostomy
Preoperative chemotherapy in children with high-risk medulloblastomas: a feasibility study, 312
Third ventriculostomy
Endoscopic options in the management of isolated fourth ventricles. Case report, 73
Time trends
Time trends and demographics of deaths from congenital hydrocephalus in children in the United States: National Center for Health Statistics data, 1979 to 1998, 113
Tissue expansion
Tissue expansion for the delayed closure of large myelomeningoceles, 544
Tonsillar ectopia
Chiari I malformation in patients with FG syndrome, 148
Tonsillar herniation
Delayed intracranial hypertension and cerebellar tonsillar necrosis associated with a depressed occipital skull fracture compressing the superior sagittal sinus. Case report, 458
Transplacental metastasis
Transplacental transmission of metastatic melanoma to the posterior fossa. Case report, 191
Transsphenoidal surgery
Single-center experience with pediatric Cushing's disease, 413
Trapped fourth ventricle
Endoscopic cerebral aqueductoplasty: a trans–fourth ventricle approach, 388
Traumatic brain injury
Serum neuron-specific enolase, S100B, and myelin basic protein concentrations after inflicted and noninflicted traumatic brain injury in children, 61
Trichostatin A
Effect of trichostatin A, a histone deacetylase inhibitor, on glioma proliferation in vitro by inducing cell cycle arrest and apoptosis, 549
Trigonocephaly
Genetic considerations in nonsyndromic midline craniosynostoses: a study of twins and their families, 353
Tumor
A superciliary approach for anterior cranial fossa lesions in children. Technical note, 88
Twin study
Genetic considerations in nonsyndromic midline: a study of twins and their families, 353

Ventriculocystocisternostomy
Bobble head doll syndrome successfully treated with an endoscopic ventriculocystocisternostomy. Case report and review of the literature, 253
Ventriculoperitoneal shunt
Arrested hydrocephalus and the presyrinx state. Case report, 466
Early programmable valve malfunctions in pediatric hydrocephalus, 501
Effect of antibiotic-impregnated shunt catheters in decreasing in incidence of shunt infection in the treatment of hydrocephalus, 131
Endoscopic third ventriculostomy: an outcome analysis of primary cases and procedures performed after ventriculoperitoneal shunt malfunction, 393
Endoscopic third ventriculostomy: an outcome analysis of primary cases and procedures performed aftecgtqz
Progressive syringomyelia controlled by treatment of associated hydrocephalus in an infant with birth injury. Case report, 198
Volume measurement
Intracranial space, brain, and cerebrospinal fluid volume measurements obtained with the aid of three-dimensional computerized tomography in patients with and without Crouzon syndrome, 238
Voriconazole
Scedosporium apiospermum brain abscess treated with surgery and voriconazole. Case report, 83

Index to
Journal of Neurosurgery: Spine
Volume 3

July–December, 2005

Author Index

ABE Y. *See* Kawaguchi Y, 262
ACOSTA FL JR. *See* Ames CP, 465
ADN M. *See* Hamlat A, 477
AIKAWA D. *See* Tamura M, 230
AKBAY A, İNCEOGLU S, MILKS R, SCHLENK R, PALAOGLU S, BENZEL E. Thoracic transfacet pedicle screw fixation: a new instrumentation technique, 224
AKUTSU H. *See* Ito Y, 324
ALATAS I. *See* Güzey FK, 450
ALBERT TJ, KIM DH. Timing of surgical stabilization after cervical and thoracic trauma, 182
ALTINOZ MA, SANTAGUIDA C, GUIOT M, DEL MAESTRO RF. Spinal hemangioblastoma containing metastatic renal cell carcinoma in von Hippel–Lindau disease. Case report and review of the literature, 495
AMES CP, ACOSTA FL, CHAMBERLAIN RH, LARIOS AE, CRAWFORD NJ. Biomechanical analysis of a newly designed bioabsorbable anterior cervical plate. Invited submission from the Joint Section on Disorders of the Spine and Peripheral Nerves, March 2005, 465
AQUILINA K, LIM C, KAMEL NH, MARKS CJ, O'SULLIVAN MG, KEOHANE C. Epithelioid hemangioendothelioma of the spine. Report of two cases, 393
———. *See* Kamel MH, 61
ASHKENAZI E, SMORGICK Y, RAND N, MILLGRAM MA, MIROVSKY Y, FLOMAN Y. Anterior decompression combined with corpectomies and discectomies in the management of multilevel cervical myelopathy: a hybrid decompression and fixation technique, 205
ATTIAS J. *See* Knoller N, 173
AUERBACH G. *See* Knoller N, 173

BAAR J. *See* Gerszten PC, 288
BAGLEY CA. *See* Mavinkurve G, 142
BAKIMER R. *See* Knoller N, 173
BAMBAKIDIS NC, RODRIGUE T, MEGERIAN CA, RATCHESON RA. Endolymphatic sac tumor metastatic to the spine. Case report, 68
BANNAN P. *See* Siu TLT, 64
BAS NS. *See* Güzey FK, 450
BATZDORF U. Primary spinal syringomyelia. Invited submission from the Joint Section Meeting on Disorders of the Spine and Periphereal Nerves, March 2005, 429
BÄZNER H. *See* Thomé C, 129
BEIER CP, HARTMANN A, WOERTGEN C, BRAWANSKI A, ROTHOERL RD. A large, erosive intraspinal and paravertebral gout tophus. Case report, 485
BELKIN M. *See* Knoller N, 173
BENZEL EC. *See* Akbay A, 224
———. *See* Kilinçer C, 34
BINGAMAN W. *See* Kilinçer C, 34
BLOUNT JP. *See* Tubbs RS, 375
BOHINSKI RJ, MENDEL E, RHINES LD. Novel use of a threadwire saw for high sacral amputation. Technical note and description of operative technique, 71
BRADFORD R. *See* Uff C, 390
BRASSIER G. *See* Hamlat A, 477
BRAVERMAN B. *See* Jimenez JC, 92
BRAWANSKI A. *See* Beier CP, 485
BREM H. *See* Mavinkurve G, 142
BRUERA E. *See* Guo Y, 106
BRUNEAU M, POLIVKA M, CORNELIUS JF, GEORGE B. Progression of an osteoid osteoma to an osteoblastoma. Case report, 238
BULSARA KR. *See* Villavicencio AT, 436
BURKE DA. *See* Shields CB, 302
BURNEIKIENE S. *See* Villavicencio AT, 436
BURTON SA. *See* Gerszten PC, 288, 296

CAMPBELL JN. *See* Sheth RN, 355
CANER H. *See* Kaptanoglu E, 53
CANTORE G. *See* Passacantilli E, 123
CARMOUCHE JJ, MOLINARI RW, GERLINGER T, DEVINE J, PATIENCE T. Effects of pilot hole preparation technique on pedicle screw fixation in different regions of the osteoporotic thoracic and lumbar spine, 364
CELLI P, TRILLO G, FERRANTE L. Extrathecal intraradicular nerve sheath tumor, 1
CHAMBERLAIN RH. *See* Ames CP, 465
CHANG W. *See* Hsu C, 271
CHEN J, WU C, LEE SC, LEE ST. Use of a polymethylacrylate cervical cage in the treatment of single-level cervical disc disease, 24
CHIBA K, YAMAMOTO I, HIRABAYASHI H, IWASAKI M, GOTO H, YONENOBU K, TOYAMA Y. Multicenter study investigating the postoperative progression of ossification of the posterior longitudinal ligament in the cervical spine: a new computer-assisted measurement, 17
———. *See* Ogawa Y, 198
———. *See* Watanabe K, 405

Cho D, Kim S, Seo E, Chung I, Oh C. Quantitative anatomical and morphological classification of the iliac vessels anterior to the lumbosacral vertebrae, 371
Chou W. *See* Hsu C, 271
Chou Y. *See* Hsu C, 271
Choudhri HF. *See* Vender JR, 276
Chung I. *See* Cho D, 371
Cohen-Gadol, AA. *See* Maramattom BV, 249
Collazos-Castro JE, Muñetón-Gómez VC, Nieto-Sampedro M. Olfactory glia transplantation into cervical spinal cord contusion injuries, 308
Cooper PR. Cervical spondylotic myelopathy. Letters, 253
Cornelius JF. *See* Bruneau M, 238
Costanzo G. *See* Missori P, 57
Cramer P, Thomale U, Okuducu AF, Lemke AJ, Stockhammer F, Woiciechowsky C. An atypical spinal meningioma with CSF metastasis: fatal progression despite aggressive treatment, 153
Crawford NR. *See* Ames CP, 465
———. *See* Gonzalez LF, 318
Cusick J, Lidar Z. An unusual presentation and resolution of syringomyelia after cervical spine injury. Case report, 482

D'Andrea G. *See* Missori P, 57
Deen HG, Fox TP. Balloon kyphoplasty for vertebral compression fractures secondary to polyostotic fibrous dysplasia. Case report, 234
Del Maestro RF. *See* Altinoz MA, 495
Delfini R. *See* Missori P, 57
———. *See* Passacantilli E, 123
Derby R, Lettice JJ, Kula TA, Lee SH, Seo K, Kim B. Single-level lumbar fusion in chronic discogenic low-back pain: psychological and emotional status as a predictor of outcome measured using the 36-item Short Form, 255
Deutsch H. *See* Jimenez JC, 92
Devine J. *See* Carmouche JJ, 364
Dickman CA. *See* Gonzalez LF, 318
———. *See* Hott JS, 191
Donovan DJ, Huynh TV, Purdom EB, Johnson RE, Sniezek JC. Osteoradionecrosis of the cervical spine resulting from radiotherapy for primary head and neck malignancies: operative and nonoperative management. Case report, 159
Duggal N. *See* Sekhon LHS, 335

Emel E. *See* Güzey FK, 450
Endo N. *See* Watanabe K, 86

Favors M. *See* Villavicencio AT, 436
Fehlings MG. Complete cord injury. Editorial, 171
Feiz-Erfan I. *See* Hott JS, 191
Ferrante L. *See* Cellii P, 1
Fessler RG. *See* Isaacs RE, 98
Floman Y. *See* Ashkenazi E, 205
Fourney DR, Rhines LD, Hentschel SJ, Skibber JM, Wolinsky J, Weber KL, Suki D, Gallia GL, Garonzik I, Gokaslan ZL. En bloc resection of primary sacral tumors: classification of surgical approaches and outcome, 111
Fox TP. *See* Deen HG, 234

Friedland DM. *See* Gerszten PC, 288
Fukuda K. *See* Tamura M, 230
Fulga V. *See* Knoller N, 173

Gallia GL, Hague R, Garonzik I, Wolinsky P, Suk I, Gokaslan ZL. Spinal pelvic reconstruction after total sacrectomy for en bloc resection of a giant sacral chordoma. Technical note, 501
———. *See* Fourney DR, 111
Garonzik I. *See* Fourney DR, 111
———. *See* Gallia GL, 501
Gazit D. *See* Hasharoni A, 47
Geisler FH. Bone graft extenders. Letters, 332
Gennarelli TA. *See* Stemper BD, 471
George B. *See* Bruneau M, 238
Gerlinger T. *See* Carmouche JJ, 364
Germanwala A. *See* Gerszten PC, 296
Gerszten PC, Burton SA, Ozhasoglu C, Vogel WJ, Welch WC, Baar J, Friedland DM. Stereotactic radiosurgery for spinal metastases from renal cell carcinoma, 288
———, Germanwala A, Burton SA, Welch WC, Ozhasoglu C, Vogel WJ. Combination kyphoplasty and spinal radiosurgery: a new treatment paradigm for pathological fractures, 296
Gilsbach G. *See* Thiex R, 12
Gokaslan ZL. *See* Fourney DR, 111
———. *See* Gallia GL, 501
———. *See* Guo Y, 106
Goldammer A. *See* König SA, 379
Gonzalez LF, Klopfenstein JD, Crawford NR, Dickman CA, Sonntag VKH. Use of dural transarticular screws to fixate simultaneous occipitoatlantal and atlantoaxial dislocations. Case report, 318
Goto H. *See* Chiba K, 17
Guegan Y. *See* Hamlat A, 477
Guiot M. *See* Altinoz MA, 495
Guo Y, Palmer JL, Shen L, Kaur G, Willey J, Zhang T, Bruera E, Wolinsky J, Gokaslan ZL. Bowel and bladder continence, wound healing, and functional outcomes in patients who underwent sacrectomy, 106
Güzey FK, Emel E, Bas NS, Hacisalihoglu S, Seyithanoglu MH, Karacor SE, Özkan N, Alatas I, Sel B. Thoracic and lumbar tuberculous spondylitis treated by posterior debridement, graft placement, and instrumentation: a retrospective analysis in 19 cases, 450

Hacisalihoglu S. *See* Guzey FK, 450
Hacker RJ. Cervical disc arthroplasty: a controlled randomized prospective study with intermediate follow-up results. Invited submission from the Joint Section Meeting on Disorders of the Spine and Peripheral Nerves, March 2005, 424
Hadani M. *See* Knoller N, 173
Hague R. *See* Gallia GL, 501
Hamlat A, Adn M, Yahia MB, Morandi X, Brassier G, Guegan Y. Gowers intrasyringal hemorrhage. Case report and review of the literature, 477
Han Y. *See* Shields CB, 302
Hartmann A. *See* Beier CP, 485
Hasegawa K. *See* Watanabe K, 86
Hasharoni A, Zilberman Y, Turgeman G, Helm GA, Liebergall M, Gazit D. Murine spinal fusion induced

by engineered mesenchymal stem cells that conditionally express bone morphogenetic protein–2, 47
He S, Hussain N, Li S, Hou T. Clinical and prognostic analysis of ossified ligamentum flavum in a Chinese population, 348
Helm GA. *See* Hasharoni A, 47
Hentschel SJ. *See* Fourney DR, 111
Hester S. *See* Vender JR, 276
Higashikawa A. *See* Seichi A, 165
Hirabayashi H. *See* Chiba K, 17
———. *See* Ogawa Y, 198
Hirabayashi K. *See* Ogawa Y, 198
Hirano T. *See* Watanabe K, 86
Homma T. *See* Watanabe K, 86
Hori T. *See* Kawaguchi Y, 262
Horn EM, Theodore N. Cervical instability. Letters, 168
Hosono N, Sakaura H, Mukai Y, Ishii T, Yoshikawa H. En bloc laminoplasty without dissection of paraspinal muscles, 29
Hosoya T. *See* Watanabe K, 405
Hott JS, Feiz-Erfan I, Kenny K, Dickman CA. Surgical management of giant herniated thoracic discs: analysis of 20 cases, 191
Hotta S, Morita A, Seichi A, Kirino T. Aberrant vertebral artery course in a case of Chiari malformation and occipitoatlantal assimilation. Case report, 246
Hou T. *See* He S, 348
Houle PJ. *See* Vender JR, 276
Hsu C, Chou W, Teng H, Chang W, Chou Y. Coralline hydroxyapatite and laminectomy-derived bone as adjuvant graft material for lumbar posterolateral fusion, 271
Hussain N. *See* He S, 348
Huynh TV. *See* Donovan DJ, 159
Hyakumachi T. *See* Yoshimoto H, 242

Ihara S. *See* Ito Y, 324
Ikenaga M, Shikata J, Tanaka C. Anterior corpectomy and fusion with fibular strut grafts for multilevel cervical myelopathy, 79
———, ———, ———. Radiculopathy of C-5 after anterior decompression for cervical myelopathy, 210
İnceoglu S. *See* Akbay A, 224
Isaacs RE, Podichetty VK, Santiago P, Sandhu FA, Spears J, Kelly K, Rice L, Fessler RG. Minimally invasive microendoscopy-assisted transforaminal lumbar interbody fusion with instrumentation, 98
Ishihara H. *See* Kawaguchi Y, 262
Ishii T. *See* Hosono N, 29
Ito Y, Tsuboi K, Akutsu H, Ihara S, Matsumura A. Advanced Chiari malformation Type I with marked spinal cord atrophy. Case report, 324
Iwasaki M. *See* Chiba K, 17

Jallo G. *See* Mavinkurve G, 142
Jang J, Lee SH. Clinical analysis of percutaneous facet screw fixation after anterior lumbar interbody fusion, 40
———, ———. Minimally invasive transforaminal lumbar interbody fusion with ipsilateral pedicle screw and contralateral facet screw fixation, 218
Jiminez JC, Sani S, Braverman B, Deutsch H, Ratliff JK. Palsies of the fifth cervical nerve root after cervical decompression: prevention using continuous intraoperative electromyography monitoring, 92
Johnson JP. *See* Oskouian RJ, 459
Johnson RE. *See* Donovan DJ, 159

Kallmes D. *See* Maramattom BV, 249
Kamel MH, Murphy M, Kelleher M, Aquilina K, Lim C, Marks C. Schistosomiasis of the spinal cord presenting as progressive myelopathy. Case report, 61
———. *See* Aquilina K, 393
Kanamori M. *See* Kawaguchi Y, 262
Kaptanoglu E, Caner H, Solaroglu I, Kilinc K. Mexiletine treatment–induced inhibition of caspase-3 activation and improvement of behavioral recovery after spinal cord injury, 53
Karacor SE. *See* Guzey FK, 450
Kaur G. *See* Guo Y, 106
Kawaguchi H. *See* Seichi A, 165
Kawaguchi Y, Oya T, Abe Y, Kanamori M, Ishihara H, Yasuda T, Nogami S, Hori T, Kimura T. Spinal stenosis due to ossified lumbar lesions, 262
Kawamura N. *See* Seichi A, 165
Kelleher M. *See* Kamel MH, 61
Kelly DR. *See* Tubbs RS, 149
Kelly K. *See* Isaacs RE, 98
Kenny K. *See* Hott JS, 191
Keohane C. *See* Aquilina K, 393
Ketz JP, Molinari RW. A unique two-level noncontiguous ligamentous flexion–distraction injury in the thoracolumbar spine. Case report, 328
Kilinc K. *See* Kaptanoglu E, 53
Kilinçer C, Steinmetz MP, Sohn MJ, Benzel EC, Bingaman W. Effects of age on the perioperative characteristics and short-term outcome of posterior lumbar fusion surgery, 34
Kim B. *See* Derby R, 255
Kim DH. *See* Albert TJ, 182
Kim S. *See* Cho D, 371
Kimura T. *See* Kawaguchi Y, 262
King JT Jr. Cervical spondylotic myelopathy. Letters, 254
Kirino T. *See* Hotta S, 246
Klopfenstein JD. *See* Gonzalez LF, 318
Knoller N, Auerbach G, Fulga V, Zelig G, Attias J, Bakimer R, Marder JB, Yoles E, Belkin M, Schwartz M, Hadani M. Clinical experience using incubated autologous macrophages as a treatment for complete spinal cord injury: Phase I study results, 173
———. Complete cord injury. Editorial, 172
König SA, Goldammer A, Vitzthum H. Anatomical data on the craniocervical junction and their correlation with degenerative changes in 30 cadaveric specimens, 379
Kono H. *See* Tamura M, 230
Kuklo TR. *See* Neal CH, 342
Kula TA. *See* Derby R, 255

Larios AE. *See* Ames CP, 465
Lee SC. *See* Chen J, 24
Lee SH. *See* Derby R, 255
———. *See* Jang J, 40, 218
Lee ST. *See* Chen J, 24
Legnani FG. *See* Mavinkurve G, 142
Leheta O. *See* Thomé C, 129
Lemke AJ. *See* Cramer P, 153
Lettice JJ. *See* Derby R, 255
Levi AD. *See* Vitarbo EA, 400
Li S. *See* He S, 348

LIDAR Z. *See* Cusick J, 482
LIEBERGALL M. *See* Hasharoni A, 47
LIM C. *See* Aquilina K, 393
———. *See* Kamel MH, 61
LOTT R. *See* Tubbs RS, 149

MACHIDA M. *See* Tamura M, 230
MAERZ U. *See* Staende M, 444
MARAMATTOM BV, COHEN-GADOL AA, WIJDICKS EFM, KALLMES D. Segmental cutaneous hemangioma and spinal arteriovenous malformation (Cobb syndrome), 249
MARDER JB. *See* Knoller N, 173
MARKS C. *See* Kamel MH, 61
MARKS CJ. *See* Aquilina K, 393
MASUDA T. *See* Yoshimoto H, 242
MATSUMOTO M. *See* Ogawa Y, 198
———. *See* Watanabe K, 405
MATSUMURA A. *See* Ito Y, 324
MAVINKURVE G, PRADILLA G, LEGNANI FG, TYLER BM, BAGLEY CA, BREM H, JALLO G. A novel intramedullary spinal cord tumor model: functional, radiological, and histopathological characterization, 142
MAYER NW. *See* Shields CB, 302
MCDONNELL DE. *See* Vender JR, 276
MEGERIAN CA. *See* Bambakidis NC, 68
MENDEL E. *See* Bohinski RJ, 71
MILKS R. *See* Akbay A, 224
Millgram MA. *See* Ashkenazi E, 205
Mirovsky Y. *See* Ashkenazi E, 205
MISCUSI M. *See* Missori P, 57
MISSORI P, RAMIERI A, COSTANZO G, PESCHILLO S, PAOLINI S, MISCUSI M, D'ANDREA G, DELFINI R. Late vertebral body fracture after lumbar transpedicular fixation. Report of three cases, 57
MOLINARI RW. *See* Carmouche JJ, 364
———. *See* Ketz JP, 328
MORANDI X. *See* Hamlat A, 477
MORCOS JJ. *See* Vitarbo EA, 400
MORITA A. *See* Hotta S, 246
MUKAI Y. *See* Hosono N, 29
MUÑETÓN-GÓMEZ VC. *See* Collazos-Castro JE, 308
MURPHY M. *See* Kamel MH, 61
MURPHY RL. *See* Tubbs RS, 149

NAKAMURA K. *See* Seichi A, 165
NAKAMURA M. *See* Ogawa Y, 198
NEAL CJ, ROSNER MK, KUKLO TR. Magnetic resonance imaging evaluation of adjacent segments after disc arthroplasty, 342
NELSON EL. *See* Villavicencio AT, 436
NIETO SAMPEDRO M. *See* Collazos-Castro JE, 308
NISHIWAKI Y. *See* Ogawa Y, 198
NOGAMI S. *See* Kawaguchi Y, 262

OAKES WJ. *See* Tubbs RS, 149, 375
OGAWA Y, CHIBA K, MATSUMOTO M, NAKAMURA M, TAKAISHI H, HIRABAYASHI H, HIRABAYASHI K, NISHIWAKI Y, TOYAMA Y. Long-term results after expansive open-door laminoplasty for the segmental-type of ossification of the posterior longitudinal ligament of the cervical spine: a comparison with nonsegmental-type lesions, 198
OH C. *See* Cho D, 371
OKUDUCU AF. *See* Cramer P, 153
OLDFIELD EH. *See* Tender GC, 488
OSKOUIAN RJ, JOHNSON JP. Endoscopic thoracic microdiscectomy, 459
O'SULLIVAN MG. *See* Aquilina K, 393
OYA T. *See* Kawaguchi Y, 262
OZHASOGLU C. *See* Gerszten PC, 288, 296
OZKAN N. *See* Guzey FK, 450

PALAOGLU S. *See* Akbay A, 224
PALMER JL. *See* Guo Y, 106
PANIKAR D. *See* Rajeev K, 386
PAOLINI S. *See* Missori P, 57
PASSACANTILLI E, SANTORO A, PICHIERRI A, DELFINI R, CANTORE G. Anterolateral approach to the craniocervical junction, 123
PATIENCE T. *See* Carmouche JJ, 364
PESCHILLO S. *See* Missori P, 57
PICHIERRI A. *See* Passacantilli E, 123
PINTAR FA. *See* Stemper BD, 471
PÖCKLER-SCHÖNIGER C. *See* Thomé C, 129
PODICHETTY VK. *See* Isaacs RE, 98
POLIVKA M. *See* Bruneau M, 238
PRADILLA G. *See* Mavinkurve G, 142
PSODOPOULOS SM. *See* Robertson JT, 417
PURDOM EB. *See* Donovan DJ, 159

RABB CH. Cervical instability. Letters, 169
RAJEEV K, PANIKAR D. Dural arteriovenous fistula coexisting with a lumbar lipomeningocele. Case report, 386
RAMIERI A. *See* Missori P, 57
RAND N, 205, ASHKENAZI E
RATCHESON RA. *See* Bambakidis NC, 68
RATLIFF JK. *See* Jimenez JC, 92
REKITO A. *See* Vender JR, 276
RESNICK DK. Bone graft extenders. Letters, 332
RHINES LD. *See* Bohinski RJ, 71
———. *See* Fourney DR, 111
RICE L. *See* Isaacs RE, 98
ROBERTSON JT, PAPADOPOULOS SM, TRAYNELIS VC. Assessment of adjacent-segment disease in patients treated with cervical fusion or arthroplasty: a prospective 2-year study, 417
RODRIGUE T. *See* Bambakidis NC, 68
ROHDE V. *See* Thiex R, 12
ROSNER MK. *See* Neal CH, 342
ROTHOERL RD. *See* Beier CP, 485

SAITO M. *See* Tamura M, 230
SAKAURA H. *See* Hosono N, 29
SALTER EG. *See* Tubbs RS, 149, 375
SANDHU FA. *See* Isaacs RE, 98
SANI S. *See* Jimenez JC, 92
SANTAGUIDA C. *See* Altinoz MA, 495
SANTIAGO P. *See* Isaacs RE, 98
SANTORO A. *See* Passacantilli E, 123
SATO S. *See* Yoshimoto H, 242
SCHEUFLER KM. *See* Vougioukas VI, 283
SCHLENK R. *See* Akbay A, 224
SCHMIEDEK P. *See* Thomé C, 129
SCHWARTZ M. *See* Knoller N, 173

Sears W. *See* Sekhon LHS, 335
Seichi A, Takeshita K, Kawaguchi H, Kawamura N, Higashikawa A, Nakamura K. Image-guided surgery for thoracic ossification of the posterior longitudinal ligament. Technical note, 165
———. *See* Hotta S, 246
Sekhon LHS, Sears W, Duggal N. Cervical arthroplasty after previous surgery: results of treating 24 discs in 15 patients, 335
Sel B. *See* Güzey FK, 450
Seo E. *See* Cho D, 371
Seo K. *See* Derby R, 255
Seyithanoglu MH. *See* Güzey FK, 450
Shen L. *See* Guo Y, 106
Sheth RN, Campbell JN. Surgical treatment of thoracic outlet syndrome: a randomized trial comparing two operations, 355
Shields CB, Zhang YP, Shields LBE, Han Y, Burke DA, Mayer NW. The therapeutic window for spinal cord decompression in a rat spinal cord injury model, 302
Shields LBE. *See* Shields CB, 302
Shikata J. *See* Ikenaga M, 79, 210
Shioda M. *See* Tamura M, 230
Shiraishi T. *See* Watanabe K, 405
Siu TLT, Bannan P, Stokes BAR. Spinal cord infarction complicating acute hydrocephalus secondary to a colloid cyst of the third ventricle, 64
Skibber JM. *See* Fourney DR, 111
Smorgick Y, 205, Ashkenazi E
Sniezek JC. *See* Donovan DJ, 159
Sohn MJ. *See* Kilinçer C, 34
Solaroglu I. *See* Kaptanoglu E, 53
Sonntag VKH. *See* Gonzalez LF, 318
Spears J. *See* Isaacs RE, 98
Staende M, Maerz U, Tonn JC, Steude U. Computerized tomography–guided kryorhizotomy in 76 patients with lumbar facet joint syndrome, 444
Steinmetz MP. *See* Kilinçer C, 34
Stemper BD, Yoganandan N, Gennarelli TA, Pintar FA. Localized cervical facet joint kinematics under physiological and whiplash loading, 471
Steude U. *See* Staende M, 444
Stockhammer F. *See* Cramer P, 153
Stokes BAR. *See* Siu TLT, 64
Suda Y. *See* Tamura M, 230
Suk I. *See* Gallia GL, 501
Suki D. *See* Fourney DR, 111
Sultan A. *See* Vitarbo EA, 400

Takaishi H. *See* Ogawa Y, 198
Takeshita K. *See* Seichi A, 165
Tamura M, Machida M, Aikawa D, Fukuda K, Kono H, Suda Y, Shioda M, Saito M, Yamagishi M. Surgical treatment of lumbar ossification of the posterior longitudinal ligament. Report of two cases and description of surgical technique, 230
Tanaka C. *See* Ikenaga M, 79, 210
Tender GC, Vortmeyer A, Oldfield EH. Spinal intradural arteriovenous fistulas acquired in late adulthood: absent spinal venous drainage in pathogenesis and pathophysiology. Report of two cases, 488
Teng H. *See* Hsu C, 271
Theodore N. *See* Horn EM, 168
Thiex R, Thron A, Gilsbach J, Rohde V. Functional outcome after surgical treatment of spontaneous and nonspontaneous spinal subdural hematomas, 12
Thomale U. *See* Cramer P, 153
Thomé C, Zevgaridis D, Leheta O, Bäzner H, Pöckler-Schöniger C, Wöhrle J, Schmiedek P. Outcome after less-invasive decompression of lumbar spinal stenosis: a randomized comparison of unilateral laminotomy, bilateral laminotomy, and laminectomy, 129
Thron A. *See* Thiex R, 12
Tonn JC. *See* Staende M, 444
Toyama Y. *See* Chiba K, 17
———. *See* Ogawa Y, 198
———. *See* Watanabe K, 405
Thramann J. *See* Villavicencio AT, 436
Traynelis VC. *See* Robertson JT, 417
Trillo G. *See* Cellii P, 1
Tsuboi K. *See* Ito Y, 324
Tubbs RS, Murphy RL, Kelly DR, Lott R, Salter EG, Oakes WJ. The filum terminale externum, 149
———, Salter EG, Wellons JC III, Blount JP, Oakes WJ. Superficial landmarks for the spinal accessory nerve within the posterior cervical triangle, 375
Turgeman G. *See* Hasharoni A, 47
Tyler BM. *See* Mavinkurve G, 142

Uff C, Bradford R. Retrograde intraventricular hemorrhage caused by a traumatic sacral pseudomeningocele in the presence of spina bifida occulta. Case report, 390

Vender JR, Hester S, Houle PJ, Choudhri HF, Rekito A, McDonnell DE. The use of closed-suction irrigation systems to manage spinal infections, 276
Villavicencio AT, Burneikiene S, Nelson EL, Bulsara KR, Favors M, Thramann J. Safety of transforaminal lumbar interbody fusion and intervertebral recombinant human morphogenetic protein–2, 436
Vitarbo EA, Sultan A, Wang D, Morcos JJ, Levi AD. Split cord malformation with associated Type IV spinal cord perimedullary arteriovenous fistula. Case report, 400
Vitzthum H. *See* König SA, 379
Vogel WJ. *See* Gerszten PC, 288, 296
Vortmeyer A. *See* Tender GC, 488
Vougioukas VI, Weber J, Scheufler KM. Clinical and radiological results after parapedicular screw fixation of the thoracic spine, 283

Wang D. *See* Vitarbo EA, 400
Watanabe K, Hasegawa K, Hirano T, Endo N, Yamazaki A, Homma T. Anterior spinal decompression and fusion for cervical flexion myelopathy in young patients, 86
———, Hosoya T, Shiraishi T, Matsumoto M, Chiba K, Toyama Y. Lumbar spinous process–splitting laminectomy for lumbar canal stenosis. Technical note, 405
Weber J. *See* Vougioukas VI, 283
Weber KL. *See* Fourney DR, 111
Welch WC. *See* Gerszten PC, 288, 296
Wellons JC III. *See* Tubbs RS, 375
Wijdicks EFM. *See* Maramattom BV, 249
Willey J. *See* Guo Y, 106

Woertgen C. *See* Beier CP, 485
Wöhrle J. *See* Thomé C, 129
Woiciechowsky C. *See* Cramer P, 153
Wolinsky J. *See* Fourney DR, 111
———. *See* Guo Y, 106
Wolinsky P. *See* Gallia GL, 501
Wright NM. Translaminar rigid screw fixation of the axis. Technical note, 409
Wu C. *See* Chen J, 24

Yahia MB. *See* Hamlat A, 477
Yamagishi M. *See* Tamura M, 230
Yamamoto I. *See* Chiba K, 17
Yamazaki A. *See* Watanabe K, 86
Yanagibashi Y. *See* Yoshimoto H, 242
Yasuda T. *See* Kawaguchi Y, 262
Yoganandan N. *See* Stemper BD, 471
Yoles E. *See* Knoller N, 173
Yonenobu K. *See* Chiba K, 17
Yoshikawa H. *See* Hosono N, 29
Yoshimoto H, Sato S, Hyakumachi T, Yanagibashi Y, Masuda T. Pyogenic spondylitis in the cervicothoracic junction with high-positioned aortic arch. Case report and review of the literature, 242

Zelig G. *See* Knoller N, 173
Zevgaridis D. *See* Thomé C, 129
Zhang T. *See* Guo Y, 106
Zhang YP. *See* Shields CB, 302
Zilberman Y. *See* Hasharoni A, 47

Subject Index

Adjacent disc degeneration
  Assessment of adjacent-segment disease in patients treated with cervical fusion or arthroplasty: a prospective 2-year study, 417
Adjacent-segment degeneration
  Magnetic resonance imaging evaluation of adjacent segments after disc arthroplasty, 342
Age
  Effects of age on the perioperative characteristics and short-term outcome of posterior lumbar fusion surgery, 34
Anatomy
  Anatomical data on the craniocervical junction and their correlation with degenerative changes in 30 cadaveric specimens, 379
  Quantitative anatomical and morphological classification of the iliac vessels anterior to the lumbosacral vertebrae, 371
  Superficial landmarks for the spinal accessory nerve within the posterior cervical triangle, 375
Animal model
  A novel intramedullary spinal cord tumor model: functional, radiological, and histopathological characterization, 142
Anterior approach
  Anterior spinal decompression and fusion for cervical flexion myelopathy in young patients, 86
Anterior cervical plate
  Biomechanical analysis of a newly designed bioabsorbable anterior cervical plate. Invited submission from the Joint Section Meeting on Disorders of the Spine and Peripheral Nerves, March 2005, 465
Anterior corpectomy
  Anterior corpectomy and fusion with fibular strut grafts for multilevel cervical myelopathy, 79
Anterior lumbar interbody fusion
  Clinical analysis of percutaneous facet screw fixation after anterior lumbar interbody fusion, 40
Anterolateral approach
  Anterolateral approach to the craniocervical junction, 123
Aortic arch
  Pyogenic spondylitis in the cervicothoracic junction with high-positioned aortic arch. Case report and review of the literature, 242
Apoptosis
  Mexiletine treatment–induced inhibition of caspase-3 activation and improvement of behavioral recovery after spinal cord injury, 53
Arteriovenous fistula
  Spinal intradural arteriovenous fistulas acquired in late adulthood: absent spinal venous drainage in pathogenesis and pathophysiology. Report of two cases, 488
  Split cord malformation with associated Type IV spinal cord perimedullary arteriovenous fistula. Case report, 400
Arteriovenous malformation
  Segmental cutaneous hemangioma and spinal arteriovenous malformation (Cobb syndrome). Case report and historical perspective, 249
  Spinal intradural arteriovenous fistula acquired in late adulthood: absent spinal venous drainage in pathogenesis and pathophysiology. Report of two cases, 488
Arthroplasty
  Assessment of adjacent-segment disease in patients treated with cervical fusion or arthroplasty: a prospective 2-year study, 417
  Cervical arthroplasty after previous surgery: results of treating 24 discs in 15 patients, 335
  Cervical disc arthroplasty: a controlled randomized prospective study with intermediate follow-up results. Invited submission from the Joint Section Meeting on Disorders of the Spine and Peripheral Nerves, March 2005, 424
  Magnetic resonance imaging evaluation of adjacent segments after disc arthroplasty, 342
Atlantoaxial dislocation
  Use of dual transarticular screws to fixate simultaneous occipitoatlantal and atlantoaxial dislocations. Case report, 318
Atlantoaxial junction
  Translaminar rigid screw fixation of the axis. Technical note, 409
Axial neck pain
  En bloc laminoplasty without dissection of paraspinal muscles, 29
Axis
  Epithelioid hemangioendothelioma of the spine. Report of two cases, 393
  Translaminar rigid screw fixation of the axis. Technical note, 409

Balloon kyphoplasty
  Balloon kyphoplasty for vertebral compression fractures secondary to polyostotic fibrous dysplasia: Case report, 234
Bioabsorption
  Biomechanical analysis of a newly designed bioabsorbable anterior cervical plate. Invited submission from the Joint Section Meeting on Disorders of the Spine and Peripheral Nerves, March 2005, 465
Biomechanical study
  Biomechanical analysis of a newly designed bioabsorbable anterior cervical plate. Invited submission from the Joint Section Meeting on Disorders of the Spine and Peripheral Nerves, March 2005, 465
  Localized cervical facet joint kinematics under physiological and whiplash loading, 471
  Thoracic transfacet pedicle screw fixation: a new instrumentation technique, 224
Bladder dysfunction
  Functional outcome after surgical treatment of spontaneous and nonspontaneous spinal subdural hematomas, 12
Blood loss
  Effects of age on the perioperative characteristics and short-term outcome of posterior lumbar fusion surgery, 34
Bone formation
  Murine spinal fusion induced by engineered mesenchymal stem cells that conditionally express bone morphogenetic protein–2, 47
Bone graft
  Bone graft extenders. Letters, 332
Bone mineral density
  Effects of pilot hole preparation technique on pedicle screw fixation in different regions of the osteoporotic thoracic and lumbar spine, 364
Bone morphogenetic protein
  Safety of transforaminal lumbar interbody fusion and intervertebral recombinant human morphogenetic protein–2, 436

Bone morphogenetic protein–2
Murine spinal fusion induced by engineered mesenchymal stem cells that conditionally express bone morphogenetic protein–2, 47
Brachial plexus
Surgical treatment of thoracic outlet syndrome: a randomized trial comparing two operations, 355

Cage
Use of a polymethylacrylate cervical age in the treatment of single-level cervical disc disease, 24
Caspase-3
Mexiletine treatment–induced inhibition of caspase-3 activation and improvement of behavioral recovery after spinal cord injury, 53
Cell therapy
Clinical experience using incubated autologous macrophages as a treatment for complete spinal cord injury: Phase I study results, 173
Central nervous system
Schistosomiasis of the spinal cord presenting as progressive myelopathy. Case report, 61
Cerebrospinal fluid
An atypical spinal meningioma with CSF metastasis: fatal progression despite aggressive treatment. Case report, 153
Cervical flexion myelopathy
Anterior spinal decompression and fusion for cervical flexion myelopathy in young patients, 86
Cervical foraminotomy
Cervical arthroplasty after previous surgery: results of treating 24 discs in 15 patients, 335
Cervical fusion
Biomechanical analysis of a newly designed bioabsorbable anterior cervical plate. Invited submission from the Joint Section Meeting on Disorders of the Spine and Peripheral Nerves, March 2005, 465
Cervical myelopathy
Cervical spondylotic myelopathy. Letters, 253
Long-term results after expansive open-door laminoplasty for the segmental-type of ossification of the posterior longitudinal ligament of the cervical spine: a comparison with nonsegmental-type lesions, 198
Radiculopathy of C-5 after anterior decompression for cervical myelopathy, 210
Cervical spine
An atypical spinal meningioma with CSF metastasis: fatal progression despite aggressive treatment. Case report, 153
Anterior corpectomy and fusion with fibular strut grafts for multilevel cervical myelopathy, 79
Anterolateral approach to the craniocervical junction, 123
An unusual presentation and resolution of syringomyelia after cervical spine injury. Case report, 482
Assessment of adjacent-segment disease in patients treated with cervical fusion or cervical arthroplasty: a prospective 2-year study, 417
Cervical arthroplasty after previous surgery: results of treating 24 discs in 15 patients, 335
Cervical instability. Letters, 169
En bloc laminoplasty without dissection of paraspinal muscles, 29
Multicenter study investigating the postoperative progression of ossification of the posterior longitudinal ligament in the cervical spine: a new computer-assisted measurement, 17
Olfactory glia transplantation into cervical spinal cord contusion injuries, 308
Osteoradionecrosis of the cervical spine resulting from radiotherapy for primary head and neck malignancies: operative and nonoperative management. Case report, 159
Radiculopathy of C-5 after anterior decompression for cervical myelopathy, 210
Timing of surgical stabilization after cervical and thoracic trauma, 182
Use of a polymethylacrylate cervical age in the treatment of single-level cervical disc disease, 24
Cervicothoracic junction
Pyogenic spondylitis in the cervicothoracic junction with high-positioned aortic arch. Case report and review of the literature, 242
Chance fracture
A unique two-level noncontiguous ligamentous flexion-distraction injury in the thoracolumbar spine. Case report, 328
Chiari malformation
Aberrant vertebral artery course in a case of Chiari malformation and occipitoatlantal assimilation. Case report, 246
Advanced Chiari malformation Type I with marked spinal cord atrophy. Case report, 324
Gowers intrasyringal hemorrhage. Case report and review of the literature, 477
Chordoma
En bloc resection of primary sacral tumors: classification of surgical approaches and outcome, 111
Novel use of a threadwire saw for high sacral amputation. Technical note and description of operative technique, 71
Computerized tomography–guided kryorhizotomy in 76 patients with lumbar facet joint syndrome, 444
Cobb syndrome
Segmental cutaneous hemangioma and spinal arteriovenous malformation (Cobb syndrome). Case report and historical perspective, 249
Colloid cyst
Spinal cord infarction complicating acute hydrocephalus secondary to a colloid cyst of the third ventricle. Case report, 64
Colostomy
Bowel and bladder continence, wound healing, and functional outcomes in patients who underwent sacrectomy, 106
Complication
Anterior corpectomy and fusion with fibular strut grafts for multilevel cervical myelopathy, 79
Computer-assisted measurement
Multicenter study investigating the postoperative progression of ossification of the posterior longitudinal ligament in the cervical spine: a new computer-assisted measurement, 17
Contact pressure mechanism
Anterior spinal decompression and fusion for cervical flexion myelopathy in young patients, 86
Contusion injury
Olfactory glia transplantation into cervical spinal cord contusion injuries, 308
Coralline hydroxyapatite
Coralline hydroxyapatite and laminectomy-derived bone as adjuvant graft material for lumbar posterolateral fusion, 271
Corticospinal tract
Olfactory glia transplantation into cervical spinal cord contusion injuries, 308
Costotransversectomy
Pyogenic spondylitis in the cervicothoracic junction with high-positioned aortic arch. Case report and review of the literature, 242
C-5 palsy
Palsies of the fifth cervical nerve root after cervical decompression: prevention using continuous intraoperative electromyography monitoring, 92
Radiculopathy of C-5 after anterior decompression for cervical myelopathy, 210
Cranial nerve
Superficial landmarks for the spinal accessory nerve within the posterior cervical triangle, 375

Craniocervical junction
Anatomical data on the craniocervical junction and their correlation with degenerative changes in 30 cadaveric specimens, 379
Anterolateral approach to the craniocervical junction, 123
Craniovertebral junction
Use of dual transarticular screws to fixate simultaneous occipitoatlantal and atlantoaxial dislocations. Case report, 318
Cushing, Harvey
Segmental cutaneous hemangioma and spinal arteriovenous malformation (Cobb syndrome). Case report and historical perspective, 249
CyberKnife
Combination kyphoplasty and spinal radiosurgery: a new treatment paradigm for pathological fractures, 296
Stereotactic radiosurgery for spinal metastases from renal cell carcinoma, 288

Decompression
Advanced Chiari malformation Type I with marked spinal cord atrophy. Case report, 324
Lumbar spinous process–splitting laminectomy for lumbar canal stenosis. Technical note, 405
The therapeutic window for spinal cord decompression in a rat spinal cord injury model, 302
Degeneration
Anatomical data on the craniocervical junction and their correlation with degenerative changes in 30 cadaveric specimens, 379
Assessment of adjacent-segment disease in patients treated with cervical fusion or arthroplasty: a prospective 2-year study, 417
Degenerative disc disease
Cervical disc arthroplasty: a controlled randomized prospective study with intermediate follow-up results. Invited submission from the Joint Section Meeting on Disorders of the Spine and Peripheral Nerves, March 2005, 424
Disc disease
Use of a polymethylacrylate cervical age in the treatment of single-level cervical disc disease, 24
Discectomy
Anterior decompression combined with corpectomies and discectomies in the management of multilevel cervical myelopathy: a hybrid decompression and fixation technique, 205
Biomechanical analysis of a newly designed bioabsorbable anterior cervical plate. Invited submission from the Joint Section Meeting on Disorders of the Spine and Peripheral Nerves, March 2005, 465
Disc herniation
Endoscopic thoracic microdiscectomy, 459
Surgical management of giant herniated thoracic discs: analysis of 20 cases, 191
Discogenic low-back pain
Magnetic resonance imaging evaluation of adjacent segments after disc arthroplasty, 342
Single-level lumbar fusion in chronic discogenic low-back pain: psychological and emotional status as a predictor of outcome measured using the 36-item Short Form, 255
Disease progression
Progression of an osteoid osteoma to an osteoblastoma: Case report, 238
Distraction injury
Use of dual transarticular screws to fixate simultaneous occipitoatlantal and atlantoaxial dislocations. Case report, 318
Dural arteriovenous fistula
Dural arteriovenous fistula coexisting with a lumbar lipomeningocele, 386

Electromyelography
Palsies of the fifth cervical nerve root after cervical decompression: prevention using continuous intraoperative electromyography monitoring, 92
Electrophysiological monitoring
Clinical experience using incubated autologous macrophages as a treatment for complete spinal cord injury: Phase I study results, 173
En bloc resection
En bloc resection of primary sacral tumors: classification of surgical approaches and outcome, 111
Endolymphatic tumor
Endolymphatic sac tumor metastatic to the spine. Case report, 68
Endoscopy
Endoscopic thoracic microdiscectomy, 459
Epithelioid hemangioendothelioma
Epithelioid hemangioendothelioma of the spine. Report of two cases, 393
Ethnicity
Clinical and prognostic analysis of ossified ligamentum flavum in a Chinese population, 348
Extradural component
The filum terminale externum, 149
Extrapedicular fixation
Clinical and radiological results after parapedicular screw fixation of the thoracic spine, 283
Extrathecal–intraradicular tumor
Extrathecal intraradicular nerve sheath tumor, 1

Facet joint
Localized cervical facet joint kinematics under physiological and whiplash loading, 471
Facet screw
Minimally invasive transforaminal lumbar interbody fusion with ipsilateral pedicle screw and contralateral facet screw fixation, 218
Fibrous dysplasia
Balloon kyphoplasty for vertebral compression fractures secondary to polyostotic fibrous dysplasia: Case report, 234
Fibula strut graft
Anterior corpectomy and fusion with fibular strut grafts for multilevel cervical myelopathy, 79
Flexion-distraction injury
A unique two-level noncontiguous ligamentous flexion-distraction injury in the thoracolumbar spine. Case report, 328
Foramen magnum
Anterolateral approach to the craniocervical junction, 123
Fracture
Combination kyphoplasty and spinal radiosurgery: a new treatment paradigm for pathological fractures, 296
Late vertebral body fracture after lumbar transpedicular fixation. Report of three cases, 57

Glomic tumor
Anterolateral approach to the craniocervical junction, 123
Granuloma
Schistosomiasis of the spinal cord presenting as progressive myelopathy. Case report, 61

Hemangioblastoma
Spinal hemangioblastoma containing metastatic renal cell carcinoma in von Hippel–Lindau disease. Case report and review of the literature, 495
Hemangioma
Segmental cutaneous hemangioma and spinal arteriovenous malformation (Cobb syndrome). Case report and historical perspective, 249

Hybrid corpectomy
Anterior decompression combined with corpectomies and discectomies in the management of multilevel cervical myelopathy: a hybrid decompression and fixation technique, 205
Hydrocephalus
Spinal cord infarction complicating acute hydrocephalus secondary to a colloid cyst of the third ventricle. Case report, 64
Hydroxyurea
An atypical spinal meningioma with CSF metastasis: fatal progression despite aggressive treatment. Case report, 153
Hyperbaric oxygen
Osteoradionecrosis of the cervical spine resulting from radiotherapy for primary head and neck malignancies: operative and nonoperative management. Case report, 159

Iliac artery
Quantitative anatomical and morphological classification of the iliac vessels anterior to the lumbosacral vertebrae, 371
Iliac vein
Quantitative anatomical and morphological classification of the iliac vessels anterior to the lumbosacral vertebrae, 371
Image-guided surgery
Combination kyphoplasty and spinal radiosurgery: a new treatment paradigm for pathological fractures, 296
Image-guided surgery for thoracic ossification of the posterior longitudinal ligament. Technical note, 165
Stereotactic radiosurgery for spinal metastases from renal cell carcinoma, 288
Incontinence
Bowel and bladder continence, wound healing, and functional outcomes in patients who underwent sacrectomy, 106
Insertional torque
Effects of pilot hole preparation technique on pedicle screw fixation in different regions of the osteoporotic thoracic and lumbar spine, 364
Interbody fusion
Minimally invasive microendoscopy-assisted transforaminal lumbar interbody fusion with instrumentation, 98
Intervertebral disc
Surgical management of giant herniated thoracic discs: analysis of 20 cases, 191
Intramedullary tumor
A novel intramedullary spinal cord tumor model: functional, radiological, and histopathological characterization, 142
Intraoperative electrophysiological monitoring
Palsies of the fifth cervical nerve root after cervical decompression: prevention using continuous intraoperative electromyography monitoring, 92
Intrasyringal hemorrhage
Gowers intrasyringal hemorrhage. Case report and review of the literature, 477
Intraventricular hemorrhage
Retrograde intraventricular hemorrhage caused by a traumatic sacral pseudomeningocele in the presence of spina bifida occulta. Case report, 390
Ischemia
The therapeutic window for spinal cord decompression in a rat spinal cord injury model, 302

Kryorhizotomy
Computerized tomography–guided kryorhizotomy in 76 patients with lumbar facet joint syndrome, 444
Kyphoplasty
Combination kyphoplasty and spinal radiosurgery: a new treatment paradigm for pathological fractures, 296

Laminectomy
Lumbar spinous process–splitting laminectomy for lumbar canal stenosis. Technical note, 405
Outcome after less-invasive decompression of lumbar spinal stenosis: a randomized comparison of unilateral laminotomy, bilateral laminotomy, and laminectomy, 129
Laminectomy bone
Coralline hydroxyapatite and laminectomy-derived bone as adjuvant graft material for lumbar posterolateral fusion, 271
Laminoplasty
En bloc laminoplasty without dissection of paraspinal muscles, 29
Long-term results after expansive open-door laminoplasty for the segmental-type of ossification of the posterior longitudinal ligament of the cervical spine: a comparison with nonsegmental-type lesions, 198
Laminotomy
Outcome after less-invasive decompression of lumbar spinal stenosis: a randomized comparison of unilateral laminotomy, bilateral laminotomy, and laminectomy, 129
Late deterioration
Long-term results after expansive open-door laminoplasty for the segmental-type of ossification of the posterior longitudinal ligament of the cervical spine: a comparison with nonsegmental-type lesions, 198
Length of stay
Effects of age on the perioperative characteristics and short-term outcome of posterior lumbar fusion surgery, 34
Ligamentum flavum
Clinical and prognostic analysis of ossified ligamentum flavum in a Chinese population, 348
Spinal stenosis due to ossified lumbar lesions, 262
Low-back pain
Computerized tomography–guided kryorhizotomy in 76 patients with lumbar facet joint syndrome, 444
Lumbar facet syndrome
Computerized tomography–guided kryorhizotomy in 76 patients with lumbar facet joint syndrome, 444
Lumbar lipomeningocele
Dural arteriovenous fistula coexisting with a lumbar lipomeningocele, 386
Lumbar pain
Computerized tomography–guided kryorhizotomy in 76 patients with lumbar facet joint syndrome, 444
Lumbar puncture
Spinal intradural arteriovenous fistula acquired in late adulthood: absent spinal venous drainage in pathogenesis and pathophysiology. Report of two cases, 488
Lumbar spine
Bone graft extenders. Letters, 332
Effects of pilot hole preparation technique on pedicle screw fixation in different regions of the osteoporotic thoracic and lumbar spine, 364
Endolymphatic sac tumor metastatic to the spine. Case report, 68
Late vertebral body fracture after lumbar transpedicular fixation. Report of three cases, 57
Lumbar spinous process–splitting laminectomy for lumbar canal stenosis. Technical note, 405
Magnetic resonance imaging evaluation of adjacent segments after disc arthroplasty, 342
Single-level lumbar fusion in chronic discogenic low-back pain: psychological and emotional status as a predictor of outcome measured using the 36-item Short Form, 255
Spinal stenosis due to ossified lumbar lesions, 262
Surgical treatment of lumbar ossification of the posterior longitudinal ligament: Report of two cases and description of surgical technique, 230

Lumbar stenosis
Outcome after less-invasive decompression of lumbar spinal stenosis: a randomized comparison of unilateral laminotomy, bilateral laminotomy, and laminectomy, 129
Lumbosacral spine
Quantitative anatomical and morphological classification of the iliac vessels anterior to the lumbosacral vertebrae, 371

Magnetic resonance imaging
Magnetic resonance imaging evaluation of adjacent segments after disc arthroplasty, 342
Maverick disc
Magnetic resonance imaging evaluation of adjacent segments after disc arthroplasty, 342
McCune-Albright syndrome
Balloon kyphoplasty for vertebral compression fractures secondary to polyostotic fibrous dysplasia: Case report, 234
Mechanical stability
Anterior decompression combined with corpectomies and discectomies in the management of multilevel cervical myelopathy: a hybrid decompression and fixation technique, 205
Meningioma, atypical
An atypical spinal meningioma with CSF metastasis: fatal progression despite aggressive treatment. Case report, 153
Mental component summary
Single-level lumbar fusion in chronic discogenic low-back pain: psychological and emotional status as a predictor of outcome measured using the 36-item Short Form, 255
Mesenchymal stem cell
Murine spinal fusion induced by engineered mesenchymal stem cells that conditionally express bone morphogenetic protein–2, 47
Metastasis
An atypical spinal meningioma with CSF metastasis: fatal progression despite aggressive treatment. Case report, 153
Combination kyphoplasty and spinal radiosurgery: a new treatment paradigm for pathological fractures, 296
Endolymphatic sac tumor metastatic to the spine. Case report, 68
Spinal hemangioblastoma containing metastatic renal cell carcinoma in von Hippel–Lindau disease. Case report and review of the literature, 495
Stereotactic radiosurgery for spinal metastases from renal cell carcinoma, 288
Methylprednisolone
Mexiletine treatment–induced inhibition of caspase-3 activation and improvement of behavioral recovery after spinal cord injury, 53
Mexiletine
Mexiletine treatment–induced inhibition of caspase-3 activation and improvement of behavioral recovery after spinal cord injury, 53
Microendoscopy
Minimally invasive microendoscopy-assisted transforaminal lumbar interbody fusion with instrumentation, 98
Minimally invasive surgery
Minimally invasive microendoscopy-assisted transforaminal lumbar interbody fusion with instrumentation, 98
Outcome after less-invasive decompression of lumbar spinal stenosis: a randomized comparison of unilateral laminotomy, bilateral laminotomy, and laminectomy, 129
Multicenter study
Multicenter study investigating the postoperative progression of ossification of the posterior longitudinal ligament in the cervical spine: a new computer-assisted measurement, 17
Myelopathy
Anterior corpectomy and fusion with fibular strut grafts for multilevel cervical myelopathy, 79
Anterior decompression combined with corpectomies and discectomies in the management of multilevel cervical myelopathy: a hybrid decompression and fixation technique, 205
Anterior spinal decompression and fusion for cervical flexion myelopathy in young patients, 86
Cervical disc arthroplasty: a controlled randomized prospective study with intermediate follow-up results. Invited submission from the Joint Section Meeting on Disorders of the Spine and Peripheral Nerves, March 2005, 424
Cervical spondylotic myelopathy. Letters, 253
Clinical and prognostic analysis of ossified ligamentum flavum in a Chinese population, 348
En bloc laminoplasty without dissection of paraspinal muscles, 29
Long-term results after expansive open-door laminoplasty for the segmental-type of ossification of the posterior longitudinal ligament of the cervical spine: a comparison with nonsegmental-type lesions, 198
Radiculopathy of C-5 after anterior decompression for cervical myelopathy, 210
Spinal intradural arteriovenous fistula acquired in late adulthood: absent spinal venous drainage in pathogenesis and pathophysiology. Report of two cases, 488

Natural history
Progression of an osteoid osteoma to an osteoblastoma: Case report, 238
Neck
Superficial landmarks for the spinal accessory nerve within the posterior cervical triangle, 375
Nerve entrapment
Surgical treatment of thoracic outlet syndrome: a randomized trial comparing two operations, 355
Nerve root
Extrathecal intraradicular nerve sheath tumor, 1
Nerve sheath tumor
Extrathecal intraradicular nerve sheath tumor, 1
Neurofibroma
Extrathecal intraradicular nerve sheath tumor, 1
Neurological function
En bloc resection of primary sacral tumors: classification of surgical approaches and outcome, 111
Neurological recovery
Clinical experience using incubated autologous macrophages as a treatment for complete spinal cord injury: Phase I study results, 173

Occipitoatlantal assimilation
Aberrant vertebral artery course in a case of Chiari malformation and occipitoatlantal assimilation. Case report, 246
Occipitoatlantal dislocation
Use of dual transarticular screws to fixate simultaneous occipitoatlantal and atlantoaxial dislocations. Case report, 318
Olfactory ensheathing cell
Olfactory glia transplantation into cervical spinal cord contusion injuries, 308
Osteoblastoma
Progression of an osteoid osteoma to an osteoblastoma: Case report, 238
Osteoid osteoma
Progression of an osteoid osteoma to an osteoblastoma: Case report, 238
Osteoporosis
Effects of pilot hole preparation technique on pedicle screw fixation in different regions of the osteoporotic thoracic and lumbar spine, 364
Osteoradionecrosis
Osteoradionecrosis of the cervical spine resulting from radiotherapy for primary head and neck malignancies: operative and nonoperative management. Case report, 159

Outcome
Outcome after less-invasive decompression of lumbar spinal stenosis: a randomized comparison of unilateral laminotomy, bilateral laminotomy, and laminectomy, 129

Pain
Surgical treatment of thoracic outlet syndrome: a randomized trial comparing two operations, 355
Palsy
Radiculopathy of C-5 after anterior decompression for cervical myelopathy, 210
Paraplegia
Clinical experience using incubated autologous macrophages as a treatment for complete spinal cord injury: Phase I study results, 173
Complete cord injury. Editorial, 171
Pedicle screw fixation
Clinical analysis of percutaneous facet screw fixation after anterior lumbar interbody fusion, 40
Effects of pilot hole preparation technique on pedicle screw fixation in different regions of the osteoporotic thoracic and lumbar spine, 364
Minimally invasive transforaminal lumbar interbody fusion with ipsilateral pedicle screw and contralateral facet screw fixation, 218
Pyogenic spondylitis in the cervicothoracic junction with high-positioned aortic arch. Case report and review of the literature, 242
Thoracic transfacet pedicle screw fixation: a new instrumentation technique, 224
Percutaneous facet screw fixation
Clinical analysis of percutaneous facet screw fixation after anterior lumbar interbody fusion, 40
Perimedullary lesion
Split cord malformation with associated Type IV spinal cord perimedullary arteriovenous fistula. Case report, 400
Peripheral nerve
Surgical treatment of thoracic outlet syndrome: a randomized trial comparing two operations, 355
Physical component summary
Single-level lumbar fusion in chronic discogenic low-back pain: psychological and emotional status as a predictor of outcome measured using the 36-item Short Form, 255
Physiological motion
Localized cervical facet joint kinematics under physiological and whiplash loading, 471
Polymethylmethacrylate
Use of a polymethylacrylate cervical age in the treatment of single-level cervical disc disease, 24
Posterior longitudinal ligament
Anterior corpectomy and fusion with fibular strut grafts for multilevel cervical myelopathy, 79
Image-guided surgery for thoracic ossification of the posterior longitudinal ligament. Technical note, 165
Long-term results after expansive open-door laminoplasty for the segmental-type of ossification of the posterior longitudinal ligament of the cervical spine: a comparison with nonsegmental-type lesions, 198
Multicenter study investigating the postoperative progression of ossification of the posterior longitudinal ligament in the cervical spine: a new computer-assisted measurement, 17
Spinal stenosis due to ossified lumbar lesions, 262
Surgical treatment of lumbar ossification of the posterior longitudinal ligament: Report of two cases and description of surgical technique, 230
Posterior lumbar fusion
Effects of age on the perioperative characteristics and short-term outcome of posterior lumbar fusion surgery, 34
Posterolateral approach
Surgical management of giant herniated thoracic discs: analysis of 20 cases, 191
Posterolateral fusion
Coralline hydroxyapatite and laminectomy-derived bone as adjuvant graft material for lumbar posterolateral fusion, 271
Postoperative complication
Effects of age on the perioperative characteristics and short-term outcome of posterior lumbar fusion surgery, 34
Postoperative kyphosis
En bloc laminoplasty without dissection of paraspinal muscles, 29
Pott disease
Thoracic and lumbar tuberculous spondylitis treated by posterior debridement, graft placement, and instrumentation: a retrospective analysis in 19 cases, 450
Pseudomeningocele
Retrograde intraventricular hemorrhage caused by a traumatic sacral pseudomeningocele in the presence of spina bifida occulta. Case report, 390
Pullout resistance
Effects of pilot hole preparation technique on pedicle screw fixation in different regions of the osteoporotic thoracic and lumbar spine, 364
Pyogenic spondylitis
Pyogenic spondylitis in the cervicothoracic junction with high-positioned aortic arch. Case report and review of the literature, 242

Rabbit
A novel intramedullary spinal cord tumor model: functional, radiological, and histopathological characterization, 142
Radiculopathy
Cervical disc arthroplasty: a controlled randomized prospective study with intermediate follow-up results. Invited submission from the Joint Section Meeting on Disorders of the Spine and Peripheral Nerves, March 2005, 424
Radiotherapy
Osteoradionecrosis of the cervical spine resulting from radiotherapy for primary head and neck malignancies: operative and nonoperative management. Case report, 159
Rat
Olfactory glia transplantation into cervical spinal cord contusion injuries, 308
The therapeutic window for spinal cord decompression in a rat spinal cord injury model, 302
Rear impact
Localized cervical facet joint kinematics under physiological and whiplash loading, 471
Reconstruction
En bloc resection of primary sacral tumors: classification of surgical approaches and outcome, 111
Computerized tomography–guided kryorhizotomy in 76 patients with lumbar facet joint syndrome, 444
Rehabilitation
Clinical experience using incubated autologous macrophages as a treatment for complete spinal cord injury: Phase I study results, 173
Renal cell carcinoma
Spinal hemangioblastoma containing metastatic renal cell carcinoma in von Hippel–Lindau disease. Case report and review of the literature, 495
Stereotactic radiosurgery for spinal metastases from renal cell carcinoma, 288
Resection
Endolymphatic sac tumor metastatic to the spine. Case report, 68
Extrathecal intraradicular nerve sheath tumor, 1
Computerized tomography–guided kryorhizotomy in 76 patients with lumbar facet joint syndrome, 444
Robotic surgery
Combination kyphoplasty and spinal radiosurgery: a new treatment paradigm for pathological fractures, 296

Stereotactic radiosurgery for spinal metastases from renal cell carcinoma, 288

Sacrectomy
Bowel and bladder continence, wound healing, and functional outcomes in patients who underwent sacrectomy, 106
Computerized tomography–guided kryorhizotomy in 76 patients with lumbar facet joint syndrome, 444
Sacrum
En bloc resection of primary sacral tumors: classification of surgical approaches and outcome, 111
The filum terminale externum, 149
Novel use of a threadwire saw for high sacral amputation. Technical note and description of operative technique, 71
Safety
Outcome after less-invasive decompression of lumbar spinal stenosis: a randomized comparison of unilateral laminotomy, bilateral laminotomy, and laminectomy, 129
Schistosomiasis
Schistosomiasis of the spinal cord presenting as progressive myelopathy. Case report, 61
Schwannoma
Extrathecal intraradicular nerve sheath tumor, 1
Scoliosis
Gowers intrasyringal hemorrhage. Case report and review of the literature, 477
Screw fixation
Clinical and radiological results after parapedicular screw fixation of the thoracic spine, 283
Translaminar rigid screw fixation of the axis. Technical note, 409
Sensorimotor deficit
Functional outcome after surgical treatment of spontaneous and nonspontaneous spinal subdural hematomas, 12
Short Form, 36-item
Single-level lumbar fusion in chronic discogenic low-back pain: psychological and emotional status as a predictor of outcome measured using the 36-item Short Form, 255
Spina bifida
Dural arteriovenous fistula coexisting with a lumbar lipomeningocele, 386
Spina bifida occulta
Retrograde intraventricular hemorrhage caused by a traumatic sacral pseudomeningocele in the presence of spina bifida occulta. Case report, 390
Spinal abscess
A large, erosive intraspinal and paravertebral gout tophus, 485
Spinal accessory nerve
Superficial landmarks for the spinal accessory nerve within the posterior cervical triangle, 375
Spinal canal stenosis
Lumbar spinous process–splitting laminectomy for lumbar canal stenosis. Technical note, 405
Spinal cord
The filum terminale externum, 149
A novel intramedullary spinal cord tumor model: functional, radiological, and histopathological characterization, 142
Primary spinal syringomyelia. Invited submission from the Joint Section Meeting on Disorders of the Spine and Peripheral Nerves, March 2005, 429
Spinal intradural arteriovenous fistula acquired in late adulthood: absent spinal venous drainage in pathogenesis and pathophysiology. Report of two cases, 488
Spinal cord atrophy
Advanced Chiari malformation Type I with marked spinal cord atrophy. Case report, 324
Spinal cord infarction
Spinal cord infarction complicating acute hydrocephalus secondary to a colloid cyst of the third ventricle. Case report, 64
Spinal cord injury
Clinical experience using incubated autologous macrophages as a treatment for complete spinal cord injury: Phase I study results, 173
Complete cord injury. Editorial, 171
Localized cervical facet joint kinematics under physiological and whiplash loading, 471
Mexiletine treatment–induced inhibition of caspase-3 activation and improvement of behavioral recovery after spinal cord injury, 53
The therapeutic window for spinal cord decompression in a rat spinal cord injury model, 302
Timing of surgical stabilization after cervical and thoracic trauma, 182
Spinal disease
Gowers intrasyringal hemorrhage. Case report and review of the literature, 477
Spinal dysraphism
Dural arteriovenous fistula coexisting with a lumbar lipomeningocele, 386
Spinal fixation
Thoracic transfacet pedicle screw fixation: a new instrumentation technique, 224
Spinal fusion
Anterior spinal decompression and fusion for cervical flexion myelopathy in young patients, 86
Assessment of adjacent–segment disease in patients treated with cervical fusion or arthroplasty: a prospective 2-year study, 417
Biomechanical analysis of a newly designed bioabsorbable anterior cervical plate. Invited submission from the Joint Section Meeting on Disorders of the Spine and Peripheral Nerves, March 2005, 465
Cervical arthroplasty after previous surgery: results of treating 24 discs in 15 patients, 335
Coralline hydroxyapatite and laminectomy-derived bone as adjuvant graft material for lumbar posterolateral fusion, 271
Minimally invasive microendoscopy-assisted transforaminal lumbar interbody fusion with instrumentation, 98
Murine spinal fusion induced by engineered mesenchymal stem cells that conditionally express bone morphogenetic protein–2, 47
Osteoradionecrosis of the cervical spine resulting from radiotherapy for primary head and neck malignancies: operative and nonoperative management. Case report, 159
Radiculopathy of C-5 after anterior decompression for cervical myelopathy, 210
Safety of transforaminal lumbar interbody fusion and intervertebral recombinant human morphogenetic protein–2, 436
Spinal gout tophi
A large, erosive intraspinal and paravertebral gout tophus, 485
Spinal infection
The use of closed-suction irrigation systems to manage spinal infections, 276
Spinal instability
An atypical spinal meningioma with CSF metastasis: fatal progression despite aggressive treatment. Case report, 153
Anterior decompression combined with corpectomies and discectomies in the management of multilevel cervical myelopathy: a hybrid decompression and fixation technique, 205
Cervical instability. Letters, 169
Clinical and radiological results after parapedicular screw fixation of the thoracic spine, 283

Timing of surgical stabilization after cervical and thoracic trauma, 182
Spinal instrumentation
Thoracic and lumbar tuberculous spondylitis treated by posterior debridement, grafting, and instrumentation: a retrospective analysis of 19 patients, 450
The use of closed-suction irrigation systems to manage spinal infections, 276
Spinal reconstruction
Use of a polymethylacrylate cervical age in the treatment of single-level cervical disc disease, 24
Spinal stenosis
Spinal stenosis due to ossified lumbar lesions, 262
The therapeutic window for spinal cord decompression in a rat spinal cord injury model, 302
Spinal subdural hematoma
Functional outcome after surgical treatment of spontaneous and nonspontaneous spinal subdural hematomas, 12
Spinal tuberculosis
Thoracic and lumbar tuberculous spondylitis treated by posterior debridement, graft placement, and instrumentation: a retrospective analysis in 19 cases, 450
Spinal tumor
En bloc resection of primary sacral tumors: classification of surgical approaches and outcome, 111
Epithelioid hemangioendothelioma of the spine. Report of two cases, 393
Extrathecal intraradicular nerve sheath tumor, 1
A novel intramedullary spinal cord tumor model: functional, radiological, and histopathological characterization, 142
Computerized tomography–guided kryorhizotomy in 76 patients with lumbar facet joint syndrome, 444
A large, erosive intraspinal and paravertebral gout tophus, 485
Spinous process
Lumbar spinous process–splitting laminectomy for lumbar canal stenosis. Technical note, 405
Split cord malformation
Split cord malformation with associated Type IV spinal cord perimedullary arteriovenous fistula. Case report, 400
Spondylolisthesis
Minimally invasive transforaminal lumbar interbody fusion with ipsilateral pedicle screw and contralateral facet screw fixation, 218
Spondylotic cervical myelopathy
Anterior decompression combined with corpectomies and discectomies in the management of multilevel cervical myelopathy: a hybrid decompression and fixation technique, 205
Cervical spondylotic myelopathy. Letters, 253
Stabilization
Late vertebral body fracture after lumbar transpedicular fixation. Report of three cases, 57
Stereotactic radiosurgery
Combination kyphoplasty and spinal radiosurgery: a new treatment paradigm for pathological fractures, 296
Stereotactic radiosurgery for spinal metastases from renal cell carcinoma, 288
Sternocleidomastoid muscle
Superficial landmarks for the spinal accessory nerve within the posterior cervical triangle, 375
Suction irrigation system
The use of closed-suction irrigation systems to manage spinal infections, 276
Syringomyelia
An unusual presentation and resolution of syringomyelia after cervical spine injury. Case report, 482
Primary spinal syringomyelia. Invited submission from the Joint Section Meeting on Disorders of the Spine and Peripheral Nerves, March 2005, 429
Terminal filum
The filum terminale externum, 149
Tetraplegia
Clinical experience using incubated autologous macrophages as a treatment for complete spinal cord injury: Phase I study results, 173
Thoracic outlet syndrome
Surgical treatment of thoracic outlet syndrome: a randomized trial comparing two operations, 355
Thoracic spine
Clinical and prognostic analysis of ossified ligamentum flavum in a Chinese population, 348
Clinical and radiological results after parapedicular screw fixation of the thoracic spine, 283
Effects of pilot hole preparation technique on pedicle screw fixation in different regions of the osteoporotic thoracic and lumbar spine, 364
Endoscopic thoracic microdiscectomy, 459
Image-guided surgery for thoracic ossification of the posterior longitudinal ligament. Technical note, 165
Surgical management of giant herniated thoracic discs: analysis of 20 cases, 191
Thoracic transfacet pedicle screw fixation: a new instrumentation technique, 224
Timing of surgical stabilization after cervical and thoracic trauma, 182
Thoracolumbar spine
A unique two-level noncontiguous ligamentous flexion-distraction injury in the thoracolumbar spine. Case report, 328
Thoracoscopy
Endoscopic thoracic microdiscectomy, 459
Surgical management of giant herniated thoracic discs: analysis of 20 cases, 191
Thoracotomy
Endoscopic thoracic microdiscectomy, 459
Surgical management of giant herniated thoracic discs: analysis of 20 cases, 191
Threadwire saw
Novel use of a threadwire saw for high sacral amputation. Technical note and description of operative technique, 71
Tonsillar herniation
Spinal cord infarction complicating acute hydrocephalus secondary to a colloid cyst of the third ventricle. Case report, 64
Transforaminal lumbar interbody fusion
Minimally invasive microendoscopy-assisted transforaminal lumbar interbody fusion with instrumentation, 98
Minimally invasive transforaminal lumbar interbody fusion with ipsilateral pedicle screw and contralateral facet screw fixation, 218
Safety of transforaminal lumbar interbody fusion and intervertebral recombinant human morphogenetic protein-2, 436
Translaminar approach
Translaminar rigid screw fixation of the axis. Technical note, 409
Transpedicular fixation
Late vertebral body fracture after lumbar transpedicular fixation. Report of three cases, 57
Transplantation
Olfactory glia transplantation into cervical spinal cord contusion injuries, 308
Transverse myelitis
Schistosomiasis of the spinal cord presenting as progressive myelopathy. Case report, 61
Trapezius muscle
Superficial landmarks for the spinal accessory nerve within the posterior cervical triangle, 375

Trauma
An unusual presentation and resolution of syringomyelia after cervical spine injury. Case report, 482
Localized cervical facet joint kinematics under physiological and whiplash loading, 471
A unique two-level noncontiguous ligamentous flexion-distraction injury in the thoracolumbar spine. Case report, 328
T-saw
Novel use of a threadwire saw for high sacral amputation. Technical note and description of operative technique, 71
Tuberculous spondylitis
Thoracic and lumbar tuberculous spondylitis treated by posterior debridement, graft placement, and instrumentation: a retrospective analysis of 19 patients, 450
Tumor-to-tumor metastasis
Spinal hemangioblastoma containing metastatic renal cell carcinoma in von Hippel–Lindau disease. Case report and review of the literature, 495

Ultrasonic osteotome
En bloc laminoplasty without dissection of paraspinal muscles, 29

Vascular injury
Quantitative anatomical and morphological classification of the iliac vessels anterior to the lumbosacral vertebrae, 371
Vascularized fibular graft
Osteoradionecrosis of the cervical spine resulting from radiotherapy for primary head and neck malignancies: operative and nonoperative management. Case report, 159
Venous congestion
Spinal intradural arteriovenous fistula acquired in late adulthood: absent spinal venous drainage in pathogenesis and pathophysiology. Report of two cases, 488
Venous factor
An unusual presentation and resolution of syringomyelia after cervical spine injury. Case report, 482
Vertebral artery
Aberrant vertebral artery course in a case of Chiari malformation and occipitoatlantal assimilation. Case report, 246
Anterolateral approach to the craniocervical junction, 123
Vertebral body
Late vertebral body fracture after lumbar transpedicular fixation. Report of three cases, 57
Vertebral compression fracture
Balloon kyphoplasty for vertebral compression fractures secondary to polyostotic fibrous dysplasia: Case report, 234
Vertebral tumor
Epithelioid hemangioendothelioma of the spine. Report of two cases, 393
von Hippel–Lindau disease
Spinal hemangioblastoma containing metastatic renal cell carcinoma in von Hippel–Lindau disease. Case report and review of the literature, 495
VX2
A novel intramedullary spinal cord tumor model: functional, radiological, and histopathological characterization, 142